

STN	Priemyselné komunikačné siete. Bezdrôtová komunikačná sieť a komunikačné profily - WIA-PA.	STN EN 62601
		18 4022

Industrial networks - Wireless communication network and communication profiles - WIA-PA

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 09/16

Obsahuje: EN 62601:2016, IEC 62601:2015

123430

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2016
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN 62601

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2016

ICS 25.040.40; 35.100.05

English Version

**Industrial networks - Wireless communication network and
communication profiles - WIA-PA
(IEC 62601:2015)**

Réseaux industriels - Réseau de communications sans fil et
profils de communication - WIA-PA
(IEC 62601:2015)

Industrielle Kommunikationsnetze - Kommunikationsnetze
und Kommunikationsprofile - WIA-PA
(IEC 62601:2015)

This European Standard was approved by CENELEC on 2016-01-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 65C/821/FDIS, future edition 2 of IEC 62601, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62601:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-10-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-01-13

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62601:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61804-2	NOTE	Harmonized as EN 61804-2.
IEC 61499-1	NOTE	Harmonized as EN 61499-1.
IEC 61499-2	NOTE	Harmonized as EN 61499-2.
ISO 3166-1	NOTE	Harmonized as EN ISO 3166-1.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO/IEC 9899	-	Information technology - Programming languages - C	-	-
ISO 3166-1	-	Codes for the representation of names of countries and their subdivisions - Part 1: Country codes	EN ISO 3166-1	-
IEEE 802.15.4	2011 ¹⁾	IEEE Standard for Local and metropolitan area networks - Part 15.4: Low-Rate Wireless Personal Area Networks (LR-WPANs)	-	-

¹⁾ Superseded by IEEE 802.15.4-2015.



IEC 62601

Edition 2.0 2015-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial networks – Wireless communication network and communication profiles – WIA-PA

Réseaux industriels – Réseau de communications sans fil et profils de communication – WIA-PA





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial networks – Wireless communication network and communication profiles – WIA-PA

Réseaux industriels – Réseau de communications sans fil et profils de communication – WIA-PA

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40 ; 35.100.05

ISBN 978-2-8322-3040-4

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	13
1 Scope	15
2 Normative references	15
3 Terms, definitions and abbreviations	15
3.1 Terms and definitions	15
3.2 Abbreviations	19
4 Definition of data types	21
5 WIA-PA overview	22
5.1 Device types	22
5.2 Network topology	22
5.3 Protocol architecture	24
5.4 Interconnection	25
6 System management	26
6.1 General	26
6.2 Framework of system management	27
6.3 Joining process	28
6.3.1 Provisioning process	28
6.3.2 Joining process of routing device	29
6.3.3 Joining process of field device	30
6.3.4 Addressing and address assignment	31
6.4 Virtual Communication Relationship (VCR)	32
6.4.1 Definition	32
6.4.2 Protocol support for VCR	33
6.4.3 VCR establishment	33
6.4.4 VCR release	34
6.5 Routing configuration and communication resource allocation	34
6.5.1 Routing configuration	34
6.5.2 Framework of communication resource allocation	34
6.5.3 DLPDU priority and scheduling rules	35
6.5.4 Communication resource allocation to routing device	35
6.5.5 Communication resource allocation to field device	37
6.6 Aggregation and disaggregation	39
6.6.1 Aggregation	39
6.6.2 Disaggregation	41
6.6.3 An example of the two level aggregation process	41
6.6.4 Management of aggregation and disaggregation objects	43
6.7 Performance monitoring	45
6.7.1 Path failure report	45
6.7.2 Device status report	45
6.7.3 Channel condition report	46
6.8 Leaving process	46
6.8.1 General	46
6.8.2 Leaving process of routing device	46
6.8.3 Leaving process of field device	48
6.9 Management information base and services	49
6.9.1 Management information base	49

6.9.2	MIB services	63
7	Physical layer	65
7.1	General	65
7.2	General requirements based on IEEE STD 802.15.4-2011	66
7.3	Additional requirements	67
7.3.1	General	67
7.3.2	Frequency allocations	67
7.3.3	Channel numbers and frequency assignments	67
7.3.4	Radio transceivers	67
7.3.5	Unspecified or improved required radio performance	67
7.3.6	Transmit power	68
7.3.7	Output power control	68
7.3.8	Receiver sensitivity	68
7.3.9	PHY PIB attributes	68
8	Data link layer	69
8.1	General	69
8.2	Protocol stack	69
8.3	MAC overview and function extension	70
8.3.1	MAC overview	70
8.3.2	General requirements based on IEEE STD 802.15.4-2011	70
8.3.3	MAC function extension	73
8.4	DDSL function description	74
8.4.1	General	74
8.4.2	Coexistence	75
8.4.3	Timeslot communication	75
8.4.4	WIA-PA superframe	76
8.4.5	Frequency hopping	76
8.4.6	Transmission of long cycle data	78
8.4.7	Retry strategy	79
8.4.8	Management service	79
8.4.9	Radio link quality and channel condition measurement	79
8.4.10	Security	80
8.4.11	Country code	80
8.4.12	DDSL state machine	80
8.5	Data link sub-layer data services	86
8.5.1	General	86
8.5.2	DLDE-DATA.request	86
8.5.3	DLDE-DATA.confirm	87
8.5.4	DLDE-DATA.indication	88
8.5.5	Time sequence of DDSL data service	89
8.6	Data link sub-layer management services	90
8.6.1	General	90
8.6.2	Network discovery services	90
8.6.3	Device joining services	92
8.6.4	Device leaving services	94
8.6.5	DLME-CHANNEL-CONDITION.indication	96
8.6.6	DLME-NEIGHBOUR-INFO.indication	96
8.6.7	DLME-COMM-STATUS.indication	97
8.6.8	Keep-alive services	97

8.6.9	Time synchronization services	98
8.7	DDSL frame formats	99
8.7.1	General frame format.....	99
8.7.2	Date frame format.....	100
8.7.3	Command frame format	100
9	Network layer	102
9.1	General.....	102
9.2	Protocol stack	102
9.3	Function description.....	103
9.3.1	General	103
9.3.2	Addressing	103
9.3.3	Routing.....	104
9.3.4	Packet lifecycle management	104
9.3.5	Joining and leaving network of device.....	104
9.3.6	End-to-end network performance monitoring.....	105
9.3.7	Fragmentation and reassembly.....	105
9.3.8	Network layer state machine	105
9.4	Network layer data services	110
9.4.1	General	110
9.4.2	NLDE-DATA.request.....	110
9.4.3	NLDE-DATA.confirm	111
9.4.4	NLDE-DATA.indication	111
9.4.5	Time sequence of NL data services	112
9.5	Network layer management services	112
9.5.1	General	112
9.5.2	Network communication status report services	112
9.5.3	Network joining services	115
9.5.4	Networkleaving services	120
9.5.5	Cluster member report services	124
9.5.6	Neighbour information report services	126
9.5.7	Route allocation services	128
9.5.8	Communication resource allocation services.....	134
9.5.9	Aggregation and disaggregation services.....	150
9.5.10	Device status report services.....	151
9.5.11	Channel condition report services	153
9.5.12	Failure path report services	155
9.5.13	Network attribute getting services	156
9.5.14	Network attribute setting services	160
9.6	Network layer packet formats	163
9.6.1	Common packet format.....	163
9.6.2	Data packet format	164
9.6.3	Aggregated packet format.....	165
9.6.4	Command packet format	165
10	Application layer	182
10.1	Overview.....	182
10.1.1	General	182
10.1.2	AL structure	182
10.1.3	Functions of UAP.....	182
10.1.4	Functions of ASL	183

10.2	UAP	183
10.2.1	General	183
10.2.2	UAO	183
10.2.3	Method definition	184
10.3	Application sub-layer	188
10.3.1	General	188
10.3.2	Application sub-layer data entity	188
10.4	Application sub-layer packet formats.....	193
10.4.1	General	193
10.4.2	ASL general packet format	193
10.4.3	Packet formats	195
11	Security	196
11.1	General.....	196
11.2	Security management framework	197
11.3	Secure communication protocol stack	198
11.3.1	General	198
11.3.2	Data link sub-layer security.....	199
11.3.3	Application sub-layer security	200
11.4	Key management.....	201
11.4.1	Key type	201
11.4.2	Key distribution.....	202
11.4.3	Key update	202
11.4.4	Key status	202
11.5	Secure joining process.....	203
11.5.1	Secure joining process of a new WIA-PA device	203
11.5.2	Device security material getting services	204
11.6	Secure transportation.....	211
11.6.1	Process of secure transportation from field device to host configuration computer	211
11.6.2	Process of secure transportation from host configuration computer to field device	212
Annex A (informative)	Security strategy for WIA-PA network.....	213
A.1	Risk analysis for WIA-PA network	213
A.2	Security principles for WIA-PA network	213
A.3	Security objectives for WIA-PA network	213
A.4	Graded and layered security system	213
Annex B (informative)	Format description	215
B.1	Time sequence diagram	215
B.2	Packet or frame format	215
Annex C (informative)	Example of UAO	217
C.1	General.....	217
C.2	Analog input object	217
C.2.1	Overview	217
C.2.2	Class attribute of AIO	217
C.2.3	Instance attribute of AIO	217
Annex D (informative)	Country-specific and region-specific provisions	219
Annex E (informative)	Regional modification for compliance with ETSI standards	220
E.1	General.....	220
E.2	Compliance with EN 300 440-2 V1.4.1	220

E.3 Compliance with EN 300 328 V1.8.1	220
Bibliography.....	222
Figure 1 – Example of WIA-PA physical topology (combination of star and mesh).....	23
Figure 2 – Example of WIA-PA physical topology (star-only)	23
Figure 3 – OSI basic reference model mapped to WIA-PA	24
Figure 4 – The architecture of WIA-PA gateway	25
Figure 5 – DMAP in system management.....	26
Figure 6 – Hybrid centralized and distributed system management scheme	28
Figure 7 – Joining process of routing device through the gateway device.....	29
Figure 8 – Joining process of routing device through an online routing device	30
Figure 9 – Joining process of field device through a gateway device	31
Figure 10 – Joining process of field device through a routing device	31
Figure 11 – Long address structure of device.....	31
Figure 12 – Short address structure of routing device	32
Figure 13 – Short address structure of field device	32
Figure 14 – An example of resource allocation.....	35
Figure 15 – Allocation process of routing device's communication resources	36
Figure 16 – Allocation process of field device's communication resources	38
Figure 17 – Example of aggregation and disaggregation	42
Figure 18 – Process of path failure report	45
Figure 19 – Device status report process of field device	45
Figure 20 – Device status report process of routing device	46
Figure 21 – Process of channel condition report	46
Figure 22 – Active leaving process of routing device.....	47
Figure 23 – Passive leaving process of routing device	47
Figure 24 – Active leaving process of field device (leaving from gateway device).....	48
Figure 25 – Active leaving process of field device (leaving from routing device).....	48
Figure 26 – Passive leaving process of field device (leaving from gateway device)	49
Figure 27 – Passive leaving process of field device (leaving from routing device)	49
Figure 28 – WIA-PA DLL protocol stack	69
Figure 29 – WIA-PA DLSL reference model	75
Figure 30 – WIA-PA superframe	76
Figure 31 – R1, R2 and R3 superframe structures	78
Figure 32 – An example of long cycle data transmission	79
Figure 33 – DLSL state machine for device joining.....	81
Figure 34 – DLSL state machine for in-network running	83
Figure 35 – Time sequence of data service	89
Figure 36 – Time sequence of network discovery	92
Figure 37 – General frame format	99
Figure 38 – WIA-PA network layer protocol stack.....	102
Figure 39 – WIA-PA network layer reference model	103
Figure 40 – Network layer state machine	105

Figure 41 – Time sequence of NL data services	112
Figure 42 – Time sequence for field device joining through routing device	118
Figure 43 – One-hop joining process for routing device	119
Figure 44 – Multi-hop join process of routing device	119
Figure 45 – Active leaving process of field device (leaving routing device).....	122
Figure 46 – Passive leaving of field device	122
Figure 47 – Active leaving process of routing device.....	123
Figure 48 – Passive leaving process of routing device	123
Figure 49 – Cluster member reporting process.....	126
Figure 50 – Neighbour information reporting process	128
Figure 51 – Time sequence for route adding	130
Figure 52 – Time sequence for route updating	132
Figure 53 – Time sequence for route deleting	134
Figure 54 – Adding a link originating from gateway device to routing device	137
Figure 55 – Adding a link originating from routing device to field device.....	137
Figure 56 – Updating a link originating by gateway device to routing device.....	139
Figure 57 – Updating a link originating from routing device to field device.....	140
Figure 58 – Releasing a link originating from gateway device to routing device.....	142
Figure 59 – Releasing a link originating from routing device to field device	142
Figure 60 – Adding a superframe originating from gateway device to routing device	144
Figure 61 – Adding a superframe originating from routing device to field device.....	144
Figure 62 – Updating a superframe originating from gateway device to routing device	146
Figure 63 – Updating a superframe originating from routing device to field device	147
Figure 64 – Releasing a superframe originating from gateway device to routing device.....	149
Figure 65 – Releasing a superframe originating from routing device to field device	149
Figure 66 – Device status reporting process from field device to routing device	152
Figure 67 – Device status reporting process from routing device to gateway device.....	153
Figure 68 – Channel condition reporting process from field device to routing device	154
Figure 69 – Channel condition reporting process from routing device to gateway device	155
Figure 70 – Failure path reporting process	156
Figure 71 – AL structure	182
Figure 72 – User application process	183
Figure 73 – C/S communication process	191
Figure 74 – P/S communication process (disable aggregation function)	192
Figure 75 – P/S communication process (enable aggregation function).....	192
Figure 76 – R/S communication process	193
Figure 77 – Security management framework of WIA-PA network	197
Figure 78 – Security communication protocol stack.....	199
Figure 79 – Key lifecycle.....	202
Figure 80 – Secure joining process of WIA-PA device.....	203
Figure 81 – Time sequence for field device joining (field device to routing device)	207
Figure 82 – Time sequence for field device joining (routing device to gateway device).....	208
Figure 83 – One-hop joining process for routing device	209

Figure 84 – Multi-hop join process of routing device (new routing device to routing device).....	210
Figure 85 – Multi-hop join process of routing device (routing device to gateway device)	211
Figure B.1 – Time sequence diagram.....	215
 Table 1 – Definition of data types.....	22
Table 2 – Protocol support for VCR.....	33
Table 3 – Relations between VCR and aggregation function	39
Table 4 – Format of aggregated data followed by field device's DAGO.....	41
Table 5 – Format of aggregated packet followed by routing device's PAGO	41
Table 6 – DAGO class attributes	43
Table 7 – DAGO instance attributes	43
Table 8 – MEM_STRUCT structure	44
Table 9 – PAGO class attributes	44
Table 10 – PAGO instance attributes	44
Table 11 – DGO class attributes	44
Table 12 – DGO instance attributes	45
Table 13 – Unstructured attributes (1 of 5).....	50
Table 14 – Structured attributes	55
Table 15 – NLRoute_Struct structure	56
Table 16 – Superframe_Struct structure.....	56
Table 17 – Link_Struct structure	57
Table 18 – Neighbour_Struct structure.....	58
Table 19 – ChanCon_Struct structure	58
Table 20 – Device_struct structure (1 of 3)	59
Table 21 – VCR_Struct structure.....	61
Table 22 – DevConRep_Struct structure	62
Table 23 – Key_Struct structure	62
Table 24 – ObjList_Struct structure	62
Table 25 – DMAP-MIB-GET.request parameters	63
Table 26 – DMAP-MIB-GET.confirm parameters	64
Table 27 – DMAP-MIB-SET.request parameters	64
Table 28 – DMAP-MIB-SET.confirm parameters.....	65
Table 29 – PHY protocol selection	66
Table 30 – Frequency band and data rate	67
Table 31 – Frequency assignments.....	67
Table 32 – PHY PIB attributes (1 of 2)	68
Table 33 – MAC protocol selection (1 of 2)	71
Table 34 – MAC PIB attributes	73
Table 35 – MAC extended PIB attributes.....	73
Table 36 – Beacon payload.....	74
Table 37 – Format of Capability Information field	74
Table 38 – Hopping mechanisms	77

Table 39 – DLSL state transitions for device joining	82
Table 40 – DLSL state transitions for in-network running (<i>1 of 3</i>)	83
Table 41 – DLDE-DATA.request parameters	87
Table 42 – DLDE-DATA.confirm parameters	88
Table 43 – Status table	88
Table 44 – DLDE-DATA.indication parameters	89
Table 45 – DLME-DISCOVERY.request parameters	90
Table 46 – DLME-DISCOVERY.confirm parameters	91
Table 47 – Network descriptor list	91
Table 48 – DLME-JOIN.request parameters	93
Table 49 – DLME-JOIN.indication parameters	93
Table 50 – DLME-JOIN.response parameters	94
Table 51 – DLME-JOIN.confirm parameters	94
Table 52 – DLME-LEAVE.request parameters	95
Table 53 – DLME-LEAVE.indication parameters	95
Table 54 – DLME-LEAVE.confirm parameters	95
Table 55 – DLME-CHANNEL-CONDITION.indication parameters	96
Table 56 – DLME-NEIGHBOUR-INFO.indication parameters	96
Table 57 – DLME-COMM-STATUS.indication parameters	97
Table 58 – DLME -KEEP-LIVE.confirm parameters	98
Table 59 – DLME -KEEP-LIVE.indication parameters	98
Table 60 – DLME-TIME-SYN.request parameters	98
Table 61 – DLME -TIME-SYN.confirm parameters	99
Table 62 – DLME-TIME-SYN.indication parameters	99
Table 63 – DLSL frame control field	100
Table 64 – Date frame format	100
Table 65 – General command frame format	100
Table 66 – DLSL command frame	101
Table 67 – Format of keep-alive command frame	101
Table 68 – Format of time synchronization command frame	102
Table 69 – Example of a routing table	104
Table 70 – NL state transitions (<i>1 of 4</i>)	106
Table 71 – NLDE-DATA.request parameters	111
Table 72 – NLDE-DATA.confirm parameters	111
Table 73 – NLDE-DATA.indication parameters	112
Table 74 – NLME-COMM-STATUS.request parameters	113
Table 75 – NLME-COMM-STATUS.indication parameters	114
Table 76 – NLME-COMM-STATUS.confirm parameters	114
Table 77 – NLME-JOIN.request parameters	115
Table 78 – NLME-JOIN.indication parameters	116
Table 79 – NLME-JOIN.response parameters	116
Table 80 – NLME-JOIN.confirm parameters	117
Table 81 – NLME-LEAVE.request parameters	120

Table 82 – NLME-LEAVE.indication parameters	120
Table 83 – NLME-LEAVE.response parameters	121
Table 84 – NLME-LEAVE.confirm parameters	121
Table 85 – NLME-RPT-CLRMEM.request parameters	124
Table 86 – NLME-RPT-CLRMEM.confirm parameter	124
Table 87 – NLME-RPT-CLRMEM.response parameters	125
Table 88 – NLME-NEIGHBOUR-INFO.request parameters	126
Table 89 – NLME-NEIGHBOUR-INFO.confirm parameter	127
Table 90 – NLME-ADD_ROUTE.request parameters	128
Table 91 – NLME-ADD_ROUTE.confirm parameters	129
Table 92 – NLME-UPDATE_ROUTE.request parameters	130
Table 93 – NLME-UPDATE_ROUTE.confirm parameter	131
Table 94 – NLME-UPDATE_ROUTE.request parameters	132
Table 95 – NLME-DELETE_ROUTE.confirm parameters	133
Table 96 – NLME-ADD-LINK.request parameters	135
Table 97 – NLME-ADD-LINK.confirm parameters	136
Table 98 – NLME-UPDATE-LINK.request parameters	138
Table 99 – NLME-UPDATE-LINK.confirm parameters	138
Table 100 – NLME-RELEASE-LINK.request parameters	140
Table 101 – NLME-RELEASE-LINK.confirm parameters	141
Table 102 – NLME-ADD-SFR.request parameters	143
Table 103 – NLME-ADD-SFR.confirm parameters	143
Table 104 – NLME-UPDATA-SFR.request parameters	145
Table 105 – NLME-UPDATE-SFR.confirm parameters	145
Table 106 – NLME-RELEASE-SFR.request parameters	147
Table 107 – NLME-RELEASE-SFR.confirm parameters	148
Table 108 – NLME-AGG.indication parameters	150
Table 109 – NLME-AGO-SEND.request parameters	150
Table 110 – NLME-DAG.indication parameter	151
Table 111 – NLME-DEVICE -STATUS.request parameters	151
Table 112 – NLME-DEVICE -STATUS.indication parameters	152
Table 113 – NLME-DEVICE -STATUS.confirm parameter	152
Table 114 – NLME-CHANNEL-CONDITION.request parameters	153
Table 115 – NLME-CHANNEL-CONDITION.indication parameters	154
Table 116 – NLME-CHANNEL-CONDITION.confirm parameter	154
Table 117 – NLME-PATH_FAILURE.request parameters	155
Table 118 – NLME-PATH_FAILURE.indication parameters	156
Table 119 – NLME-PATH_FAILURE.confirm parameters	156
Table 120 – NLME-INFO_GET.request parameters	157
Table 121 – NLME-INFO_GET.indication parameters	158
Table 122 – NLME-INFO_GET.response parameters	159
Table 123 – NLME-INFO_GET.confirm parameters	160
Table 124 – NLME-INFO_SET.request parameters	161

Table 125 – NLME-INFO_SET.indication parameters	161
Table 126 – NLME-SET.response parameters	162
Table 127 – NLME-SET.confirm parameters	163
Table 128 – Network layer common packet format	163
Table 129 – Control field format.....	163
Table 130 – Network layer data packet format	164
Table 131 – Aggregated packet format.....	165
Table 132 – Format of NL command packet	166
Table 133 – Network layer command packet.....	166
Table 134 – Execution results of commands	167
Table 135 – Format of joining request packet.....	167
Table 136 – Format of joining response packet	168
Table 137 – Format of communication status report request packet	168
Table 138 – Format of leaving request packet.....	169
Table 139 – Value of Leaving reason	169
Table 140 – Format of leaving response packet	169
Table 141 – Format of cluster member report request packet.....	169
Table 142 – Format of cluster member report response packet	170
Table 143 – Format of neighbour information report request packet.....	170
Table 144 – Format of route adding request packet	171
Table 145 – Format of route adding response packet.....	171
Table 146 – Format of route update request packet	171
Table 147 – Format of route update response packet.....	172
Table 148 – Format of route deleting request packet.....	172
Table 149 – Format of route deleting response packet.....	172
Table 150 – Format of link adding request packet	173
Table 151 – Format of link adding response packet	173
Table 152 – Format of link update request packet.....	174
Table 153 – Format of link update response packet	174
Table 154 – Format of link release request packet	175
Table 155 – Format of link release response packet	175
Table 156 – Format of superframe adding request packet.....	175
Table 157 – Format of superframe adding response packet	176
Table 158 – Format of superframe update request packet.....	176
Table 159 – Format of superframe update response packet	177
Table 160 – Format of superframe release request packet	177
Table 161 – Format of superframe release response packet	177
Table 162 – Format of device condition report request packet.....	178
Table 163 – Format of device condition information field.....	178
Table 164 – Format of channel condition report request packet	179
Table 165 – Format of channel quality information field	179
Table 166 – Format of path failure report request packet	179
Table 167 – Format of attribute getting request packet	180

Table 168 – Format of attribute getting response packet	180
Table 169 – Format of attribute setting request packet	181
Table 170 – Format of attribute setting response packet	181
Table 171 – UAO method definition	185
Table 172 – Request format of READ method	185
Table 173 – Response format of READ method	185
Table 174 – Request format of WRITE method	186
Table 175 – Response format of WRITE method	186
Table 176 – Format of PUBLISH method	187
Table 177 – Format of REPORT method	187
Table 178 – Format of REPORT ACK method	187
Table 179 – ASLDE-DATA.request parameters	189
Table 180 – ASLDE-DATA.confirm parameters	189
Table 181 – ASLDE-DATA.indication parameters	190
Table 182 – ASLDE-AGG.request parameters	190
Table 183 – ASLDE-DAG.indication parameters	191
Table 184 – Application sub-layer general packet format	193
Table 185 – Packet control field format	194
Table 186 – Packet type subfield value	194
Table 187 – ASL data packet format	195
Table 188 – ASL acknowledgement packet format	196
Table 189 – Format of security DLPDU	199
Table 190 – Format of DLSL security header	200
Table 191 – Structure of security control field in DLSL security header	200
Table 192 – Structure of security material control field in DLSL security header	200
Table 193 – Security APDU structure	201
Table 194 – Structure of ASL security header field	201
Table 195 – DLME-SEC.request parameters	204
Table 196 – DLME-SEC.indication parameters	204
Table 197 – DLME-SEC.response parameters	205
Table 198 – DLME-SEC.confirm parameters	206
Table A.1 – Graded and layered security measures for WIA-PA network	214
Table A.2 – Security levels of data packets	214
Table B.1 – Packet or frame format in octet(s)	215
Table B.2 – Subfield format in bit(s)	216
Table C.1 – AIO class attribute	217
Table C.2 – AIO instance attributes	218
Table E.1 – Applicable EN 300 440-2 requirements list	220
Table E.2 – Applicable EN 300 328 requirements list	220
Table E.3 – Timeslot timing definitions and calculations	221

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL NETWORKS –
WIRELESS COMMUNICATION NETWORK
AND COMMUNICATION PROFILES –
WIA-PA****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62601 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- changed IEEE STD 802.15.4-2006 to IEEE STD 802.15.4-2011 and added common modification for IEEE STD 802.15.4-2011 MAC profile, PHY profile and IEEE STD 802.15.4-2011 related references;
- added common modifications for regional adoption and added Annex D and Annex E;

- deleted extended MAC management services and added two DDSL management services;
- added specific state machines for DDSL and NL;
- unified representation of frame format and packet format;
- changed format of definition of data types;
- added detailed description of technologies for clearer understanding;
- provided support for CCA modes 1, 2, and 3.

The reader's attention is drawn to the fact that Annex E lists all of the "in-some-country" clauses on differing practices of a less permanent nature relating to the subject of this standard.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/821/FDIS	65C/833/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

**INDUSTRIAL NETWORKS –
WIRELESS COMMUNICATION NETWORK
AND COMMUNICATION PROFILES –
WIA-PA**

1 Scope

This International Standard specifies the system architecture and the communication protocol of Wireless networks for Industrial Automation – Process Automation (WIA-PA) that is built on IEEE STD 802.15.4-2011.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 9899, *Information technology – Programming languages – C*

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions – Part 1: Country codes*

IEEE STD 802.15.4-2011, *IEEE Standard for Local and metropolitan area networks – Part 15.4: Low-Rate Wireless Personal Area Networks (LR-WPANs)*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN