STN	Malé plavidlá. Elektrický hnací systém (ISO 16315: 2016).	STN EN ISO 16315
		32 0232

Small craft - Electric propulsion system (ISO 16315:2016)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/16

Obsahuje: EN ISO 16315:2016, ISO 16315:2016

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 16315

April 2016

ICS 47.080

English Version

Small craft - Electric propulsion system (ISO 16315:2016)

Petits navires - Système de propulsion électrique (ISO 16315:2016)

Kleine Wasserfahrzeuge - Elektrische Antriebssysteme (ISO 16315:2016)

This European Standard was approved by CEN on 20 February 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 16315:2016 (E)

Contents	Page
European foreword	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of Directive 2013/53/EU	4

European foreword

This document (EN ISO 16315:2016) has been prepared by Technical Committee ISO/TC 188 "Small craft"

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2016, and conflicting national standards shall be withdrawn at the latest by October 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 16315:2016 has been approved by CEN as EN ISO 16315:2016 without any modification.

Annex ZA

(informative)

Relationship between this European Standard and the Essential Requirements of Directive 2013/53/EU

This European Standard has been prepared under a mandate given to CEN by the European Commission to provide one means of conforming to Essential Requirements of the New Approach Directive 2013/53/EU.

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one member state, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and EU Directives

Clauses/sub-clauses of this European Standard	Corresponding annexes/ paragraphs of Directive 2013/53/EU	Comments
	Annex 1, Clause 5.3 - Electrical System	
2, 4, 5, 8, 9, 10	Electrical systems shall be designed and installed so as to ensure proper operation of the watercraft under normal conditions of use	The normative references in Clause 2 of this standard are indispensable for its application
4.1, 4.13, 6, 8.5, 8.6	Electrical systems shall be designed and installed so as to minimise risk of fire and electric shock	
4,7	All electrical circuits, except engine starting circuits supplied from batteries, shall remain safe when exposed to overload	
4, 9, 10	Electric propulsion circuits shall not interact with other circuits in such a way that either would fail to operate as intended	
4.1, 8.5, Annex B(a)	Ventilation shall be provided to prevent the accumulation of explosive gases which might be emitted from batteries	
8.1	Batteries shall be firmly secured and protected from ingress of water	
4.14, 5, Annex A	Annex I, Clause 2.5 - Owner's Manual	Clause 4.14, Figure 1 gives enclosure hazard markings Clause 5 provides information on system alerts and alarms to be included in the owner's

manual
Annex A provides information necessary for safe use of the product drawing particular attention to set up, maintenance, regular operation, the prevention of
risks and risk management

 $WARNING - Other\ requirements\ and\ other\ EU\ Directives\ may\ be\ applicable\ to\ the\ product(s)\ falling\ within\ the\ scope\ of\ this\ standard.$

INTERNATIONAL STANDARD

ISO 16315

First edition 2016-03-15

Small craft — Electric propulsion system

Petits navires — Système de propulsion électrique



ISO 16315:2016(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	Contents		Page	
Fore	word		v	
Intr	oductio	n	vi	
1		e		
2	-	native references		
3		s and definitions		
4		ral requirements		
	4.1	General		
	4.2	Components of an electric propulsion system		
	4.3 4.4	Electric propulsion systemsArrangements for other electrical equipment and circuits on-board a small	0	
	4.4	craft connected to a common energy source for both propulsion and general		
		electrical installation	8	
		4.4.1 DC systems		
		4.4.2 AC systems		
	4.5	Environmental factors	9	
	4.6	Electrical ratings		
	4.7	Equipment		
		4.7.1 Transformers		
		4.7.2 Converters		
	4.0	4.7.3 Motors		
	4.8 4.9	EnclosuresIdentification of equipment and conductors		
	4.9	Segregation of DC and AC systems		
	4.11	Steering and throttle controls		
	4.12	Electromagnetic compatibility (EMC)		
	4.13	Electrical equipment in the vicinity of battery banks	11	
	4.14	Hazardous areas		
5	Cont	rols, monitoring, system alerts and trips alarms	12	
J	5.1	Electrical/electronic controls for electric propulsion systems	12	
	0.1	5.1.1 Controls		
		5.1.2 Emergency stop		
		5.1.3 Fault trip reset		
		5.1.4 "Get you home" mode		
	5.2	Instruments, alerts and trip alarms		
		5.2.1 General		
		5.2.2 Operating mode and status		
		5.2.3 System alerts		
		5.2.4 Fault trip alarms		
6	Prote	ection against electric shock		
	6.1	Protection against direct contact	14	
	6.2	Automatic disconnection of supply to the electric propulsion system under fault-	4.4	
	()	to-earth conditions (earthed two wire DC systems and earthed neutral AC systems)	14	
	6.3	Fault-to-earth monitoring and tripping arrangements for DC fully insulated systems, DC 3-wire systems	1 5	
	6.4	Fault-to-earth tripping in AC non-neutral earthed systems (IT-type system)	13	
7	Prote	ection against over-current		
	7.1	General		
	7.2	Characteristics of protective devices	16	
	7.3	Overcurrent devices in the outgoing circuit(s) from a battery	17	
8	Batte	ery monitoring and installation	17	
-		General arrangements		

ISO 16315:2016(E)

	8.2	Isolation of battery packs or battery banks	17
	8.3	Operational switching of battery pack(s) or battery bank(s)	
	8.4	Permanently energized circuits	
	8.5	Ventilation	
	8.6	Electrical apparatus for explosive gas atmospheres	
9	Elect	rical installation	19
	9.1	General	
	9.2	Segregation of electrical propulsion system cables	19
10	Testing		20
	10.1	General	20
	10.2	Earthing and bonding	20
	10.3	Insulation resistance	20
		10.3.1 General	20
		10.3.2 DC electrical propulsion systems	20
		10.3.3 AC electrical propulsion systems	
		10.3.4 Switchboards, panel boards and distribution boards	20
		10.3.5 Power and lighting final circuits	21
		10.3.6 Generators and motors	21
		10.3.7 Transformers	
	10.4	Electrical/electronic controls systems for propulsion motor control	21
	10.5	On load test and inspection of electrical propulsion systems, and associated switch	
		gear and control gear	21
	10.6	Voltage drop	21
Anne	x A (no	rmative) Information and instructions to be included in the owner's manual	22
Anne	ex B (no	rmative) Installation documentation	23
Bibli	ograph	y	24

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 188, *Small craft*, together with CEN/BT/WG 69, *Small craft* and IEC/TC 18, *Electrical installations of ships and of mobile and fixed offshore units*.

Introduction

Electrical propulsion systems are becoming more common in recreational craft and other small craft and propulsion system voltages of up to AC 1 000 V and DC 1 500 V are possible together with variable speed drives operating at frequencies which differ from 50/60 Hz or DC.

Electric propulsion systems for small craft are generally designed and constructed from a number of component parts many of which can be of proprietary origin and all of the electrical and control items are interconnected by cables and operated as a system.

There are a significant number of electrical propulsion system architectures for small craft and the main types are the following.

- DC sourced. The main power source is a propulsion battery which is either recharged from onboard DC generators, or on-board AC generators/an AC shore supply through battery chargers. The electric propulsion system(s) may be variable speed through a DC motor controller or AC through a Variable Frequency Drive (VFD) or be fixed speed with a variable pitch propeller or other mechanical means of providing thrust. The electric propulsion system may be electrically separate from other electrical systems on board (e.g. be fully insulated via the motor controller, or be an AC IT system via a VFD or motor starter). Or the electrical propulsion system may be integrated with the whole craft DC electrical system using converters DC/DC, DC/AC to provide for different services/consumers.
- AC sourced. The main power source is AC generator(s) generally configured as TT, TN-C or TN-S. The electric propulsion system(s) may be DC variable speed through a AC/DC converter and DC motor controller, or AC through a VFD, or be fixed speed with a variable pitch propeller or other mechanical means of providing thrust. The electric propulsion system may be DC fully insulated system or be an AC IT system via a galvanically isolated VFD or via an isolating transformer. A DC propulsion system(s) may be supported by propulsion battery.
- Also possible are hybrid systems similar to the types being introduced for road vehicles where the source is an internal combustion engine providing, for example, energy to a relatively lightweight energy storage system with power take-off via converters to propulsion motor(s) and other electrical consumers.

It is essential that the electric propulsion system designer/installer be competent with all aspects of the equipment included in the design of a particular system such that the component parts of the propulsion system are integrated in a coherent and safe manner.

Current electrical standards for small craft of less than 24 m LH are the following:

- a) ISO 10133 which is limited to recommendation for the design, construction and installation of direct current systems that operate at a voltage of DC 50 V or less; and
- b) ISO 13297 which is limited to single phase alternating current electrical systems less than AC 250 V.

Neither of these standards includes requirements for electrical propulsion systems.

c) IEC 60092-507 is applicable to small craft up to 50 m/500 GT and includes requirements for three-phase systems not exceeding AC 500 V and single-phase systems not exceeding AC 250 V and for DC systems and sub-systems not exceeding DC 50 V nominal, and includes a section on electric propulsion systems.

Small craft — Electric propulsion system

1 Scope

This International Standard addresses the design and installation of alternating current (AC) and direct current (DC) electrical systems used for the purpose of electrical propulsion and/or electrical hybrid (system with both a rechargeable battery and a fuelled power source) propulsion.

This International Standard applies to electrical propulsion systems operated in the following ranges either individually or in combination:

- direct current of less than 1 500 V DC;
- single-phase alternating current up to AC 1 000 V;
- three-phase alternating current up to AC 1 000 V.

This International Standard applies to electrical propulsion systems installed in small craft up to 24 m length of the hull ($L_{\rm H}$ according to ISO 8666).

This International Standard also lists in <u>Annex A</u> additional information to be included in the owner's manual as well as Annex B additional information to be provided to the installer.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8846, Small craft — Electrical devices — Protection against ignition of surrounding flammable gases

ISO 9094, Small craft — Fire protection

ISO 10133:2012, Small craft — Electrical systems — Extra-low-voltage d.c. installations

ISO 10239, Small craft — Liquefied petroleum gas (LPG) systems

ISO 10240, Small craft — Owner's manual

ISO 11105, Small craft — Ventilation of petrol engine and/or petrol tank compartments

ISO 13297:2014, Small craft — Electrical systems — Alternating current installations

ISO 25197:2012, Small craft — Electrical/electronic control systems for steering, shift and throttle

IEC 60079-series, *Electrical apparatus for explosive gas atmospheres*

IEC 60092-202:1994/Amd 1:1996, Electrical installation in ships — Part 202: System design — Protection

IEC 60092-303, Electrical installation in ships — Part 303: Equipment — Transformers for power and lighting

IEC 60092-352, Electrical installation in ships — Part 352: Choice and installation of electrical cables

IEC 60092-507:2014, Electrical installations in ships — Part 507: Small vessels

IEC 60898-1, Electrical accessories — Circuit-breakers for overcurrent protection for household and similar installations — Part 1: Circuit-breakers for a.c. operation

ISO 16315:2016(E)

IEC 60945, Maritime navigation and radiocommunication equipment and systems — General requirements — Methods of testing and required test results

IEC 60947-2, Low voltage switchgear and control gear — Part 2: Circuit breakers

IEC 61558-2-4, Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1100 V — Part 2-4: Particular requirements and tests for isolating transformers and power supply units incorporating isolating transformers

IEC 61558-2-6, Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V — Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers

koniec náhľadu – text ďalej pokračuje v platenej verzii STN