

STN	Obaly. Obaly odolávajúce deťom. Požiadavky a postupy skúšania opätovne neuzatvárateľných obalov na nefarmaceutické výrobky.	STN EN 862
		77 0415

Packaging - Child-resistant packaging - Requirements and testing procedures for non-reclosable packages for non-pharmaceutical products

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/16

Obsahuje: EN 862:2016

Oznámením tejto normy sa ruší
STN EN 862 (77 0415) z augusta 2006

123611

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2017
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

EN 862

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2016

ICS 55.020; 97.190

Supersedes EN 862:2005

English Version

Packaging - Child-resistant packaging - Requirements and testing procedures for non-reclosable packages for non-pharmaceutical products

Emballages - Emballage à l'épreuve des enfants -
Exigences et méthodes d'essai pour emballages non
refermables pour les produits non pharmaceutiques

Verpackung - Kindergesicherte Verpackung -
Anforderungen und Prüfverfahren für
nichtwiederverschließbare Verpackungen für
nichtpharmazeutische Produkte

This European Standard was approved by CEN on 27 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
European foreword		3
Introduction		4
1	Scope	4
2	Terms and definitions	5
3	Requirements	5
4	Testing	6
5	Test report	10
Annex A (informative) Guidance for persons supervising tests with children		13
Annex B (normative) Test charts		14
Annex C (informative) Suitability of the sequential procedures chosen		17
Bibliography		18

European foreword

This document (EN 862:2016) has been prepared by Technical Committee CEN/TC 261 “Packaging”, the secretariat of which is held by AFNOR.

The document has been revised from edition EN 862:2005 to correct Clause 4.4.1.3.1.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by January 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 862:2005.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Child-resistant packaging is used to create a physical barrier between a child and a potentially hazardous product. Various types of packaging are recognized as being child-resistant, based on performance testing against standards for specific product categories and packaging types.

Since this type of packaging was introduced, the incidence of accidental ingestion of potentially hazardous products by children under 5 years old has fallen. The degree to which this is due to the use of child-resistant packaging as opposed to other factors, such as greater public awareness of the hazards, is not easily assessed, but there is little doubt that this packaging has made a positive contribution to the reduction.

The use of child-resistant packaging needs to be confined to those products that are potentially hazardous, or for which any legislation makes its use mandatory, since, if used in other circumstances, there could be confusion over the degree of hazard posed by the product.

In any case, proper labelling and information by the manufacturer is important for the safe use of the product in the home.

Child-resistant packaging acts as the last line of defence if other barriers separating the child and hazardous product have failed. However, it has to be recognized that it is unrealistic to expect that any functional packaging can be totally impossible for a child of 42 to 51 months inclusive to open and that child-resistant packaging cannot be a substitute for other safety precautions.

There has been an increasing use of child-resistant packaging, therefore it is desirable to achieve agreement on testing procedures in order to avoid confusion and misunderstanding in an area of great importance to the safety of young children.

This European Standard aims to reduce the number of children “exposed to training” during panel testing. Since the introduction of performance testing, much has been learned about the use of children for testing child-resistant packaging and attention has been focused on how the number of children involved may be reduced. Future development of standards based on mechanical test methods is required to avoid unnecessary child panel testing and is essential in developing physical package attributes useable by manufacturers.

Child-resistant packaging is only the last in a series of protective measures, and does not release parents or guardians from their duty to keep potentially dangerous products out of the reach of children.

The on-going development of non-reclosable packaging offers a significant area for innovation in packaging. The styles of non-reclosable packages can be wide-ranging in design.

Mechanical test methods may be used to generate test data for comparison and demonstration that the notified packaging is as safe as the original reference one. Mechanical tests are test methods generating data by destructive or non destructive tests of a specific reference package having shown child-resistant properties. Consequently, the development of mechanical test methods by manufacturers allied to current EN or national standards should be pursued as a means of reducing the reliance on child panel testing.

1 Scope

This European Standard specifies performance requirements and methods of test for non-reclosable packaging that has been designated child-resistant and which is intended to contain non-pharmaceutical products. This European standard is intended for type approval only (2.5) and is not intended for quality assurance purposes.

This European Standard applies to non-reclosable packages of the single-use type consisting of one or more individual units.

Non-reclosable packages for pharmaceutical products are excluded from the scope of this European standard. These are the subject of a separate standard, EN 14375, *Child-resistant non-reclosable packaging for pharmaceutical products - Requirements and testing*.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN