

<b>STN</b>	<b>Gumové, plastové hadice a hadice s koncovkami. Nespojené fluoroplastové lemované (napr. PTFE) hadice a hadice s koncovkami pre kvapalné a plynné chemikálie. Špecifikácia.</b>	<b>STN EN 16643</b>  63 5229
------------	---	--

Rubber and plastics hoses and hose assemblies - Non-bonded fluoroplastic lined (e.g. PTFE) hoses and hose assemblies for liquid and gaseous chemicals - Specification

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/17

Obsahuje: EN 16643:2016

**123739**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2017  
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

**EN 16643**

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2016

ICS 23.040.70

English Version

## Rubber and plastics hoses and hose assemblies - Non-bonded fluoroplastic lined (e.g. PTFE) hoses and hose assemblies for liquid and gaseous chemicals - Specification

Tuyaux et flexibles en caoutchouc et en matières plastiques - Tuyaux non-liés revêtus de fluoroplastique (par exemple PTFE) pour substances chimiques liquides ou gazeuses - Spécifications

Gummi- und Kunststoffschläuche und -schlauchleitungen - Fluorkunststoffbeschichtete (z. B. PTFE) Nicht-Verbundschläuche und -schlauchleitungen für flüssige und gasförmige Chemikalien - Anforderungen

This European Standard was approved by CEN on 15 June 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>		Page
<b>European foreword</b> .....		5
<b>Introduction</b> .....		6
<b>1</b>	<b>Scope</b> .....	7
<b>2</b>	<b>Normative References</b> .....	7
<b>3</b>	<b>Terms and definitions</b> .....	8
<b>4</b>	<b>Classification</b> .....	8
<b>5</b>	<b>Hose assembly designs</b> .....	9
<b>6</b>	<b>Materials and construction</b> .....	9
<b>6.1</b>	<b>General</b> .....	9
<b>6.2</b>	<b>Lining</b> .....	9
<b>6.3</b>	<b>Helix wire (optional)</b> .....	9
<b>6.4</b>	<b>Electrical bonding wires (optional)</b> .....	9
<b>6.5</b>	<b>Braid reinforcement</b> .....	9
<b>6.6</b>	<b>Cover (optional)</b> .....	9
<b>7</b>	<b>Dimensions and tolerances</b> .....	10
<b>7.1</b>	<b>Diameters, thickness, bend radii, resistance to vacuum and lowest permitted maximum working pressure requirements</b> .....	10
<b>7.2</b>	<b>Concentricity</b> .....	18
<b>7.3</b>	<b>Length of hose assemblies</b> .....	18
<b>7.3.1</b>	<b>General</b> .....	18
<b>7.3.2</b>	<b>Type SE and Type SC hose assemblies</b> .....	18
<b>7.3.3</b>	<b>Type C hose assemblies</b> .....	18
<b>8</b>	<b>Physical properties of materials used for hoses and hose assemblies</b> .....	18
<b>8.1</b>	<b>General</b> .....	18
<b>8.2</b>	<b>Materials used for the lining</b> .....	19
<b>8.3</b>	<b>Materials used for the helix wire</b> .....	19
<b>8.4</b>	<b>Materials used for the electrical bonding wires</b> .....	19
<b>8.5</b>	<b>Materials used for the over-braid reinforcement</b> .....	19
<b>8.6</b>	<b>Materials used for the cover</b> .....	20
<b>8.7</b>	<b>Materials used for end fittings and couplings</b> .....	20
<b>9</b>	<b>Performance requirements of hoses and hose assemblies</b> .....	20
<b>10</b>	<b>Electrical properties</b> .....	22
<b>10.1</b>	<b>General</b> .....	22
<b>10.2</b>	<b>Electrical bonding</b> .....	22
<b>10.3</b>	<b>Static-dissipative lining and/or static-dissipative cover</b> .....	22
<b>11</b>	<b>Frequency of testing</b> .....	22
<b>12</b>	<b>Type tests</b> .....	23
<b>13</b>	<b>Test report</b> .....	23
<b>14</b>	<b>Marking</b> .....	23
<b>14.1</b>	<b>Hoses</b> .....	23
<b>14.2</b>	<b>Hose assemblies</b> .....	23

<b>15</b>	<b>Storage and admissible storage time</b> .....	<b>24</b>
	<b>Annex A (normative) Test frequency for type tests and routine tests</b> .....	<b>25</b>
	<b>Annex B (informative) Production acceptance tests</b> .....	<b>27</b>
	<b>Annex C (normative) Proof pressure test for fluoroplastic lining</b> .....	<b>28</b>
	<b>Annex D (informative) Couplings and fittings</b> .....	<b>29</b>
	<b>D.1 General</b> .....	<b>29</b>
	<b>D.2 Fluoroplastic lined end fittings</b> .....	<b>29</b>
	<b>Annex E (normative) Yield orientation index</b> .....	<b>30</b>
	<b>Annex F (normative) Weep test</b> .....	<b>31</b>
	<b>F.1 General</b> .....	<b>31</b>
	<b>F.2 Test pieces</b> .....	<b>31</b>
	<b>F.3 Apparatus</b> .....	<b>31</b>
	<b>F.4 Test method</b> .....	<b>31</b>
	<b>Annex G (informative) Resistance to chemicals conveyed</b> .....	<b>32</b>
	<b>Annex H (informative) Permeability to gas</b> .....	<b>33</b>
	<b>H.1 General</b> .....	<b>33</b>
	<b>H.2 Test pieces</b> .....	<b>33</b>
	<b>H.3 Apparatus</b> .....	<b>33</b>
	<b>H.4 Test method</b> .....	<b>33</b>
	<b>Annex I (normative) Flame resistance test</b> .....	<b>36</b>
	<b>I.1 Test pieces</b> .....	<b>36</b>
	<b>I.2 Apparatus</b> .....	<b>36</b>
	<b>I.3 Test method</b> .....	<b>36</b>
	<b>Annex J (normative) Hose flexibility - Rolling U test</b> .....	<b>38</b>
	<b>J.1 General</b> .....	<b>38</b>
	<b>J.2 Test pieces</b> .....	<b>38</b>
	<b>J.3 Apparatus</b> .....	<b>38</b>
	<b>J.4 Test method</b> .....	<b>38</b>
	<b>Annex K (informative) Environmental checklist</b> .....	<b>41</b>
	<b>Bibliography</b> .....	<b>43</b>

## Tables

<b>Table 1</b>	<b>— Dimension requirements, Type SE lining hoses without and with cover</b> .....	<b>11</b>
<b>Table 2</b>	<b>— Maximum working pressure requirements, Type SE lining hoses without and with cover for two typical braid reinforcements</b> .....	<b>12</b>
<b>Table 3</b>	<b>— Dimension requirements, Type SC lining hoses without and with cover</b> .....	<b>13</b>
<b>Table 4</b>	<b>— Maximum working pressure requirements, Type SC lining hoses without and with cover for three typical braid reinforcements</b> .....	<b>14</b>
<b>Table 5</b>	<b>— Dimension requirements for manufacturing method 1, Type C lining hoses without and with cover</b> .....	<b>15</b>
<b>Table 6</b>	<b>— Dimension requirements for manufacturing method 2, Type C lining hoses without and with cover</b> .....	<b>16</b>

<b>Table 7 — Maximum working pressure requirements, Type C lining hoses without and with cover for three typical braid reinforcements .....</b>	<b>17</b>
<b>Table 8 — Physical properties of fluoroplastic lining.....</b>	<b>19</b>
<b>Table 9 — Performance requirements of hoses and hose assemblies.....</b>	<b>21</b>
<b>Table A.1 — Test frequency for type tests and routine tests.....</b>	<b>25</b>
<b>Table B.1 — Production acceptance tests.....</b>	<b>27</b>
<b>Table H.1 — Helium test pressures and average helium permeation rates for Type SC hose linings.....</b>	<b>34</b>
<b>Table J.1 — Rolling U test movement.....</b>	<b>38</b>
<b>Table K.1 — Environmental checklist.....</b>	<b>42</b>

## Figures

<b>Figure H.1 — Arrangement for helium permeation test.....</b>	<b>35</b>
<b>Figure I.1 — Arrangement for flammability test.....</b>	<b>37</b>
<b>Figure J.1 — Rolling U test piece .....</b>	<b>39</b>
<b>Figure J.2 — Typical arrangement of Rolling U test equipment.....</b>	<b>40</b>

## European foreword

This document (EN 16643:2016) has been prepared by Technical Committee CEN/TC 218 “Rubber and plastics hoses and hose assemblies”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2017, and conflicting national standards shall be withdrawn at the latest by February 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Annexes A, C, E, F, I and J are normative. Annexes B, D, G, H and K are informative.

**WARNING - Persons using this European Standard should be familiar with normal laboratory practice. This standard does not purport to address all the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate health and safety practices and to ensure compliance with any national regulatory conditions.**

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **Introduction**

This document has been prepared to provide minimum acceptable requirements for the satisfactory performance of non-bonded flexible fluoroplastic lined hoses and hose assemblies with various types of reinforcement, for each chemical substance conveyed.

## 1 Scope

This European Standard specifies requirements for three types of non-bonded fluoroplastic lined hoses and hose assemblies with convoluted or smooth linings designed to convey liquid or gaseous chemical substances, hereinafter termed the “chemicals conveyed”. These hoses and hose assemblies can be used for pharmaceutical, biotechnology and industrial applications as detailed in Clause 5.

The hose assemblies are intended for use with chemicals conveyed in the temperature range of  $-70^{\circ}\text{C}$  to  $+260^{\circ}\text{C}$  and for a working pressure up to 205 bar<sup>1)</sup>.

NOTE 1 This standard sets out requirements for these hoses and hose assemblies to ensure that users are not exposed to danger from fire or explosion and that the environment is protected against contamination or damage.

NOTE 2 Other working pressures than those given above can be agreed with the manufacturer provided the physical properties of the hose assembly materials conform to Clause 8, the hose and hose assembly performance requirements conform to Clause 9 and the hose assembly electrical properties conform to Clause 10.

NOTE 3 Other diameters than those given in this standard can be agreed with the manufacturer provided the physical properties of the hose assembly materials conform to Clause 8, the hose and hose assembly performance requirements conform to Clause 9 and the hose assembly electrical properties conform to Clause 10.

NOTE 4 This standard also provides guidance on the storage of hose assemblies (Clause 15).

NOTE 5 The attention of users is drawn to Annex G concerning the working temperature range which can be affected by the chemical(s) to be conveyed in the hoses and hose assemblies.

NOTE 6 The attention of users is drawn to Annex G concerning the selection of materials for lining, helix wire (if applicable), electrical bonding wire (if applicable), braid reinforcement and cover (if applicable) related to the chemical(s) to be conveyed by the hoses and hose assemblies.

## 2 Normative References

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10088-3:2014, *Stainless steels — Part 3: Technical delivery conditions for semi-finished products, bars, rods, wire, sections and bright products of corrosion resisting steels for general purposes*

EN ISO 1402, *Rubber and plastics hoses and hose assemblies — Hydrostatic testing (ISO 1402)*

EN ISO 4671, *Rubber and plastics hoses and hose assemblies — Methods of measurement of the dimensions of hoses and the lengths of hose assemblies (ISO 4671)*

EN ISO 7233, *Rubber and plastics hoses and hose assemblies — Determination of resistance to vacuum (ISO 7233)*

EN ISO 8031:2009, *Rubber and plastics hoses and hose assemblies — Determination of electrical resistance and conductivity (ISO 8031:2009)*

EN ISO 8330, *Rubber and plastics hoses and hose assemblies — Vocabulary (ISO 8330)*

---

<sup>1)</sup> 1 bar = 0,1 MPa.

**EN 16643:2016 (E)**

EN ISO 10619-1, *Rubber and plastics hoses and tubing — Measurement of flexibility and stiffness — Part 1: Bending tests at ambient temperature (ISO 10619-1)*

EN ISO 12086-2, *Plastics — Fluoropolymer dispersions and moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties (ISO 12086-2)*

ISO 1817, *Rubber, vulcanized or thermoplastic — Determination of the effect of liquids*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**