

STN	Asfaltové zmesi. Skúšobné metódy. Časť 25: Cyklická tlaková skúška.	STN EN 12697-25 73 6160
------------	--	---

Bituminous mixtures - Test methods - Part 25: Cyclic compression test

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/16

Obsahuje: EN 12697-25:2016

Oznámením tejto normy sa ruší
STN EN 12697-25 (73 6160) z decembra 2009

123757

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2017
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnžovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 12697-25

July 2016

ICS 93.080.20

Supersedes EN 12697-25:2005

English Version

**Bituminous mixtures - Test methods - Part 25: Cyclic
compression test**

Mélanges bitumineux - Méthodes d'essai - Partie 25 :
Essai de compression cyclique

Asphalt - Prüfverfahren - Teil 25: Druckschwellversuch

This European Standard was approved by CEN on 19 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 Principle	10
5 Equipment	10
5.1 Control and loading system	10
5.2 Displacement transducers	10
5.3 Data registration equipment	10
5.4 Thermostatic chamber	10
5.5 Measuring instruments and accessories needed	11
6 Test specimen preparation	11
6.1 Number of test specimen	11
6.2 Test specimen compaction	11
6.3 Preparation of mastic asphalt test specimen	11
6.3.1 Accessories for test specimen preparation	11
6.3.2 Procedure for moulded test specimen	12
6.3.3 Procedure for cored test specimen	12
6.4 Preparation of test specimen surfaces	12
6.5 Determination of bulk density	12
6.6 Drying of the test specimen	12
6.7 Dimensions	12
7 Test method A — Uniaxial cyclic compression test with confinement	13
7.1 Principle	13
7.2 Test method A1 – block pulse loading	13
7.2.1 Upper loading plate	13
7.2.2 Loading pulse	13
7.3 Test method A2 – Haversine pulse loading	15
7.3.1 Upper loading plate	15
7.3.2 Loading pulse	16
7.4 Test specimen	17
7.5 Conditioning	17
7.5.1 Storing conditions	17
7.5.2 Cleaning and drying of test specimens	18
7.5.3 Reduction of friction to loading platens	18
7.5.4 Temperature conditioning	18
7.6 Test procedure	18
7.6.1 Test temperature	18
7.6.2 Positioning of test specimen in test device	18
7.6.3 Testing of test specimen	18
7.6.4 Measurement of permanent deformation	19
7.6.5 End of loading	19
7.7 Calculation and expression of results	19
7.7.1 Permanent deformation	19

7.7.2	Creep rate and creep modulus.....	20
7.8	Test report	21
7.8.1	General	21
7.8.2	Information on the test specimens.....	21
7.8.3	Information on test conditions.....	21
7.8.4	Test results.....	21
7.9	Precision	22
8	Test method B — Triaxial cyclic compression test.....	22
8.1	Principle.....	22
8.2	Apparatus and test system	24
8.2.1	General	24
8.2.2	Loading platens	27
8.2.3	Control system.....	27
8.2.4	Load cell	27
8.2.5	Height measurements.....	27
8.2.6	Temperature conditioning.....	27
8.3	Test specimen preparation	28
8.3.1	Dimensions	28
8.3.2	Handling.....	28
8.4	Conditioning	28
8.4.1	Storing conditions	28
8.4.2	Cleaning and drying.....	28
8.4.3	Reduction of friction to loading platens.....	29
8.4.4	Temperature conditioning.....	29
8.5	Test procedure	29
8.5.1	Number of tests	29
8.5.2	Test temperature.....	29
8.5.3	Positioning of test specimen in test device	29
8.5.4	Testing of test specimen.....	29
8.5.5	Loading conditions.....	30
8.5.6	Measurements of permanent deformation.....	30
8.6	Calculation and expression of results	31
8.6.1	Cumulative strain	31
8.6.2	Creep curve	31
8.7	Test report	32
8.7.1	General	32
8.7.2	Information on the test specimens.....	33
8.7.3	Information on the test conditions.....	33
8.7.4	Test results.....	33
8.8	Precision	33
Annex A (informative)	Procedure for correction of test results obtained from test specimen of varied age	35

European foreword

This document (EN 12697-25:2016) has been prepared by Technical Committee CEN/TC 227 “Road materials”, the secretariat of which is held by DIN.

This document supersedes EN 12697-25:2005.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by January 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Compared with EN 12697-25:2005 the following changes have been made:

- a) addition of uniaxial compression test with confinement for mastic asphalt;
- b) precision of friction-reducing system for loading surfaces;
- c) definition of loading signal for triaxial tests by identifying loading time and rest time, to be considered in EN 13108-20;
- d) implementation of digit numbers for test results;
- e) clarification of formulae and definitions.

This European standard is one of a series of standards as listed below:

- EN 12697-1, *Bituminous mixtures — Test methods for hot mix asphalt — Part 1: Soluble binder content*
- EN 12697-2, *Bituminous mixtures — Test methods — Part 2: Determination of particle size distribution*
- EN 12697-3, *Bituminous mixtures — Test methods for hot mix asphalt — Part 3: Bitumen recovery: Rotary evaporator*
- EN 12697-4, *Bituminous mixtures — Test methods — Part 4: Bitumen recovery: Fractionating column*
- EN 12697-5, *Bituminous mixtures — Test methods for hot mix asphalt — Part 5: Determination of the maximum density*
- EN 12697-6, *Bituminous mixtures — Test methods for hot mix asphalt — Part 6: Determination of bulk density of bituminous specimens*
- EN 12697-7, *Bituminous mixtures — Test methods for hot mix asphalt — Part 7: Determination of bulk density of bituminous specimens by gamma rays*
- EN 12697-8, *Bituminous mixtures — Test methods for hot mix asphalt — Part 8: Determination of void characteristics of bituminous specimens*

- EN 12697-10, *Bituminous mixtures — Test methods for hot mix asphalt — Part 10: Compactability*
- EN 12697-11, *Bituminous mixtures — Test methods for hot mix asphalt — Part 11: Determination of the affinity between aggregate and bitumen*
- EN 12697-12, *Bituminous mixtures — Test methods for hot mix asphalt — Part 12: Determination of the water sensitivity of bituminous specimens*
- EN 12697-13, *Bituminous mixtures — Test methods for hot mix asphalt — Part 13: Temperature measurement*
- EN 12697-14, *Bituminous mixtures — Test methods for hot mix asphalt — Part 14: Water content*
- EN 12697-15, *Bituminous mixtures — Test methods for hot mix asphalt — Part 15: Determination of the segregation sensitivity*
- EN 12697-16, *Bituminous mixtures — Test methods — Part 16: Abrasion by studded tyres*
- EN 12697-17, *Bituminous mixtures — Test methods for hot mix asphalt — Part 17: Particle loss of porous asphalt specimen*
- EN 12697-18, *Bituminous mixtures — Test methods — Part 18: Binder drainage*
- EN 12697-19, *Bituminous mixtures — Test methods for hot mix asphalt — Part 19: Permeability of specimen*
- EN 12697-20, *Bituminous mixtures — Test methods for hot mix asphalt — Part 20: Indentation using cube or cylindrical specimens (CY)*
- EN 12697-21, *Bituminous mixtures — Test methods for hot mix asphalt — Part 21: Indentation using plate specimens*
- EN 12697-22, *Bituminous mixtures — Test methods for hot mix asphalt — Part 22: Wheel tracking*
- EN 12697-23, *Bituminous mixtures — Test methods for hot mix asphalt — Part 23: Determination of the indirect tensile strength of bituminous specimens*
- EN 12697-24, *Bituminous mixtures — Test methods for hot mix asphalt — Part 24: Resistance to fatigue*
- EN 12697-25, *Bituminous mixtures — Test methods — Part 25: Cyclic compression test (this document)*
- EN 12697-26, *Bituminous mixtures — Test methods for hot mix asphalt — Part 26: Stiffness*
- EN 12697-27, *Bituminous mixtures — Test methods for hot mix asphalt — Part 27: Sampling*
- EN 12697-28, *Bituminous mixtures — Test methods for hot mix asphalt — Part 28: Preparation of samples for determining binder content, water content and grading*
- EN 12697-29, *Bituminous mixtures — Test methods for hot mix asphalt — Part 29: Determination of the dimensions of a bituminous specimen*

EN 12697-25:2016 (E)

- EN 12697-30, *Bituminous mixtures — Test methods for hot mix asphalt — Part 30: Specimen preparation by impact compactor*
- EN 12697-31, *Bituminous mixtures — Test methods for hot mix asphalt — Part 31: Specimen preparation by gyratory compactor*
- EN 12697-32, *Bituminous mixtures — Test methods for hot mix asphalt — Part 32: Laboratory compaction of bituminous specimens by vibratory compactor*
- EN 12697-33, *Bituminous mixtures — Test methods for hot mix asphalt — Part 33: Specimen prepared by roller compactor*
- EN 12697-34, *Bituminous mixtures — Test methods for hot mix asphalt — Part 34: Marshall test*
- EN 12697-35, *Bituminous mixtures — Test methods — Part 35: Laboratory mixing*
- EN 12697-36, *Bituminous mixtures — Test methods for hot mix asphalt — Part 36: Determination of the thickness of a bituminous pavement*
- EN 12697-37, *Bituminous mixtures — Test methods for hot mix asphalt — Part 37: Hot sand test for the adhesivity of binder on precoated chippings for HRA*
- EN 12697-38, *Bituminous mixtures — Test methods for hot mix asphalt — Part 38: Common equipment and calibration*
- EN 12697-39, *Bituminous mixtures — Test methods for hot mix asphalt — Part 39: Binder content by ignition*
- EN 12697-40, *Bituminous mixtures — Test methods for hot mix asphalt — Part 40: In situ drainability*
- EN 12697-41, *Bituminous mixtures — Test methods for hot mix asphalt — Part 41: Resistance to de-icing fluids*
- EN 12697-42, *Bituminous mixtures — Test methods for hot mix asphalt — Part 42: Amount of foreign matters in reclaimed asphalt*
- EN 12697-43, *Bituminous mixtures — Test methods for hot mix asphalt — Part 43: Resistance to fuel*
- EN 12697-44, *Bituminous mixtures — Test methods for hot mix asphalt — Part 44: Crack propagation by semi-circular bending test*
- EN 12697-45, *Bituminous mixtures — Test methods for hot mix asphalt — Part 45: Saturation ageing tensile stiffness (SATS) conditioning test*
- EN 12697-46, *Bituminous mixtures — Test methods for hot mix asphalt — Part 46: Low temperature cracking and properties by uniaxial tension tests*
- EN 12697-47, *Bituminous mixtures — Test methods for hot mix asphalt — Part 47: Determination of the ash content of natural asphalts*

- prEN 12697-48, *Bituminous mixtures — Test methods — Part 48: Interlayer bonding*¹⁾
- EN 12697-49, *Bituminous mixtures — Test methods for hot mix asphalt — Part 49: Determination of friction after polishing*
- CEN/TS 12697-50, *Bituminous mixtures — Test methods — Part 50: Resistance to scuffing*
- FprCEN/TS 12697-51, *Bituminous mixtures — Test methods — Part 51: Surface shear strength test*²⁾
- prCEN/TS 12697-52, *Bituminous mixtures — Test methods — Part 52: Conditioning to address oxidative ageing*³⁾
- prEN 12697-53, *Bituminous mixtures — Test methods — Part 53: Cohesion increase by spreadability-meter method*¹⁾

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1) Currently at Enquiry stage.

2) In preparation.

3) In preparation for CEN/TS or EN.

1 Scope

This European Standard specifies three test methods (A1, A2 and B) for determining the resistance of bituminous mixtures to permanent deformation by cyclic compression tests with confinement. The tests make it possible to rank various mixtures or to check on the acceptability of a given mixture. They do not allow making a quantitative prediction of rutting in the field to be made.

Test methods A1 and A2 describe methods for determining the creep characteristics of bituminous mixtures by means of a uniaxial cyclic compression test with some confinement present. In this test a cylindrical test specimen is subjected to a cyclic axial stress. Method A2 is preferred for mastic asphalt and Method A1 for other asphalt mixtures. To achieve a certain confinement, the diameter of the loading platen is taken smaller than that of the test specimen. In test method A1, the test specimen is loaded by block-pulses whereas in method A2 haversine loading with rest time is applied.

Test method B describes the method for determining the creep characteristics of bituminous mixtures by means of the triaxial cyclic compression test. In this test a cylindrical test specimen is subjected to a defined confining stress and a cyclic axial stress. This test is most often used for the purpose of evaluation and development of new types of mixtures.

This European Standard applies to test specimens prepared in the laboratory or cored from the road. The maximum size of the aggregates is 32 mm.

NOTE 1 Confinement of the test specimen is necessary to simulate realistic rutting behaviour, especially for gap-graded mixtures with a large stone fraction.

NOTE 2 For the purpose of Type Testing, the test conditions are given in EN 13108-20.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12697-6, *Bituminous mixtures - Test methods for hot mix asphalt - Part 6: Determination of bulk density of bituminous specimens*

EN 12697-27, *Bituminous mixtures - Test methods for hot mix asphalt - Part 27: Sampling*

EN 12697-29, *Bituminous mixtures - Test method for hot mix asphalt - Part 29: Determination of the dimensions of a bituminous specimen*

EN 12697-30, *Bituminous mixtures - Test methods for hot mix asphalt - Part 30: Specimen preparation by impact compactor*

EN 12697-31, *Bituminous mixtures - Test methods for hot mix asphalt - Part 31: Specimen preparation by gyratory compactor*

EN 12697-33, *Bituminous mixtures — Test methods for hot mix asphalt — Part 33: Specimen prepared by roller compactor*

EN 12697-35, *Bituminous mixtures - Test methods - Part 35: Laboratory mixing*

EN 13108-20, *Bituminous mixtures - Material specifications - Part 20: Type Testing*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN