

STN	Družicové zemské stanice a systémy (SES). Harmonizovaná norma na družicové zemské stanice na palubách lodí (ESV) pracujúce vo frekvenčných pásmach 4/6 GHz pridelených pevnej družicovej službe (FSS), vzťahujúca sa na základné požiadavky podľa článku 3.2 smernice 2014/53/EÚ.	STN EN 301 447 V2.1.1
		87 1447

Satellite Earth Stations and Systems (SES); Harmonised Standard for satellite Earth Stations on board Vessels (ESVs) operating in the 4/6 GHz frequency bands allocated to the Fixed Satellite Service (FSS) covering the essential requirements of article 3.2 of the Directive 2014/53/EU

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/17

Obsahuje: EN 301 447 V2.1.1:2016

124099

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2017
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy
rozmnžovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

ETSI EN 301 447 V2.1.1 (2016-05)



**Satellite Earth Stations and Systems (SES);
Harmonised Standard for satellite Earth Stations on board
Vessels (ESVs) operating in the 4/6 GHz frequency bands
allocated to the Fixed Satellite Service (FSS)
covering the essential requirements of
article 3.2 of the Directive 2014/53/EU**

Reference

REN/SES-00387

Keywords

ESV, GSO, maritime, regulation, satellite

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
Introduction	7
1 Scope	9
2 References	10
2.1 Normative references	10
2.2 Informative references.....	10
3 Definitions, symbols and abbreviations	11
3.1 Definitions	11
3.2 Symbols.....	13
3.3 Abbreviations	13
4 Technical requirements specifications	14
4.1 General	14
4.1.1 Environmental profile	14
4.1.2 Operational configurations	14
4.1.3 ESV states and radio states	14
4.2 Conformance requirements	15
4.2.1 On-axis emissions.....	15
4.2.1.1 Justification	15
4.2.1.2 Specification.....	16
4.2.1.3 Conformance tests.....	16
4.2.2 Transmit antenna on-axis gain and off-axis gain pattern	16
4.2.2.1 Justification	16
4.2.2.2 Specification.....	16
4.2.2.3 Conformance tests.....	16
4.2.3 Off-axis spurious radiation	16
4.2.3.1 Justification	16
4.2.3.2 Specification.....	16
4.2.3.3 Conformance tests.....	17
4.2.4 On-axis spurious radiation for ESV	17
4.2.4.1 Justification	17
4.2.4.2 Specification.....	18
4.2.4.2.1 "Carrier-on" radio state.....	18
4.2.4.2.2 "Carrier-off" and "Emissions disabled" radio states	18
4.2.4.3 Conformance tests.....	18
4.2.5 Maximum ESV emissions towards the horizon.....	18
4.2.5.1 Justification	18
4.2.5.2 Specification.....	19
4.2.5.2.1 Specification 1: Maximum e.i.r.p. spectral density towards the horizon.....	19
4.2.5.2.2 Specification 2: Maximum e.i.r.p. towards the horizon.....	19
4.2.5.3 Conformance tests.....	19
4.2.6 Off-axis e.i.r.p. emission density within the band.....	19
4.2.6.0 General	19
4.2.6.1 Justification	19
4.2.6.2 Specification.....	19
4.2.6.3 Conformance tests.....	21
4.2.7 Carrier suppression	21
4.2.7.1 Justification	21
4.2.7.2 Specification.....	21
4.2.7.3 Conformance tests.....	21
4.2.8 Antenna Pointing and Polarization Alignment for ESVs.....	21
4.2.8.1 Justification	21
4.2.8.2 Specification.....	21

4.2.8.3	Conformance tests.....	22
4.2.9	Cessation of emissions of the ESV	22
4.2.9.1	Justification	22
4.2.9.2	Specification.....	22
4.2.9.2.1	Specification 1: Mode of cessation of emissions	22
4.2.9.2.2	Specification 2: Conditions under which the ESV shall cease emissions.....	23
4.2.9.2.3	Specification 3: Cessation of emissions	23
4.2.9.2.4	Specification 4: Fault conditions	24
4.2.9.3	Conformance tests.....	24
4.2.10	Identification of ESV	24
4.2.10.1	Justification	24
4.2.10.2	Specification.....	24
4.2.10.3	Conformance tests.....	24
4.2.11	Control and Monitoring Functions (CMFs).....	24
4.2.11.1	CMF State Diagram	24
4.2.11.2	Processor monitoring	25
4.2.11.2.1	Justification	25
4.2.11.2.2	Specification	25
4.2.11.2.3	Conformance tests	25
4.2.11.3	Transmit subsystem monitoring.....	26
4.2.11.3.1	Justification	26
4.2.11.3.2	Specification.....	26
4.2.11.3.3	Conformance tests	26
4.2.11.4	Power-on/Reset	26
4.2.11.4.1	Justification	26
4.2.11.4.2	Specification.....	26
4.2.11.4.3	Conformance tests	26
4.2.11.5	Control Channel (CC) and Response Channel (RC)	26
4.2.11.5.1	Justification	26
4.2.11.5.2	Specification.....	26
4.2.11.5.3	Conformance tests	27
4.2.11.6	Network control commands	27
4.2.11.6.1	Justification	27
4.2.11.6.2	Specification.....	27
4.2.11.6.3	Conformance test.....	28
4.2.11.7	Initial burst transmission	28
4.2.11.7.1	Justification	28
4.2.11.7.2	Specification.....	28
4.2.11.7.3	Conformance tests	28
4.2.12	Receive antenna off-axis gain pattern.....	28
4.2.12.1	Justification	28
4.2.12.2	Specification.....	28
4.2.13	Blocking performance.....	29
4.2.13.1	Justification	29
4.2.13.2	Specification.....	29
4.2.13.3	Conformance tests.....	29
4.2.14	Adjacent Signal Selectivity.....	29
4.2.14.1	Justification	29
4.2.14.2	Specification.....	29
4.2.14.3	Conformance tests.....	30
5	Testing for compliance with technical requirements.....	30
5.1	Environmental conditions for testing	30
5.2	Radio test suites.....	30
6	Test methods for the complete ESV	30
6.1	General	30
6.2	On-axis emissions.....	31
6.2.1	Test method	31
6.2.1.1	Test site	31
6.2.1.2	Method of measurement.....	31
6.2.1.2.1	General	31

6.2.1.2.2	Method of measurement at the antenna flange	31
6.2.1.2.3	Method of measurement with a test antenna	32
6.3	Transmit antenna on-axis gain and off-axis gain pattern.....	32
6.3.1	Method of measurement	32
6.4	Off-axis spurious radiation.....	32
6.4.0	Introduction.....	32
6.4.1	Test method	32
6.4.1.0	General	32
6.4.1.1	Up to 2 000 MHz	33
6.4.1.1.1	Test site.....	33
6.4.1.1.2	Procedure.....	34
6.4.1.2	Above 2 000 MHz.....	34
6.4.1.2.0	General	34
6.4.1.2.1	Identification of the significant frequencies of spurious radiation	34
6.4.1.2.2	Measurement of radiated power levels of identified spurious radiation.....	35
6.4.1.2.3	Measurement of conducted spurious radiation at the antenna flange	36
6.5	On-axis spurious radiation.....	37
6.5.1	Test method	37
6.5.1.1	Test site	37
6.5.1.2	Method of measurement.....	37
6.5.1.2.1	General	37
6.5.1.2.2	Method of measurement at the antenna flange	37
6.5.1.2.3	Method of measurement with a test antenna	38
6.6	Maximum ESV emissions towards the horizon.....	39
6.6.1	Maximum e.i.r.p. towards the horizon.....	39
6.6.2	Maximum e.i.r.p. spectral density towards the horizon	39
6.7	Off-axis e.i.r.p. emission density within the band	39
6.7.0	General.....	39
6.7.1	Test method	40
6.7.1.1	General	40
6.7.1.2	Transmit output power density.....	40
6.7.1.2.1	General	40
6.7.1.2.2	Test site.....	40
6.7.1.2.3	Method of measurement	40
6.7.1.3	Antenna transmit gain	41
6.7.1.3.1	General	41
6.7.1.3.2	Test site.....	41
6.7.1.3.3	Method of measurement	42
6.7.1.4	Antenna transmit radiation patterns	43
6.7.1.4.1	General	43
6.7.1.4.2	Test site.....	43
6.7.1.4.3	Test arrangement	43
6.7.1.4.4	Co-polar radiation pattern-azimuth.....	43
6.7.1.4.5	Co-polar radiation pattern-elevation.....	44
6.7.1.4.6	Cross-polar radiation pattern-azimuth	45
6.7.1.4.7	Cross-polar radiation pattern-elevation	45
6.7.2	Computation of results.....	46
6.8	Carrier suppression.....	46
6.8.1	Test method	46
6.9	Antenna pointing for ESV	47
6.9.1	General.....	47
6.9.2	Test method	47
6.10	Antenna mechanical stability	48
6.10.1	Test method	48
6.11	Polarization angle alignment capability	48
6.11.1	Test method	48
6.12	Cessation of emissions of the ESV.....	49
6.12.1	Test arrangement	49
6.12.2	Test method	50
6.12.2.1	General	50
6.12.2.2	Cessation of emissions from the "Transmission enabled" state	50
6.12.2.3	Cessation of emission from the "Transmission disabled" state.....	50

6.12.2.4	Cessation of emission from the "Initial Phase" state.....	50
6.12.2.4.1	EUTs transmitting initial bursts.....	50
6.12.2.4.2	EUTs not transmitting initial bursts.....	51
6.12.2.5	"Single action" means of cessation of emissions.....	51
6.12.2.6	Fault conditions.....	52
6.13	Identification of ESV.....	52
6.13.1	Test arrangement	52
6.13.2	Test method	52
6.14	Control and Monitoring Functions	52
6.14.0	General.....	52
6.14.1	Test arrangement	52
6.14.2	Processor monitoring - Test method	52
6.14.3	Transmit subsystem monitoring - Test method.....	53
6.14.4	Power-on/Reset - Test method.....	53
6.14.5	Control Channel and Response Channel - Test method.....	53
6.14.6	Network Control commands-Test method.....	54
6.14.7	Initial burst transmission-Test method.....	56
6.15	Receive antenna off-axis gain pattern	56
6.15.1	Test Method.....	56
6.15.1.1	Test site	56
6.15.1.2	Method of measurement.....	56
6.16	Blocking performance	57
6.16.1	Test method	57
6.17	Adjacent Signal Selectivity	57
6.17.1	Test method	57
Annex A (normative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	59
Annex B (normative):	Mechanical stability methodology	61
Annex C (informative):	Bibliography	63
History		64

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.7] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [7].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

National transposition dates	
Date of adoption of this EN:	16 May 2016
Date of latest announcement of this EN (doa):	31 August 2016
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2017
Date of withdrawal of any conflicting National Standard (dow):	28 February 2018

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio equipment within the scope of the Directive 2014/53/EU [7]. The modular structure is shown in ETSI EG 201 399 [i.6].

Remarks on the present document

The determination of the parameters of the user earth stations using a given geo-stationary satellite for the protection of the spectrum allocated to that satellite, is considered to be under the responsibility of the satellite operator or the satellite network operators.

The requirements have been selected to ensure an adequate level of compatibility with other radio services. The levels, however, do not cover extreme cases which may occur in any location but with a low probability of occurrence.

The present document is based on the application of ITU-R Resolution 902 (WRC-03) [i.1].

The present document may not cover those cases where a potential source of interference which is producing individually repeated transient phenomena or a continuous phenomenon is present, e.g. a radar or broadcast site in the near vicinity. In such a case it may be necessary to use special protection applied to either the source of interference, or the interfered part or both.

The present document does not contain any requirement, recommendation or information about the installation of the ESV.

All parts of the below-deck unit related to reception, processing and presentation of the received information except the control channel are not within the scope of the present document. The syntax of the control channel messages is outside the scope of the present document.

The present document is based upon the standard for environmental conditions for marine navigational equipment, IEC EN 60945 [4]. In addition, attention should be paid to clause 11.1 (Acoustic noise and signals), and clause 11.2 (Compass safe distance) of IEC EN 60945 [4].

1 Scope

The present document applies to Earth Stations located on board Vessels (ESVs) which have the following characteristics:

- The ESV is comprised of all the equipment, electrical and mechanical, from the antenna itself to the interface with other communications equipment on board (usually referred to as the terrestrial interface).
- The ESV transmits in the frequency range from 5 925 MHz to 6 425 MHz allocated to the Fixed Satellite Services (FSS) (earth-to-space).
- The ESV receives in one or more frequencies within the range from 3,700 GHz to 4,200 GHz in the bands allocated to the Fixed Satellite Services (FSS) (space-to-earth), depending on the ITU Region where the ESV is located.
- The ESV transmits a single carrier.
- The ESV uses linear or circular polarization.
- The ESV operates through a geostationary satellite at least 2° to 3° away from any other geostationary satellite operating in the same frequency band and covering the same area.

NOTE 1: The satellite spacing is mainly equal to 3° in ITU Regions 1 and 3 and 2° in ITU Region 2.

The ESV transmits at elevations greater or equal to the minimum elevation angle declared by the applicant.

- The ESV antenna diameter is not smaller than 2,4 m.
- The ESV is designed for transmission and reception of radio-communications signals in accordance with any of the frequency bands specified above.
- The ESV is usually designed for unattended operation.
- The ESV is operating as part of a satellite network (e.g. star, mesh or point-to-point) used for the distribution and/or exchange of information between users.
- The ESV is controlled and monitored by a Network Control Facility (NCF). The NCF is outside the scope of the present document.

The present document applies to the ESV with its ancillary equipment and its various telecommunication ports, and when operated within the boundary limits of the operational environmental profile declared by the applicant and when installed as required by the applicant by declaration or in the user documentation.

The present document is intended to cover the provisions of Directive 2014/53/EU [7] (RE Directive) article 3.2, which states that "... *radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference*".

The present document incorporates the technical limitations listed in annex 2 of ITU-R Resolution 902 (WRC-03) [i.1], ECC Report (05)69 [i.2], and ECC Report (06)91 [i.3].

NOTE 2: According to ITU-R Resolution 902 [i.1], any transmission from ESVs within the 300 km minimum distance of each country where the ESV transmit frequency band is used by the Fixed Service will be subject to the prior agreement of the concerned administration(s), which may specify additional operational requirements, or to the relevant ECC Decision.

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the Directive 2014/53/EU [7] may apply to equipment within the scope of the present document.

NOTE 3: A list of such ENs is included on the web site <http://www.newapproach.org/>.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] CISPR 16-1 (2003): "Specification for radio disturbance and immunity measuring apparatus and methods".
- [3] Void.
- [4] IEC EN 60945 (2002): "Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results".
- [5] ITU-R Radio Regulations (2004).
- [6] CISPR 16-1-5 (2014): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-5: Radio disturbance and immunity measuring apparatus - Antenna calibration sites and reference test sites for 5 MHz to 18 GHz".
- [7] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC (RE Directive).

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ITU-R Resolution 902 (WRC-03): "Provisions relating to earth stations located on board vessels which operate in fixed-satellite service networks in the uplink bands 5 925-6 425 MHz and 14-14.5 GHz".
- [i.2] CEPT ECC Report (05)69 (2005): "Formats for submission of information from administrations to the Office on conditions for operation of earth stations aboard vessels within the separation distances identified in ITU-R Resolution 902".
- [i.3] CEPT ECC Report (06)91 (2006): "Compatibility of earth stations on board vessels transmitting within the gaps in the CEPT fixed service channel plan for the lower 6 GHz band (5 925-6 425 MHz)".
- [i.4] ETSI TR 102 375 (V1.1.1): "Satellite Earth Stations and Systems (SES); Guidelines for determining the parts of satellite earth station antenna radiation patterns concerned by the geostationary satellite orbit protection".

- [i.5] ETSI TR 102 215 (V1.3.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Recommended approach, and possible limits for measurement uncertainty for the measurement of radiated electromagnetic fields above 1 GHz".
 - [i.6] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the Radio & Telecommunication Terminal Equipment Directive 1999/5/EC (R&TTE) and a first guide on the impact of the Radio Equipment Directive 2014/53/EU (RED) on Harmonized Standards".
 - [i.7] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
-

koniec náhľadu – text ďalej pokračuje v platenej verzii STN