STN	Prefabrikované vystužené stavebné dielce z autoklávovaného pórobetónu.	STN EN 12602
		72 3191

Prefabricated reinforced components of autoclaved aerated concrete

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/17

Obsahuje: EN 12602:2016

Oznámením tejto normy sa od 30.06.2018 ruší STN EN 12602+A1 (72 3191) z novembra 2013 STN EN 12602: 2017

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 12602

September 2016

ICS 91.100.30

Supersedes EN 12602:2008+A1:2013

## **English Version**

# Prefabricated reinforced components of autoclaved aerated concrete

Éléments préfabriqués armés en béton cellulaire autoclavé

Vorgefertigte bewehrte Bauteile aus dampfgehärtetem Porenbeton

This European Standard was approved by CEN on 4 June 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

# **Contents** Page

Europe	ean foreword	6
1	Scope	8
2	Normative references	8
3	Terms, definitions, symbols and abbreviations	10
3.1	Terms and definitions	
3.2	Symbols	
3.2.1	General symbols	
3.2.2	Subscripts	
3.2.3	Symbols used in this European Standard (including normative annexes, except Annex C)	12
3.3	Abbreviations	
4	Properties and requirements of materials	
4.1	Constituent materials of autoclaved aerated concrete	20
4.1.1	General	
4.1.2	Release of dangerous substances	
4.2	Autoclaved aerated concrete parameters	20
4.2.1	General	20
4.2.2	Dry density	21
4.2.3	Characteristic strength values	22
4.2.4	Compressive strength	22
4.2.5	Tensile strength and flexural strength	23
4.2.6	Stress-strain diagram	23
4.2.7	Modulus of elasticity	23
4.2.8	Poisson's ratio	24
4.2.9	Coefficient of thermal expansion	24
4.2.10	Drying shrinkage	24
4.2.11	Creep	24
4.2.12	Specific heat	25
4.2.13	Thermal conductivity	25
4.2.14	Water vapour permeability	27
4.2.15	Water tightness	27
4.3	Reinforcement	27
4.3.1	Steel	27
4.3.2	Structural reinforcement	28
4.3.3	Effective diameter of coated bars	29
4.3.4	Non-structural reinforcement	30
4.4	Bond	
4.5	Thermal prestress	31
4.5.1	General	
4.5.2	Declared mean initial prestrain $arepsilon_{0m,g}$	32
5	Properties and requirements of components	32
5.1	General	
5.1.1	Mechanical resistance	
5.1.2	Acoustic properties	
5.1.3	Reaction to fire and resistance to fire	
5.1.4	Design thermal resistance and design thermal conductivity	
5.2	Technical requirements and declared properties	34

5.2.1	Dimensions and tolerances	34
5.2.2	Mass of the components	34
5.2.3	Dimensional stability	
5.2.4	Load-bearing capacity	35
5.2.5	Deflections	
5.2.6	Joint strength	36
5.2.7	Minimum requirements	36
5.3	Durability	38
5.3.1	General	38
5.3.2	Environmental conditions	38
5.3.3	Corrosion protection of reinforcement	39
5.3.4	Freeze and thaw resistance	40
6	Assessment and verification of constancy of performance – AVCP	40
6.1	Introduction	
6.2	Type testing	
6.2.1	General	
6.2.2	Test samples, testing and compliance criteria	
6.2.3	Test reports	
6.2.4	Shared other party results	
6.2.5	Additional provisions for structural elements/components and/or structural kits	
6.2.6	Additional provisions for semi-structural elements/components and/or semi-structural	+0
kits	47	
6.3	Factory production control (FPC)	1.9
6.3.1	General	
6.3.2	Requirements	
6.3.3	Product specific requirements	
6.3.4	Initial inspection of factory and of FPC	
6.3.5	Continuous surveillance of FPC	
6.3.6	Procedure for modifications	
6.3.7	One-off products, pre-production products (e.g. prototypes) and products produced in	00
	ow quantity	60
•	• •	
7	Basis for design	
7.1	Design methods	
7.2	Limit states	
7.3	Actions	61
8	Marking, labelling and designation	62
8.1	Standard designation	
8.2	Production detail information	
8.3	Additional information on accompanying documents	
	A (normative) Design by calculation	
A.1	General	
A.2	Ultimate limit states (ULS) General design assumptions	64
A.3	Ultimate limit states (ULS): design for bending and combined bending and axial	
	ression	
A.3.1	Design assumptions	
A.3.2	Stress-strain diagram for AAC	
A.3.3	Stress-strain diagram for reinforcing steel	
A.3.4	Minimum reinforcement	
A.4	Shear	
A.4.1	Shear design for components predominantly under transverse load	
A.5	Ultimate limit states induced by structural deformation (buckling)	
A.5.1	General	
A.5.2	Method based on Euler formula	
A.5.3	Modified model column method	77

## EN 12602:2016 (E)

<b>A.6</b>	Punching	
A.6.1	General	82
A.6.2	Scope and definitions	
A.6.3	Design method for punching shear	
A.7	Primary torsion/combined primary torsion and shear	85
<b>A.8</b>	Concentrated forces	
A.9	Serviceability limit states (SLS)	88
A.9.1	General	88
A.9.2	Limitation of stresses under serviceability conditions	88
A.9.3	Serviceability limit states of cracking	89
A.9.4	Serviceability limit states of deformation	89
A.10	Detailing of reinforcement	92
A.10.1	General	92
A.10.2	Bond	93
A.10.3	Anchorage	93
A.11	Support length	97
		00
	B (normative) Design by testing	
B.1	General	
B.2	Safety evaluation	
B.2.1	General	
B.2.2	Brittle and ductile failure	
B.3	Ultimate limit state	
B.3.1	General	
B.3.2	Transversely loaded components	
B.3.3	Longitudinally loaded components	
B.3.4	Simultaneously transversely and longitudinally loaded wall components	
B.3.5	Anchorage	
<b>B.4</b>	Serviceability limit states	
<b>B.4.1</b>	Crack width control	
<b>B.4.2</b>	Deformations	107
Annex	C (normative) Resistance to fire design of AAC components and structures	108
C.1	General	108
C.1.1	Scope	
C.1.2	Distinction between principles and application rules	
C.1.3	Terms and definitions	
C.1.4	Symbols	
C.1.5	Units	
C.2	Basic principles	
C.2.1	Performance requirements	
C.2.2	Design values of material properties	
C.2.3	Assessment methods	
C.2.3	Material properties	
c.3 C.3.1	General	
C.3.2	AAC	
C.3.2	Steel	
c.s.s C.4	Structural fire design methods	
C.4 C.4.1	General	
_		
C.4.2 C.4.3	Tabulated data	
	Simplified design methods	
C.4.4	Anchorage	
C.5	Protective layers	126
Annex	CA (normative) Modulus of elasticity and maximum strain of AAC and reinforcing steel at	
	ed temperature	127
	•	
annex	CB (informative) Joints between AAC components satisfying resistance to fire E	129

<b>CB.1</b>	Floor and roof components with dry joints	129
<b>CB.2</b>	Floor and roof components with mortar joints	129
<b>CB.3</b>	Vertical and horizontal wall components with dry joints	130
<b>CB.4</b>	Vertical and horizontal wall components with mortar joints	130
Annex beams	CC (normative) Temperature profiles of AAC wall, floor and roof components and AAC a 132	
CC.1	Basis of temperature profiles	132
CC.2	Temperature profiles for AAC wall, floor and roof components	
CC.3	Temperature profiles for AAC beams	
<b>CC.4</b>	Calculation assumptions	144
Annex	CD (normative) Resistance to fire tabulated data for walls with mechanical impact	145
Annex	D (informative) Recommended values for partial safety factors	147
<b>D.1</b>	General	147
<b>D.2</b>	Ultimate Limit States (ULS)	147
<b>D.3</b>	Serviceability Limit States (SLS)	149
	E (informative) Recommendations for the consideration of prestress in the design of pricated reinforced AAC components	150
E.1	Calculation of prestrain from test results	
E.1.1	General	
E.1.2	Symbols	
E.1.3	Cross-section values of AAC components	
E.1.4	Calculation of prestrain $\varepsilon_0$ from steel measurement	
<b>E.2</b>	Cross-sectional analysis of a AAC component in SLS if prestress is taken into account	
<b>E.3</b>	Splitting forces due to prestress	
<b>E.4</b>	Methods to prevent end cracks due to prestress	
Annex	F (informative) Statistical methods for quality control	154
	G (normative) Factory production control of stainless reinforcing steel based on at least samples - Minimum acceptance criteria for individual values and corresponding mean 156	
	H (informative) Methods for declaring the mechanical and fire resistance performances	
	for structural elements	
	Declaration methods	157
H.2	Method M1	
H.3	Method M2	
H.4 H.5	Method M3a Method M3b	
_		130
	ZA (informative) Relationship of this European Standard with Regulation (EU)	
	5/2011	
ZA.1	Scope and relevant characteristics	
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)	
<b>ZA.3</b>	Assignment of AVCP tasks	1/6
Riblio	granhy	179

## **European foreword**

This document (EN 12602:2016) has been prepared by Technical Committee CEN/TC 177 "Prefabricated reinforced components of autoclaved aerated concrete or light-weight aggregate concrete with open structure", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2017, and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12602:2008+A1:2013.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Regulation (s).

For relationship with Regulation (EU) No. 305/2011, see informative Annex ZA, which is an integral part of this document.

This document uses the methods given in the Guidance paper L, Clause 3.3, of the European Commission.

This European Standard is used together with a national application document. The national application document may only contain information on those parameters which are left open in this European Standard for national choice, known as Nationally Determined Parameters, to be used for the design of the construction products and civil engineering works to be constructed in the country concerned, i.e.:

- values and/or classes where alternatives are given in this European Standard,
- values to be used where a symbol only is given in this European Standard,
- country specific data (geographical, climatic, etc.), e.g. snow map,
- procedure to be used where alternative procedures are given in this European Standard.
- decisions on the application of informative annexes,
- references to non-contradictory complementary information to assist the user to apply this European Standard:

4.2.2.4	A.8
5.1.4	A.9.4.1
5.3.4	A.10.2.2
A.3.2	A.10.3
A.3.3	B.3.2.2
A.4.1.2	B.3.3.2
A.4.1.3.1 (7)	B.3.3.3.2
A.4.1.3.2	Annex D
A.4.1.3.3	

A.5.2

A.5.3.3.3 (3)

A.6.3

A.7

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### 1 Scope

This European Standard is for prefabricated reinforced components of autoclaved aerated concrete to be used in building construction for:

- a) Structural elements:
  - loadbearing wall components;
  - retaining wall components;
  - roof components;
  - floor components;
  - linear components (beams and piers).
- b) Non-structural elements:
  - non-loadbearing wall components (partition walls);
  - cladding components (without fixtures) intended to be used for external facades of buildings;
  - small box culverts used to form channels for the enclosure of services;
  - components for noise barriers.

Depending on the type and intended use of elements for which the components are utilized, the components can be applied – in addition to their loadbearing and encasing function – for purposes of fire resistance, sound insulation and thermal insulation indicated in the relevant clauses of this European Standard.

Components covered by this standard are only intended to be subjected to predominantly non-dynamic actions, unless special measures are introduced in the relevant clauses of this European Standard.

The term "reinforced" relates to reinforcement used for both structural and non-structural purposes.

This European Standard does not cover:

- rules for the application of these components in structures;
- joints (except their strength and integrity E of resistance to fire);
- fixtures;
- finishes for external components, such as tiling.

NOTE AAC components may be used in noise barriers if they are designed to fulfil also the requirements of EN 14388.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 678, Determination of the dry density of autoclaved aerated concrete

EN 679, Determination of the compressive strength of autoclaved aerated concrete

- EN 680, Determination of the drying shrinkage of autoclaved aerated concrete
- EN 772-16, Methods of test for masonry units Part 16: Determination of dimensions
- EN 772-20, Methods of test for masonry units Part 20: Determination of flatness of faces of aggregate concrete, manufactured stone and natural stone masonry units
- EN 989, Determination of the bond behaviour between reinforcing bars and autoclaved aerated concrete by the "Push-Out" test
- EN 990, Test methods for verification of corrosion protection of reinforcement in autoclaved aerated concrete and lightweight aggregate concrete with open structure
- EN 991, Determination of the dimensions of prefabricated reinforced components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure
- EN 1351, Determination of flexural strength of autoclaved aerated concrete
- EN 1352, Determination of static modulus of elasticity under compression of autoclaved aerated concrete or lightweight aggregate concrete with open structure
- EN 1355, Determination of creep strains under compression of autoclaved aerated concrete or lightweight aggregate concrete with open structure
- EN 1356, Performance test for prefabricated reinforced components of autoclaved aerated concrete or lightweight aggregate concrete with open structure under transverse load
- EN 15304, Determination of the freeze-thaw resistance of autoclaved aerated concrete
- EN 1737, Determination of shear strength of welded joints of reinforcement mats or cages for prefabricated components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure
- EN 1738, Determination of steel stresses in unloaded reinforced components made of autoclaved aerated concrete
- EN 1739, Determination of shear strength for in-plane forces of joints between prefabricated components of autoclaved aerated concrete or lightweight aggregate concrete with open structure
- EN 1740, Performance test for prefabricated reinforced components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure under predominantly longitudinal load (vertical components)
- EN 1741, Determination of shear strength for out-of-plane forces of joints between prefabricated components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure
- EN 1742, Determination of shear strength between different layers of multilayer components made of autoclaved aerated concrete or lightweight aggregate concrete with open structure
- EN 1992-1-1:2004, Eurocode 2: Design of concrete structures Part 1-1: General rules and rules for buildings
- EN 10080, Steel for the reinforcement of concrete Weldable reinforcing steel General
- EN 10088-5, Stainless steels Part 5: Technical delivery conditions for bars, rods, wire, sections and bright products of corrosion resisting steels for construction purposes
- EN 12269-1, Determination of the bond behaviour between reinforcing steel and autoclaved aerated concrete by the "beam test" Part 1: Short term test

#### EN 12602:2016 (E)

EN 12269-2, Determination of the bond behaviour between reinforcing steel and autoclaved aerated concrete by the beam test - Part 2: Long term test

EN 12664, Thermal performance of building materials and products - Determination of thermal resistance by means of guarded hot plate and heat flow meter methods - Dry and moist products of medium and low thermal resistance

EN 13501-1, Fire classification of construction products and building elements — Part 1: Classification using test data from reaction to fire tests

EN 13501-2, Fire classification of construction products and building elements — Part 2: Classification using data from fire resistance tests, excluding ventilation services

EN 15361:2007, Determination of the influence of the corrosion protection coating on the anchorage capacity of the transverse anchorage bars in prefabricated reinforced components of autoclaved aerated concrete

EN ISO 354, Acoustics - Measurement of sound absorption in a reverberation room (ISO 354)

EN ISO 717-1, Acoustics - Rating of sound insulation in buildings and of building elements - Part 1: Airborne sound insulation (ISO 717-1)

EN ISO 717-2, Acoustics - Rating of sound insulation in buildings and of building elements - Part 2: Impact sound insulation (ISO 717-2)

EN ISO 10456, Building materials and products - Hygrothermal properties -Tabulated design values and procedures for determining declared and design thermal values (ISO 10456)

EN ISO 10140-1, Acoustics - Laboratory measurement of sound insulation of building elements - Part 1: Application rules for specific products (ISO 10140-1)

EN ISO 10140-2 Acoustics - Laboratory measurement of sound insulation of building elements - Part 2: Measurement of airborne sound insulation (ISO 10140-2)

EN ISO 10140-3 Acoustics - Laboratory measurement of sound insulation of building elements - Part 3: Measurement of impact sound insulation (ISO 10140-3)

EN ISO 10140-4 Acoustics - Laboratory measurement of sound insulation of building elements - Part 4: Measurement of impact sound insulation (ISO 10140-4)

EN ISO 10140-5 Acoustics - Laboratory measurement of sound insulation of building elements - Part 5: Requirements for test facilities and equipment (ISO 10140-5)

EN ISO 15630-1, Steel for the reinforcement and prestressing of concrete - Test methods - Part 1: Reinforcing bars, wire rod and wire (ISO 15630-1)

# koniec náhľadu – text ďalej pokračuje v platenej verzii STN