

STN	Bunkové siete IMT. Harmonizovaná norma vzťahujúca sa na základné požiadavky podľa článku 3.2 smernice 2014/53/EÚ. Časť 14: Základňové stanice (BS) zdokonaleného univerzálneho pozemského rádiového prístupu (E-UTRA).	STN EN 301 908-14 V11.1.1
		87 1908

IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/17

Obsahuje: EN 301 908-14 V11.1.1:2016

124128

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2017
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

ETSI EN 301 908-14 V11.1.1 (2016-05)



HARMONISED EUROPEAN STANDARD

**IMT cellular networks;
Harmonised Standard covering the essential requirements
of article 3.2 of the Directive 2014/53/EU;
Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA)
Base Stations (BS)**

Reference

REN/MSG-TFES-11-14-RED

Keywords

3G, 3GPP, cellular, digital, E-UTRA, IMT,
IMT-2000, LTE, mobile, radio, regulation, UMTS**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important noticeThe present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations	9
3.1 Definitions	9
3.2 Symbols.....	13
3.3 Abbreviations	14
4 Technical requirements specifications	15
4.1 Environmental profile.....	15
4.2 Conformance requirements	16
4.2.1 Introduction.....	16
4.2.2 Operating band unwanted emissions	19
4.2.2.1 Definition	19
4.2.2.2 Limits	20
4.2.2.2.0 General	20
4.2.2.2.1 Limits for Wide Area BS (Bands 1, 3, 8, 32, 33 and 34).....	21
4.2.2.2.2 Limits for Wide Area BS (Bands 7, 22, 38, 40, 42 and 43).....	23
4.2.2.2.3 Limits for Wide Area BS (Band 20 and 28).....	26
4.2.2.2.4 Limits for Local Area BS	27
4.2.2.2.5 Limits for Home BS	28
4.2.2.2.6 Limits for protection of DTT	30
4.2.2.2.7 Limits for protection of adjacent band services.....	31
4.2.2.2.8 Limits for Medium Range BS	31
4.2.2.2.9 Limits for operation in Band 32	35
4.2.2.3 Conformance.....	36
4.2.3 Adjacent Channel Leakage Power Ratio (ACLR)	36
4.2.3.1 Definition	36
4.2.3.2 Void.....	36
4.2.3.3 Void.....	36
4.2.3.4 Limits	37
4.2.3.4.1 ACLR Limits	37
4.2.3.4.2 Cumulative ACLR test requirement in non-contiguous spectrum limits.....	38
4.2.3.5 Conformance.....	39
4.2.4 Transmitter spurious emissions.....	39
4.2.4.1 Definition	39
4.2.4.2 Limits	40
4.2.4.2.1 Spurious emissions	40
4.2.4.2.2 Co-existence with other systems	40
4.2.4.2.3 Protection of the BS receiver of own or different BS.....	42
4.2.4.2.4 Co-existence with Home BS operating in other bands	42
4.2.4.3 Conformance.....	43
4.2.5 Base Station maximum output power	43
4.2.5.1 Definition	43
4.2.5.2 Limit.....	44
4.2.5.3 Conformance.....	44
4.2.6 Transmitter intermodulation	44
4.2.6.1 Definition	44
4.2.6.2 Limit.....	44
4.2.6.3 Conformance.....	45

4.2.7	Receiver spurious emissions	45
4.2.7.1	Definition	45
4.2.7.2	Limit	45
4.2.7.3	Conformance	46
4.2.8	Blocking characteristics	46
4.2.8.1	Definition	46
4.2.8.2	Limit	46
4.2.8.3	Conformance	49
4.2.9	Receiver intermodulation characteristics	49
4.2.9.1	Definition	49
4.2.9.2	Limit	49
4.2.9.3	Conformance	53
4.2.10	Adjacent Channel Selectivity (ACS) and narrow-band blocking	53
4.2.10.1	Definition	53
4.2.10.2	Limit	53
4.2.10.3	Conformance	56
4.2.11	Home BS output power for adjacent UTRA channel protection	56
4.2.11.1	Definition	56
4.2.11.2	Limit	57
4.2.11.3	Conformance	57
4.2.12	Home BS output power for adjacent E-UTRA channel protection	57
4.2.12.1	Definition and applicability	57
4.2.12.2	Limit	58
4.2.12.3	Conformance	58
4.2.13	Home BS output power for co-channel E-UTRA protection	59
4.2.13.1	Definition and applicability	59
4.2.13.2	Limit	59
4.2.13.3	Conformance	60
4.2.14	Reference sensitivity level	60
4.2.14.1	Definition and applicability	60
4.2.14.2	Limits	60
4.2.14.3	Conformance	61
5	Testing for compliance with technical requirements	61
5.1	Environmental conditions for testing	61
5.2	Interpretation of the measurement results	61
5.3	Essential radio test suites	63
5.3.0	Introduction	63
5.3.1	Operating band unwanted emissions	63
5.3.1.0	General	63
5.3.1.1	Initial conditions	63
5.3.1.2	Procedure	64
5.3.1.3	Test requirement	64
5.3.2	Adjacent Channel Leakage power Ratio (ACLR)	64
5.3.2.1	Initial conditions	64
5.3.2.2	Procedure	65
5.3.2.3	Test requirement	65
5.3.3	Transmitter spurious emissions	65
5.3.3.0	General	65
5.3.3.1	Initial conditions	65
5.3.3.2	Procedure	66
5.3.3.3	Test requirements	66
5.3.4	Base Station maximum output power	66
5.3.4.0	General	66
5.3.4.1	Initial conditions	66
5.3.4.2	Procedure	67
5.3.4.3	Test requirement	67
5.3.5	Transmitter intermodulation	67
5.3.5.0	General	67
5.3.5.1	Initial conditions	67
5.3.5.2	Procedures	67
5.3.5.3	Test requirement	68

5.3.6	Receiver spurious emissions	68
5.3.6.0	General	68
5.3.6.1	Initial conditions	68
5.3.6.2	Procedure	69
5.3.6.3	Test requirement	69
5.3.7	Blocking characteristics	69
5.3.7.0	General	69
5.3.7.1	Initial conditions	69
5.3.7.2	Procedure	70
5.3.7.3	Test requirement	70
5.3.8	Receiver intermodulation characteristics	70
5.3.8.0	General	70
5.3.8.1	Initial conditions	70
5.3.8.2	Procedures	71
5.3.8.3	Test requirement	71
5.3.9	Adjacent Channel Selectivity (ACS) and narrow-band blocking	71
5.3.9.0	General	71
5.3.9.1	Initial conditions	71
5.3.9.2	Procedure for Adjacent Channel Selectivity	72
5.3.9.3	Procedure for narrow-band blocking	72
5.3.9.4	Test requirement	72
5.3.10	Home BS output power for adjacent UTRA channel protection	73
5.3.10.1	Initial conditions	73
5.3.10.2	Procedure	73
5.3.10.3	Test requirement	73
5.3.11	Home BS output power for adjacent E-UTRA channel protection	73
5.3.11.1	Initial conditions	73
5.3.11.2	Procedure	74
5.3.11.3	Test requirement	74
5.3.12	Home BS output power for co-channel E-UTRA protection	74
5.3.12.1	Initial conditions	74
5.3.12.2	Procedure	75
5.3.12.3	Test requirement	75
5.3.13	Reference sensitivity level	76
5.3.13.0	General	76
5.3.13.1	Initial conditions	76
5.3.13.2	Procedure	76
5.3.13.3	Test requirement	76
Annex A (normative): Relationship between the present document and the essential requirements of Directive 2014/53/EU		
		77
Annex B (normative): Base Station configurations.....		
		79
B.1	Reception with multiple receiver antenna connectors, receiver diversity	79
B.2	Duplexers	79
B.3	Power supply options	79
B.4	Ancillary RF amplifiers.....	80
B.5	BS using antenna arrays	80
B.5.1	Receiver tests.....	81
B.5.2	Transmitter tests	81
B.6	Transmission with multiple transmitter antenna connectors	81
B.7	BS with integrated Iuant BS modem	82
Annex C (informative): Environmental profile specification		
		83
Annex D (informative): Bibliography		
		84
History		
		85

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

For non EU countries the present document may be used for regulatory (Type Approval) purposes.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.1] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.2].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A-1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 14 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.7].

National transposition dates	
Date of adoption of this EN:	20 April 2016
Date of latest announcement of this EN (doa):	31 July 2016
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2017
Date of withdrawal of any conflicting National Standard (dow):	31 January 2018

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is part of a set of standards developed by ETSI that are designed to fit in a modular structure to cover radio equipment within the scope of the Radio Equipment Directive [i.2]. The present document is produced following the guidance in ETSI EG 203 336 [i.3] as applicable.

1 Scope

The present document applies to the following radio equipment types:

- 1) Base Station for Evolved Universal Terrestrial Radio Access (E-UTRA).

This radio equipment type is capable of operating in all or any part of the operating bands given in table 1-1.

Table 1-1: E-UTRA Base Station operating bands

E-UTRA band	Direction of transmission	E-UTRA Base Station operating bands
1	Transmit	2 110 MHz to 2 170 MHz
	Receive	1 920 MHz to 1 980 MHz
3	Transmit	1 805 MHz to 1 880 MHz
	Receive	1 710 MHz to 1 785 MHz
7	Transmit	2 620 MHz to 2 690 MHz
	Receive	2 500 MHz to 2 570 MHz
8	Transmit	925 MHz to 960 MHz
	Receive	880 MHz to 915 MHz
20	Transmit	791 MHz to 821 MHz
	Receive	832 MHz to 862 MHz
22	Transmit	3 510 MHz to 3 590 MHz
	Receive	3 410 MHz to 3 490 MHz
28	Transmit	758 MHz to 803 MHz
	Receive	703 MHz to 748 MHz
32 (note)	Transmit	1 452 MHz to 1 496 MHz
	Receive	N/A
33	Transmit and Receive	1 900 MHz to 1 920 MHz
34	Transmit and Receive	2 010 MHz to 2 025 MHz
38	Transmit and Receive	2 570 MHz to 2 620 MHz
40	Transmit and Receive	2 300 MHz to 2 400 MHz
42	Transmit and Receive	3 400 MHz to 3 600 MHz
43	Transmit and Receive	3 600 MHz to 3 800 MHz

NOTE: Restricted to E-UTRA operation when carrier aggregation is configured. The downlink operating band is paired with the uplink operating band (external) of the carrier aggregation configuration that is supporting the configured Pcell.

The present document covers requirements for E-UTRA Base Stations for 3GPP Release 8, 9, 10 and 11. This includes the requirements for E-UTRA Base Station operating bands and E-UTRA CA operating bands from 3GPP Release 12.

The present document contains requirements to demonstrate that Radio equipment both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 136 141 (V11.14.0) (01-2016): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing (3GPP TS 36.141 version 11.14.0 Release 11)".
- [2] ETSI TS 125 104 (V11.12.0) (01-2016): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) radio transmission and reception (FDD) (3GPP TS 25.104 version 11.12.0 Release 11)".
- [3] ETSI TS 125 105 (V11.9.0) (01-2016): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) radio transmission and reception (TDD) (3GPP TS 25.105 version 11.9.0 Release 11)".
- [4] ETSI TS 136 104 (V11.14.0) (01-2016): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception (3GPP TS 36.104 version 11.14.0 Release 11)".
- [5] ETSI TS 125 141 (V11.12.0) (01-2016): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) conformance testing (FDD) (3GPP TS 25.141 version 11.12.0 Release 11)".
- [6] ETSI TS 136 211 (V11.6.0) (10-2014): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical channels and modulation (3GPP TS 36.211 version 11.6.0 Release 11)".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.2] Directive 2014/53/EU of the European parliament and of the council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.3] ETSI EG 203 336 (V1.1.1) (08-2015): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.4] Recommendation ITU-R SM.329-12 (09-2012): "Unwanted emissions in the spurious domain".
- [i.5] ETSI TR 100 028 (all parts) (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.6] ETSI TS 136 104 (V12.10.0) (01-2016): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) radio transmission and reception (3GPP TS 36.104 version 12.10.0 Release 12)".
- [i.7] ETSI EN 301 908-1 (V11.1.1): "IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Introduction and common requirements".
- [i.8] ETSI EN 301 908-18 (V11.1.1): "IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS)".

- [i.9] ETSI TS 136 214 (V11.1.0) (02-2013): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer; Measurements (3GPP TS 36.214 version 11.1.0 Release 11)".
-

koniec náhľadu – text ďalej pokračuje v platenej verzii STN