

| | | |
|------------|--|--|
| STN | Geometrické špecifikácie výrobkov (GPS). Tolerovanie rozmerov. Časť 1: Dĺžkové rozmery (ISO 14405-1: 2016). | STN EN ISO 14405-1 01 4205 |
|------------|--|--|

Geometrical product specifications (GPS) - Dimensional tolerancing - Part 1: Linear sizes (ISO 14405-1:2016)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/17

Obsahuje: EN ISO 14405-1:2016, ISO 14405-1:2016

Oznámením tejto normy sa ruší
STN EN ISO 14405-1 (01 4205) z decembra 2011

124282

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 14405-1

August 2016

ICS 17.040.10

Supersedes EN ISO 14405-1:2010

English Version

Geometrical product specifications (GPS) - Dimensional tolerancing - Part 1: Linear sizes (ISO 14405-1:2016)

Spécification géométrique des produits (GPS) -
Tolérancement dimensionnel - Partie 1: Tailles
linéaires (ISO 14405-1:2016)

Geometrische Produktspezifikation (GPS) -
Dimensionelle Tolerierung - Teil 1: Lineare
Größenmaße (ISO 14405-1:2016)

This European Standard was approved by CEN on 15 January 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| Contents | Page |
|-------------------------------|-------------|
| European foreword..... | 3 |

European foreword

This document (EN ISO 14405-1:2016) has been prepared by Technical Committee ISO/TC 213 “Dimensional and geometrical product specifications and verification” in collaboration with Technical Committee CEN/TC 290 “Dimensional and geometrical product specification and verification” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2017, and conflicting national standards shall be withdrawn at the latest by February 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 14405-1:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 14405-1:2016 has been approved by CEN as EN ISO 14405-1:2016 without any modification.

Geometrical product specifications (GPS) — Dimensional tolerancing —

Part 1: Linear sizes

*Spécification géométrique des produits (GPS) — Tolérancement
dimensionnel —*

Partie 1: Tailles linéaires





COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

| | |
|---|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 2 |
| 3 Terms and definitions | 2 |
| 4 Specification modifiers and symbols | 16 |
| 5 Default specification operator for size | 19 |
| 5.1 General | 19 |
| 5.2 ISO default specification operator for size | 20 |
| 5.3 Drawing-specific default specification operator for size | 21 |
| 6 Drawing indication for special specification operators for size | 22 |
| 6.1 Basic specification | 22 |
| 6.1.1 General | 22 |
| 6.1.2 Rules to indicate a basic GPS specification | 22 |
| 6.1.3 Rules to indicate basic dimensional specification with modifiers | 23 |
| 6.2 Indication of special specification operators | 24 |
| 6.2.1 One specification operator for both limits (upper and lower) of a size characteristic | 24 |
| 6.2.2 Different specification operator for upper limit of size and lower limit of size | 27 |
| 6.2.3 More than one dimensional specification applied to a linear feature of size | 29 |
| 6.3 Tolerancing of fits on assembly drawings | 30 |
| 7 Indication of the toleranced feature on which the size characteristic is defined | 31 |
| 7.1 Complete toleranced linear feature of size | 31 |
| 7.2 Specific fixed restricted portion of the feature of size | 31 |
| 7.3 Any restricted portion of the feature of size of a specified length | 32 |
| 7.4 Any cross section or any longitudinal section of a linear feature of size | 33 |
| 7.5 Size characteristic in a specific cross section of a feature of size | 35 |
| 7.6 Requirement applied individually for more than one feature of size | 37 |
| 7.7 Requirement applied for more than one feature considered as one feature of size | 38 |
| 7.8 Flexible/non-rigid parts | 38 |
| 8 Complementary indication | 39 |
| Annex A (normative) Proportions and dimensions of graphical symbols | 40 |
| Annex B (informative) Overview diagram for linear size | 42 |
| Annex C (informative) Data handling with rank-order modifiers | 43 |
| Annex D (normative) Size characteristics | 45 |
| Annex E (normative) Graphical rules to locate and dimension the dimensional specification elements | 50 |
| Annex F (informative) Relation to the GPS matrix model | 54 |
| Bibliography | 56 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 213, *Dimensional and geometrical product specification and verification*.

This second edition cancels and replaces the first edition (ISO 14405-1:2010), which has been technically revised.

The main changes from the previous edition are:

- [Clauses 1](#) and [3](#), [5.3](#), [6.1](#), [6.2](#), [7.3](#), [7.8](#), [Tables 1](#) and [2](#), and the figures have been technically revised;
- [Clause 8](#) and [Annexes D](#) and [E](#) have been added.

ISO 14405 consists of the following parts, under the general title *Geometrical product specifications (GPS) — Dimensional tolerancing*:

- *Part 1: Linear sizes*
- *Part 2: Dimensions other than linear sizes*
- *Part 3: Angular sizes*

Introduction

This part of ISO 14405 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences chain links A to C of the chain of standards on size.

The ISO GPS matrix model given in ISO 14638 gives an overview of the ISO GPS system of which this part of ISO 14405 is a part. The fundamental rules of ISO GPS given in ISO 8015 apply to this part of ISO 14405 and the default decision rules given in ISO 14253-1 apply to the specifications made in accordance with this part of ISO 14405, unless otherwise indicated.

For more detailed information of the relation of this part of ISO 14405 to other standards and the GPS matrix model, see [Annex F](#).

Produced workpieces exhibit deviations from the ideal geometric form. The real value of the dimension of a feature of size is dependent on the form deviations and on the specific type of size applied.

The type of size to be applied to a feature of size depends on the function of the workpiece.

The type of size can be indicated on the drawing by a specification modifier for controlling the feature definition.

Geometrical product specifications (GPS) — Dimensional tolerancing —

Part 1: Linear sizes

IMPORTANT — The illustrations included in this part of ISO 14405 are intended to illustrate the text and/or to provide examples of the related technical drawing specification. These illustrations are not fully dimensioned and toleranced showing only the relevant general principles. As a consequence, the illustrations are not a representation of a complete workpiece and are not of a quality that is required for use in industry (in terms of full conformity with the standards prepared by ISO/TC 10 and ISO/TC 213) and as such, are not suitable for projection for teaching purposes

1 Scope

This part of ISO 14405 establishes the default specification operator (see ISO 17450-2) for linear size and defines a number of special specification operators for linear size for features of size, e.g. “cylinder”, “sphere”, “torus,”¹⁾ “circle”, “two parallel opposite planes”, or “two parallel opposite straight lines”.

It also defines the specification modifiers and the drawing indications for these linear sizes.

This part of ISO 14405 covers the following linear sizes:

- a) local size:
 - two-point size;
 - spherical size;
 - section size;
 - portion size;
- b) global size:
 - direct global linear size:
 - least-squares size;
 - maximum inscribed size;
 - minimum circumscribed size;
 - minimax size;
 - indirect global linear size;
- c) calculated size:
 - circumference diameter;
 - area diameter;
 - volume diameter;

1) A torus is a feature of size when its directrix diameter is fixed.

d) rank-order size:

- maximum size;
- minimum size;
- average size;
- median size;
- mid-range size;
- range of sizes;
- standard deviation of sizes.

This part of ISO 14405 defines tolerances of linear sizes for the following:

- a + and/or – limit deviation (e.g. 0/–0,019) (see [Figure 11](#));
- an upper limit of size (ULS) and/or lower limit of size (LLS) (e.g. 15,2 max., 12 min., or 30,2/30,181) (see [Figure 13](#));
- an ISO tolerance class code in accordance with ISO 286-1 (e.g. 10 h6) (see [Figure 12](#));

with or without modifiers (see [Tables 1](#) and [2](#)).

This part of ISO 14405 provides a set of tools to express several types of size characteristic. It does not present any information on the relationship between a function or a use and a size characteristic.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 286-1, *Geometrical product specifications (GPS) — ISO code system for tolerances on linear sizes — Part 1: Basis of tolerances, deviations and fits*

ISO 8015, *Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules*

ISO 17450-1, *Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification*

ISO 17450-2:2012, *Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators, uncertainties and ambiguities*

ISO 17450-3, *Geometrical product specifications (GPS) — General concepts — Part 3: Toleranced features*

ISO 81714-1, *Design of graphical symbols for use in the technical documentation of products — Part 1: Basic rules*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN