

<b>STN</b>	<b>Syntetické kremenné kryštály. Špecifikácie a návod na používanie.</b>	<b>STN EN 60758</b>
		35 8414

Synthetic quartz crystal - Specifications and guidelines for use

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/17

Obsahuje: EN 60758:2016, IEC 60758:2016

Oznámením tejto normy sa od 07.10.2019 ruší  
STN EN 60758 (35 8414) z júla 2009

**124363**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo SR, 2017  
Podľa zákona č. 264/1999 Z. z. v znení neskorších predpisov sa môžu slovenské technické normy  
rozmnožovať a rozširovať iba so súhlasom Úradu pre normalizáciu, metrológiu a skúšobníctvo SR.

EUROPEAN STANDARD

**EN 60758**

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2016

ICS 31.140

Supersedes EN 60758:2009

English Version

**Synthetic quartz crystal - Specifications and guidelines for use  
(IEC 60758:2016)**

Cristal de quartz synthétique - Spécifications et lignes  
directrices d'utilisation  
(IEC 60758:2016)

Synthetischer Quarzkristall - Festlegungen und Leitfaden  
für die Anwendung  
(IEC 60758:2016)

This European Standard was approved by CENELEC on 2016-06-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**EN 60758:2016****European foreword**

The text of document 49/1185/FDIS, future edition 5 of IEC 60758, prepared by IEC/TC 49 "Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60758:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-04-07
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-10-07

This document supersedes EN 60758:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 60758:2016 was approved by CENELEC as a European Standard without any modification.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	2013	Environmental testing - Part 1: General and guidance	EN 60068-1	2014
IEC 60122-1	2002	Quartz crystal units of assessed quality - Part 1: Generic specification	EN 60122-1	2002
IEC 60410	-	Sampling plans and procedures for inspection by attributes	-	-
IEC 61994	Series	Piezoelectric and dielectric devices for frequency control and selection - Glossary	-	-



# INTERNATIONAL STANDARD

---

**Synthetic quartz crystal – Specifications and guidelines for use**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
 3, rue de Varembe  
 CH-1211 Geneva 20  
 Switzerland

Tel.: +41 22 919 02 11  
 Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).



IEC 60758

Edition 5.0 2016-05

# INTERNATIONAL STANDARD

---

**Synthetic quartz crystal – Specifications and guidelines for use**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 31.140

ISBN 978-2-8322-3395-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references.....	9
3 Terms and definitions .....	9
4 Specification for synthetic quartz crystal.....	13
4.1 Standard values .....	13
4.1.1 Shape of synthetic quartz for optical applications.....	13
4.1.2 Orientation of the seed.....	13
4.1.3 Inclusion density .....	13
4.1.4 Striae in synthetic quartz for optical applications.....	14
4.1.5 Infrared quality indications of $\alpha_3 500$ and $\alpha_3 585$ for piezoelectric applications .....	14
4.1.6 Grade classification by $\alpha$ value and Schlieren method for optical applications .....	15
4.1.7 Frequency-temperature characteristics of synthetic quartz for piezoelectric applications .....	15
4.1.8 Etch channel density $\rho$ .....	15
4.1.9 Internal transmittance for optical applications .....	16
4.2 Requirements and measuring methods .....	17
4.2.1 Orientation.....	17
4.2.2 Handedness.....	18
4.2.3 Synthetic quartz crystal dimensions .....	18
4.2.4 Seed dimensions .....	19
4.2.5 Imperfections .....	19
4.2.6 Evaluation of infrared quality by $\alpha$ measurement.....	22
4.2.7 Frequency versus temperature characteristics for piezoelectric applications .....	24
4.2.8 Striae in synthetic quartz for optical applications.....	25
4.2.9 Growth band in synthetic quartz for optical applications .....	25
4.2.10 Etch channel density.....	26
4.2.11 Internal transmittance for optical applications .....	27
4.3 Marking.....	27
4.3.1 General .....	27
4.3.2 Shipping requirements .....	28
5 Specification for lumbered synthetic quartz crystal .....	28
5.1 Standard values .....	28
5.1.1 Tolerance of dimensions .....	28
5.1.2 Reference surface flatness.....	29
5.1.3 Angular tolerance of reference surface .....	29
5.1.4 Centrality of the seed .....	30
5.2 Requirements and measuring methods .....	31
5.2.1 As-grown quartz bars used for lumbered quartz bars .....	31
5.2.2 Dimensions of lumbered synthetic quartz crystal.....	31
5.2.3 Identification on reference surface.....	31
5.2.4 Measurement of reference surface flatness.....	31

5.2.5	Measurement of reference surface angle tolerance .....	31
5.2.6	Centrality of the seed .....	31
5.3	Delivery conditions .....	32
5.3.1	General .....	32
5.3.2	Marking .....	32
5.3.3	Packing .....	32
5.3.4	Making batch .....	32
6	Inspection rule for synthetic quartz crystal and lumbered synthetic quartz crystal .....	32
6.1	Inspection rule for as-grown synthetic quartz crystal .....	32
6.1.1	Inspection .....	32
6.1.2	Lot-by-lot test.....	32
6.2	Inspection rule for lumbered synthetic quartz crystal .....	33
6.2.1	General .....	33
6.2.2	Lot-by-lot test.....	34
7	Guidelines for the use of synthetic quartz crystal for piezoelectric applications.....	34
7.1	General.....	34
7.1.1	Overview .....	34
7.1.2	Synthetic quartz crystal .....	34
7.2	Shape and size of synthetic quartz crystal .....	35
7.2.1	Crystal axis and face designation .....	35
7.2.2	Seed.....	36
7.2.3	Shapes and dimensions .....	36
7.2.4	Growth zones.....	37
7.3	Standard method for evaluating the quality of synthetic quartz crystal .....	37
7.4	Other methods for checking the quality of synthetic quartz crystal .....	38
7.4.1	General .....	38
7.4.2	Visual inspection.....	38
7.4.3	Infrared radiation absorption method .....	38
7.4.4	Miscellaneous .....	39
7.5	$\alpha$ grade for piezoelectric quartz .....	40
7.6	Optional grading (only as ordered), in inclusions, etch channels, Al content.....	40
7.6.1	Inclusions .....	40
7.6.2	Etch channels .....	40
7.6.3	Al content .....	40
7.6.4	Swept quartz.....	41
7.7	Ordering .....	42
Annex A (informative)	Frequently used sampling procedures.....	43
A.1	Complete volume counting .....	43
A.2	Commodity Y-bar sampling – Method 1.....	43
A.3	Commodity Y-bar sampling – Method 2.....	43
A.4	Use of comparative standards for 100 % crystal inspection .....	44
Annex B (informative)	Numerical example.....	45
Annex C (informative)	Example of reference sample selection.....	46
Annex D (informative)	Explanations of point callipers .....	47
Annex E (informative)	Infrared absorbance $\alpha$ value compensation .....	48
E.1	General.....	48
E.2	Sample preparation, equipment set-up and measuring procedure .....	48
E.2.1	General .....	48

E.2.2	Sample preparation.....	48
E.2.3	Equipment set-up.....	48
E.2.4	Measurement procedure.....	49
E.3	Procedure to establish correction terms.....	49
E.4	Calculation of compensated (corrected) absorbance values.....	51
Annex F (informative)	Differences of the orthogonal axial system for quartz between IEC standard and IEEE standard.....	52
Annex G (informative)	$\alpha$ value measurement consistency between dispersive infrared spectrometer and fourier transform infrared spectrometer.....	54
G.1	General.....	54
G.2	Experiment.....	54
G.3	Experimental result.....	55
Bibliography	.....	58
Figure 1	– Quartz crystal axis and cut direction.....	17
Figure 2	– Idealized sections of a synthetic quartz crystal grown on a Z-cut seed.....	19
Figure 3	– Typical example of cutting wafers of AT-cut plate, minor rhombohedral-cut plate, X-cut plate, Y-cut plate and Z-cut plate.....	21
Figure 4	– Frequency-temperature characteristics deviation rate of the test specimen.....	25
Figure 5	– Typical schlieren system setup.....	25
Figure 6	– Lumbered synthetic quartz crystal outline and dimensions along X-, Y- and Z-axes.....	29
Figure 7	– Angular deviation for reference surface.....	30
Figure 8	– Centrality of the seed with respect to the dimension along the Z- or Z'-axis.....	31
Figure 9	– Quartz crystal axis and face designation.....	36
Figure 10	– Synthetic quartz crystal grown on a Z-cut seed of small X-dimensions.....	37
Figure 11	– Example of a relation between the $\alpha$ value and the Q value at wave number $3\,500\text{ cm}^{-1}$ .....	39
Figure D.1	– Point callipers.....	47
Figure D.2	– Digital point callipers.....	47
Figure E.1	– Schematic of measurement set-up.....	49
Figure E.2	– Graph relationship between averaged $\alpha$ and measured $\alpha$ at two wave numbers of $\alpha_{3\,500}$ and $\alpha_{3\,585}$ .....	50
Figure F.1	– Left- and right-handed quartz crystals.....	53
Figure G.1	– Relationship of $\alpha$ between measuring value and reference value.....	57
Table 1	– Inclusion density grades for piezoelectric applications.....	14
Table 2	– Inclusion density grades for optical applications.....	14
Table 3	– Infrared absorbance coefficient grades for piezoelectric applications.....	14
Table 4	– Infrared absorbance coefficient grades and Schlieren method for optical applications.....	15
Table 5	– Etch channel density grades for piezoelectric applications.....	16
Table 6	– Test conditions and requirements for the lot-by-lot test for group A.....	33
Table 7	– Test conditions and requirements for the lot-by-lot test for group B.....	33
Table 8	– Test conditions and requirements for the lot-by-lot test.....	34
Table B.1	– Commodity bar sampling, method 1.....	45

Table B.2 – Commodity bar sampling .....	45
Table E.1 – Example of calibration data at $\alpha_3$ 585 .....	50
Table E.2 – Example of calibration data at $\alpha_3$ 500 .....	50

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SYNTHETIC QUARTZ CRYSTAL –  
SPECIFICATIONS AND GUIDELINES FOR USE**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60758 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

This fifth edition cancels and replaces the fourth edition, published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- order rearrangement and review of terms and definitions;
- abolition as a standard of the infrared absorbance coefficient  $\alpha_3$  410;
- addition of the  $\alpha$  value measurement explanation by FT-IR equipment in annex;
- addition of the synthetic quartz crystal standards for optical applications.

The text of this standard is based on the following documents:

FDIS	Report on voting
49/1185/FDIS	49/1190/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

The reason for adding synthetic quartz crystal for optical application to this International Standard is as follows.

Quartz crystal produced for optical applications is produced by many of the same suppliers manufacturing quartz for electronic applications. The equipment and methods to produce optical quartz are similar to those used in the production of electronic quartz. Also, with a few exceptions the characterization methods of electronic and optical material are similar. Therefore, IEC 60758 serves as the proper basis for including addenda related to quartz crystal for optical applications.

## SYNTHETIC QUARTZ CRYSTAL – SPECIFICATIONS AND GUIDELINES FOR USE

### 1 Scope

This International Standard applies to synthetic quartz single crystals intended for manufacturing piezoelectric elements for frequency control, selection and optical applications.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60122-1:2002, *Quartz crystal units of assessed quality – Part 1: Generic specification*

IEC 60410, *Sampling plans and procedures for inspection by attributes*

IEC 61994 (all parts), *Piezoelectric and dielectric devices for frequency control and selection – Glossary*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**