

<b>STN</b>	<b>Poplachové systémy. Elektrické zabezpečovacie a tiesňové systémy. Časť 2-8: Detektory narušenia. Detektory otriasov.</b>	<b>STN EN 50131-2-8</b>
		33 4591

Alarm systems - Intrusion and hold-up systems - Part 2-8: Intrusion detectors - Shock detectors

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 05/17

Obsahuje: EN 50131-2-8:2016

Označením tejto normy sa od 03.10.2019 ruší  
STN P CLC/TS 50131-2-8 (33 4591) zo septembra 2012

**124671**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017

Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnrožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.



EUROPEAN STANDARD

**EN 50131-2-8**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2016

ICS 13.320

Supersedes CLC/TS 50131-2-8:2012

## English Version

**Alarm systems - Intrusion and hold-up systems - Part 2-8:  
Intrusion detectors - Shock detectors**

Systèmes d'alarme - Systèmes d'alarme contre l'intrusion et les hold-up - Partie 2-8: DéTECTEURS d'intrusion - DéTECTEURS de chocs

Alarmanlagen - Einbruchmeldeanlagen - Teil 2-8:  
Anforderungen an Erschütterungsmelder

This European Standard was approved by CENELEC on 2016-10-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

Contents	Page
<b>European foreword .....</b>	<b>6</b>
<b>Introduction .....</b>	<b>7</b>
<b>1 Scope .....</b>	<b>8</b>
<b>2 Normative references .....</b>	<b>8</b>
<b>3 Terms, definitions and abbreviations .....</b>	<b>8</b>
<b>3.1 Terms and definitions .....</b>	<b>8</b>
<b>3.2 Abbreviations .....</b>	<b>9</b>
<b>4 Functional requirements .....</b>	<b>9</b>
<b>4.1 General.....</b>	<b>9</b>
<b>4.2 Event Processing.....</b>	<b>10</b>
<b>4.3 Detection.....</b>	<b>11</b>
<b>4.3.1 Detection performance.....</b>	<b>11</b>
<b>4.3.2 Indication of detection .....</b>	<b>12</b>
<b>4.4 Immunity to false alarm sources .....</b>	<b>12</b>
<b>4.4.1 General.....</b>	<b>12</b>
<b>4.4.2 Immunity to Small objects hitting a framed window.....</b>	<b>12</b>
<b>4.4.3 Immunity to Hard objects hitting a framed window .....</b>	<b>13</b>
<b>4.4.4 Immunity to Static pressure .....</b>	<b>13</b>
<b>4.4.5 Immunity to Dynamic pressure .....</b>	<b>13</b>
<b>4.4.6 Standard Immunity Test.....</b>	<b>13</b>
<b>4.5 Operational requirements .....</b>	<b>13</b>
<b>4.5.1 Time interval between intrusion signals or messages .....</b>	<b>13</b>
<b>4.5.2 Switch on delay.....</b>	<b>13</b>
<b>4.5.3 Self-tests.....</b>	<b>13</b>
<b>4.6 Tamper security .....</b>	<b>14</b>
<b>4.6.1 General.....</b>	<b>14</b>

<b>4.6.2</b>	<b>Resistance to and detection of unauthorised access to components and means of adjustment .....</b>	<b>14</b>
<b>4.6.3</b>	<b>Detection of removal from the mounting surface .....</b>	<b>14</b>
<b>4.6.4</b>	<b>Resistance to magnetic field interference .....</b>	<b>15</b>
<b>4.6.5</b>	<b>Detection of masking .....</b>	<b>15</b>
<b>4.7</b>	<b>Electrical requirements .....</b>	<b>15</b>
<b>4.7.1</b>	<b>General .....</b>	<b>15</b>
<b>4.7.2</b>	<b>Shock detectors current consumption .....</b>	<b>16</b>
<b>4.7.3</b>	<b>Slow input voltage change and voltage range limits .....</b>	<b>16</b>
<b>4.7.4</b>	<b>Input voltage ripple .....</b>	<b>16</b>
<b>4.7.5</b>	<b>Input voltage step change .....</b>	<b>16</b>
<b>4.8</b>	<b>Environmental classification and conditions .....</b>	<b>16</b>
<b>4.8.1</b>	<b>Environmental classification .....</b>	<b>16</b>
<b>4.8.2</b>	<b>Immunity to environmental conditions .....</b>	<b>16</b>
<b>5</b>	<b>Marking, identification and documentation .....</b>	<b>16</b>
<b>5.1</b>	<b>Marking and/or identification .....</b>	<b>16</b>
<b>5.2</b>	<b>Documentation .....</b>	<b>16</b>
<b>6</b>	<b>Testing .....</b>	<b>17</b>
<b>6.1</b>	<b>General .....</b>	<b>17</b>
<b>6.2</b>	<b>General test conditions .....</b>	<b>17</b>
<b>6.2.1</b>	<b>Standard conditions for testing .....</b>	<b>17</b>
<b>6.2.2</b>	<b>General detection testing environment and procedures .....</b>	<b>17</b>
<b>6.3</b>	<b>Basic Detection Test .....</b>	<b>18</b>
<b>6.3.1</b>	<b>General .....</b>	<b>18</b>
<b>6.3.2</b>	<b>Basic Detection Test Method .....</b>	<b>18</b>
<b>6.4</b>	<b>Performance tests .....</b>	<b>18</b>
<b>6.4.1</b>	<b>General .....</b>	<b>18</b>
<b>6.4.2</b>	<b>Verification of detection performance .....</b>	<b>18</b>
<b>6.5</b>	<b>Switch-on delay, time interval between signals and indication of detection .....</b>	<b>20</b>

6.6	Self-tests .....	20
6.7	Immunity to incorrect operation.....	20
6.7.1	General.....	20
6.7.2	Immunity to Small objects hitting the glass .....	21
6.7.3	Immunity to Hard objects hitting a framed window .....	21
6.7.4	Immunity to Static pressure .....	22
6.7.5	Immunity to Dynamic pressure .....	22
6.7.6	Standard Immunity Test.....	23
6.8	Tamper security .....	23
6.8.1	General.....	23
6.8.2	Resistance to and detection of unauthorised access to the inside of the shock detector through covers and existing holes .....	23
6.8.3	Detection of removal from the mounting surface .....	23
6.8.4	Resistance to magnetic field interference .....	23
6.8.5	Detection of shock detector masking.....	24
6.9	Electrical tests.....	24
6.9.1	General.....	24
6.9.2	Shock detector current consumption.....	24
6.9.3	Slow input voltage change and input voltage range limits .....	25
6.9.4	Input voltage ripple.....	25
6.9.5	Input voltage step change .....	25
6.9.6	Total loss of power supply .....	26
6.10	Environmental classification and conditions .....	26
6.11	Marking, identification and documentation .....	27
6.11.1	Marking and/or identification.....	27
6.11.2	Documentation.....	27
	Annex A (normative) Standard test material.....	28
A.1	Framed glass window .....	28
A.2	Wooden plate .....	28

A.3 Concrete plate.....	28
Annex B (normative) Dimensions and requirements of the standardized interference test magnets ...	29
B.1 Normative references .....	29
B.2 Requirements.....	29
Annex C (normative) General Testing Matrix .....	32
Annex D (normative) Spring operated Hammer .....	34
Annex E (informative) Example list of small tools.....	35
Annex F (normative) Minimum performance requirements gross and shock integration attack tests..	36
Annex G (normative) Immunity test: Small objects hit sensitivity .....	37
Annex H (normative) Immunity test: Hard objects hit sensitivity .....	38
Annex I (normative) Immunity test: Static pressure sensitivity .....	39
Annex J (normative) Immunity test: Dynamic pressure sensitivity .....	40
Bibliography.....	41

## European foreword

This document (EN 50131-2-8:2016) has been prepared by Technical Committee CLC/TC 79 "Alarm systems", the secretariat of which is held by BSI.

The following dates are fixed:

latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-10-03

latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2019-10-03

This document supersedes CLC/TS 50131-2-8:2012.

EN 50131-2-8:2016 includes the following significant technical changes with respect to CLC/TS 50131-2-8:2012:

- Changed state from Technical Specification into European Standard;
- Clarified wording wherever necessary to avoid misunderstanding and to optimize for reading;
- Refined the definition of "shock";
- Refined immunity requirements in 4.4.2, 4.4.3, 4.4.4, 4.4.5 and 4.4.6 and their corresponding test sub-clauses (6.7.2, etc.);
- Refined the detection of masking requirements in 4.6.5 and the corresponding test sub-clause 6.8.5;
- Refined the electrical requirements in 4.7 and subsequent sub-clauses and updated the corresponding test sub-clauses (6.9, etc.);
- Rephrased the Basic Detection Test Method in 6.3.2 and the Verification of detection performance in 6.4.2 and subsequent sub-clauses.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Introduction

This document is a European Standard for shock detectors used as part of intrusion alarm systems installed in buildings. It includes four security grades and four environmental classes.

The purpose of a shock detector is to detect the shock or series of shocks due to a forcible attack through a physical barrier (for example doors or windows).

The shock detector has to provide the necessary range of signals or messages to be used by the rest of the intrusion and hold-up alarm system.

The number and scope of these signals or messages will be more comprehensive for systems that are specified at the higher Grades.

This European Standard is only concerned with the requirements and tests for the shock detectors. Other types of detectors are covered by other documents identified as in the EN 50131-2 series.

## 1 Scope

This European Standard is for Shock Detectors installed in buildings to detect the shock or series of shocks due to a forcible attack through a physical barrier (for example doors or windows).

It specifies four security Grades 1-4 (in accordance with EN 50131-1), specific or non-specific wired or wireless detectors and uses environmental Classes I-IV (in accordance with EN 50130-5).

This European Standard does not include requirements for detectors intended to detect penetration attacks on safes and vaults for example by drilling, cutting or thermal lance.

This European Standard does not include requirements for shock detectors intended for use outdoors.

A detector needs to fulfil all the requirements of the specified grade.

Functions additional to the mandatory functions specified in this European Standard may be included in the detector, providing they do not adversely influence the correct operation of the mandatory functions.

This European Standard does not deal with requirements for compliance with regulatory directives, such as EMC-directive, low-voltage directive, etc., except that it specifies the equipment operating conditions for EMC-susceptibility testing as required by EN 50130-4.

This European Standard does not apply to system interconnections.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50130-4, *Alarm systems — Part 4: Electromagnetic compatibility — Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems*

EN 50130-5, *Alarm systems — Part 5: Environmental test methods*

EN 50131-1, *Alarm systems — Intrusion and hold-up systems — Part 1: System requirements*

EN 50131-6, *Alarm systems — Intrusion and hold-up systems — Part 6: Power supplies*

EN 60068-2-75:2014, *Environmental testing — Part 2-75: Tests — Test Eh: Hammer tests (IEC 60068-2-75:2014)*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN