

STN	Navrhovanie ventilátorov určených do potenciálne výbušných atmosfér.	STN EN 14986 38 9724
------------	---	--

Design of fans working in potentially explosive atmospheres

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/17

Obsahuje: EN 14986:2017

Oznámením tejto normy sa od 17.01.2020 ruší
STN EN 14986 (38 9724) zo septembra 2007

124693

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD

EN 14986

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2017

ICS 23.120

Supersedes EN 14986:2007

English Version

Design of fans working in potentially explosive atmospheres

Conception des ventilateurs pour les atmosphères
explosiblesKonstruktion von Ventilatoren für den Einsatz in
explosionsgefährdeten Atmosphären

This European Standard was approved by CEN on 30 October 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

Contents		Page
European foreword.....		4
Introduction		5
1	Scope	6
2	Normative references	7
3	Terms and definitions	7
4	Requirements for all fans.....	8
4.1	Ignition hazard assessment.....	8
4.1.1	General.....	8
4.1.2	Normal operating conditions.....	8
4.1.3	Expected malfunction	8
4.1.4	Rare malfunction.....	8
4.2	Assignment of categories	8
4.3	Temperatures.....	9
4.3.1	General.....	9
4.3.2	Maximum surface temperature	9
4.3.3	Temperature of the conveyed atmosphere (flammable or not)	10
4.4	Mechanical design criteria.....	10
4.4.1	General.....	10
4.4.2	Clearance between rotating elements and the fan casing.....	10
4.5	Casing	11
4.5.1	General.....	11
4.5.2	Gas tightness.....	11
4.6	Impellers	11
4.7	Materials for rotating and stationary parts of fans.....	11
4.7.1	General.....	11
4.7.2	Permissible material pairings.....	12
4.8	Linings and tip extensions	22
4.9	Vibration	22
4.10	Earthing conducting parts	23
4.11	Electrostatic charges.....	23
4.12	Electrical equipment.....	23
4.13	Prevention of deposits inside the fan	23
4.14	Shaft seals	24
4.15	Bearings.....	24
4.16	Power transmission systems	24
4.17	Clutches and couplings.....	24
4.18	Brakes and braking systems	24
4.19	Impeller-shaft attachment.....	24
4.20	Corrosion of fan components.....	28
4.21	Fire resistance.....	28
4.22	Protection against foreign particles.....	28
5	Additional requirements for category 2	28
5.1	General.....	28
5.2	Impeller-shaft attachment.....	28
5.3	Vibration	29

5.4	Material pairings.....	29
6	Category 1 fans for specific use with a gaseous explosive atmosphere as a conveyed atmosphere (flammable or not).....	29
6.1	General requirements.....	29
6.2	Flame arresters	29
6.2.1	General	29
6.2.2	Stabilized burning	29
6.3	Casings.....	30
6.3.1	General	30
6.3.2	Gas tightness.....	30
7	Information for use.....	30
7.1	General	30
7.2	Accompanying documentation	30
7.3	Markings	32
	Annex A (normative) Additional requirements for category 1 G fans.....	33
A.1	General	33
A.2	Flame transmission test.....	33
A.3	Pressure test.....	34
	Annex B (informative) Classification of requirements for the different categories.....	35
	Annex C (informative) Checklist for verification of the safety requirements and/or protective measures	39
C.1	General	39
C.2	All categories.....	39
C.3	Category 2 – Gas and dust.....	40
C.4	Category 1 – Gas	40
	Annex D (informative) Examples of types of fans showing ignition minimizing features	41
	Annex E (normative) List of significant hazards.....	46
	Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/34/EU.....	50
	Bibliography	51

European foreword

This document (EN 14986:2017) has been prepared by Technical Committee CEN/TC 305 “Potentially explosive atmospheres - Explosion prevention and protection”, the secretariat of which is held by DIN.

This document supersedes EN 14986:2007.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2017, and conflicting national standards shall be withdrawn at the latest by July 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2014/34/EU.

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered and indicated in the scope of this European Standard.

When provisions of this type C standard are different from those, which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

1 Scope

1.1 This European Standard specifies the constructional requirements for fans constructed to Group II G (of explosion groups IIA, IIB and hydrogen) categories 1, 2 and 3, and Group II D categories 2 and 3, intended for use in explosive atmospheres.

NOTE 1 Operation conditions for the different categories of fans used in this European Standard are defined in Clause 4.

NOTE 2 Technical requirements for category 1 D fans are not given in this document. Where explosive dust atmospheres are regularly conveyed, explosion protection measures as described in EN 1127-1 are required if this specific use is needed.

1.2 This European Standard does not apply to group I fans (fans for mining), cooling fans or impellers on rotating electrical machines, cooling fans or impellers on internal combustion engines.

NOTE 1 Requirements for group I fans are given in EN 1710.

NOTE 2 The requirements for electrical parts are covered by references to electrical equipment standards.

1.3 This European Standard specifies requirements for design, construction, testing and marking of complete fan units intended for use in potentially explosive atmospheres in air containing gas, vapour, mist and/or dusts. Such atmospheres may exist inside (the conveyed atmosphere (flammable or not)), outside, or inside and outside of the fan.

1.4 This European Standard is applicable to fans working in ambient atmospheres and with normal atmospheric conditions at the inlet, having

- absolute pressures ranging from 0,8 bar to 1,1 bar,
- and temperatures ranging from -20 °C to +60 °C,
- and maximum volume fraction of 21 % oxygen content,
- and an aerodynamic energy increase of less than 25 kJ/kg.

NOTE 1 25 kJ/kg is equivalent to 30 kPa at inlet density of 1,2 kg/m³.

This European Standard may also be helpful for the design, construction, testing and marking of fans intended for use in atmospheres outside the validity range stated above or in cases where other material pairings need to be used. In this case, the ignition risk assessment, ignition protection provided, additional testing (if necessary), manufacturer's marking, technical documentation and instructions to the user, should clearly demonstrate and indicate the equipment's suitability for the conditions the fan may encounter.

This European Standard should not apply to integral fans as a part of Diesel engines, vehicles or electric motors.

NOTE 2 Where undated references are used in the body of the standard the latest edition applies.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1127-1:2011, *Explosive atmospheres - Explosion prevention and protection - Part 1: Basic concepts and methodology*

EN ISO 80079-36:2016, *Explosive atmospheres - Part 36: Non-electrical equipment for explosive atmospheres - Basic method and requirements (ISO 80079-36:2016)*

EN ISO 80079-37:2016, *Explosive atmospheres - Part 37: Non-electrical equipment for explosive atmospheres - Non-electrical type of protection constructional safety "c", control of ignition sources "b", liquid immersion "k" (ISO 80079-37:2016)*

EN 60079-0, *Explosive atmospheres - Part 0: Equipment - General requirements*

EN ISO 5801, *Industrial fans - Performance testing using standardized airways (ISO 5801)*

EN ISO 11925-2, *Reaction to fire tests - Ignitability of products subjected to direct impingement of flame - Part 2: Single-flame source test (ISO 11925-2)*

EN ISO 12100, *Safety of machinery - General principles for design - Risk assessment and risk reduction (ISO 12100)*

EN ISO 16852:2010, *Flame arresters - Performance requirements, test methods and limits for use (ISO 16852:2008, including Cor 1:2008 and Cor 2:2009)*

EN ISO 13349:2010, *Fans - Vocabulary and definitions of categories (ISO 13349:2010)*

ISO 14694:2003, *Industrial fans — Specifications for balance quality and vibration levels*

ISO 14694:2003/AMD1, *Industrial fans — Specifications for balance quality and vibration levels*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN