

|            |  |  |
|------------|--|--|
| <b>STN</b> | <b>Výmena údajov pri meraní elektrickej energie.<br/>Súbor DLMS/COSEM. Časť 6-2: Triedy rozhrania<br/>COSEM.</b> | <b>STN<br/>EN 62056-6-2</b><br><br>35 6131 |
|------------|--|--|

Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/17

Obsahuje: EN 62056-6-2:2016, IEC 62056-6-2:2016

Oznámením tejto normy sa od 09.12.2019 ruší  
STN EN 62056-6-2 (35 6131) z decembra 2013

**124850**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017  
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD

**EN 62056-6-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2016

ICS 17.220; 35.110; 91.140.50

Supersedes EN 62056-6-2:2013

English Version

Electricity metering data exchange - The DLMS/COSEM suite -  
Part 6-2: COSEM interface classes  
(IEC 62056-6-2:2016)

Échange des données de comptage de l'électricité -  
La suite DLMS/COSEM - Partie 6-2: Classes d'interfaces  
COSEM  
(IEC 62056-6-2:2016)

Datenkommunikation der elektrischen Energiemessung -  
DLMS/COSEM - Teil 6-2: COSEM Interface-Klassen  
(IEC 62056-6-2:2016)

This European Standard was approved by CENELEC on 2016-03-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**EN 62056-6-2:2016****European foreword**

The text of document 13/1651A/FDIS, future edition 2 of IEC 62056-6-2, prepared by IEC/TC 13 "Electrical energy measurement and control" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62056-6-2:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-06-09
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-12-09

This document supersedes EN 62056-6-2:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

**Endorsement notice**

The text of the International Standard IEC 62056-6-2:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

|                    |      |   |
|--------------------|------|---|
| IEC 62056-4-7:2015 | NOTE | Harmonized as EN 62056-4-7:2015 (not modified). |
| IEC 62056-7-6:2013 | NOTE | Harmonized as EN 62056-7-6:2013 (not modified). |
| IEC 62056-8-3:2013 | NOTE | Harmonized as EN 62056-8-3:2013 (not modified). |
| IEC 62056-9-7:2013 | NOTE | Harmonized as EN 62056-9-7:2013 (not modified). |

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu)

| <u>Publication</u> | <u>Year</u> | <u>Title</u>   | <u>EN/HD</u>   | <u>Year</u>        |
|--------------------|-------------|--|----------------|--------------------|
| -                  | -           | Communication systems for meters and remote reading of meters - Part 2: Physical and link layer  | EN 13757-2     | 2004               |
| -                  | -           | Communication systems for meters and remote reading of meters - Part 3: Dedicated application layer  | EN 13757-3     | 2004 <sup>1)</sup> |
| -                  | -           | Communication systems for meters and remote reading of meters - Part 3: Dedicated application layer  | EN 13757-3     | 2013               |
| -                  | -           | Communication systems for meters - Part 5: Wireless M-Bus relaying   | EN 13757-5     | 2015               |
| IEC 61334-4-32     | 1996        | Distribution automation using distribution line carrier systems - Part 4: Data communication protocols - Section 32: Data link layer - Logical link control (LLC)                          | EN 61334-4-32  | 1996               |
| IEC 61334-4-41     | 1996        | Distribution automation using distribution line carrier systems - Part 4: Data communication protocols - Section 41: Application protocols - Distribution line message specification       | EN 61334-4-41  | 1996               |
| IEC 61334-4-511    | 2000        | Distribution automation using distribution line carrier systems - Part 4-511: Data communication protocols - Systems management - CIASE protocol   | EN 61334-4-511 | 2000               |
| IEC 61334-4-512    | 2001        | Distribution automation using distribution line carrier systems - Part 4-512: Data communication protocols - System management using profile 61334-5-1 - Management Information Base (MIB) | EN 61334-4-512 | 2002               |
| IEC 61334-5-1      | 2001        | Distribution automation using distribution line carrier systems - Part 5-1: Lower layer profiles - The spread frequency shift keying (S-FSK) profile                                       | EN 61334-5-1   | 2001               |

<sup>1)</sup> Superseded by EN 13757-3:2013.

**EN 62056-6-2:2016**

| <u>Publication</u> | <u>Year</u>  | <u>Title</u>  | <u>EN/HD</u>     | <u>Year</u>        |
|--------------------|--------------|---|------------------|--------------------|
| IEC 61334-6        | 2000         | Distribution automation using distribution line carrier systems - Part 6: A-XDR encoding rule   | EN 61334-6       | 2000               |
| IEC 62056-21       | 2002         | Electricity metering - Data exchange for meter reading, tariff and load control - Part 21: Direct local data exchange   | EN 62056-21      | 2002               |
| IEC 62056-31       | 1999         | Electricity metering - Data exchange for meter reading, tariff and load control - Part 31: Use of local area networks on twisted pair with carrier signalling   | EN 62056-31      | 2000 <sup>2)</sup> |
| IEC 62056-3-1      | 2013         | Electricity metering data exchange - The DLMS/COSEM suite - Part 3-1: Use of local area networks on twisted pair with carrier signalling  | EN 62056-3-1     | 2014               |
| IEC 62056-46 + A1  | 2002<br>2006 | Electricity metering - Data exchange for meter reading, tariff and load control - Part 46: Data link layer using HDLC protocol  | EN 62056-46 + A1 | 2002<br>2007       |
| IEC 62056-5-3      | 2016         | Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer  | EN 62056-5-3     | 2016               |
| IEC 62056-6-1      | 2015         | Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS)   | EN 62056-6-1     | 2016               |
| ISO/IEC 8802-2     | 1998         | Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part-2: Logical link control  | -                | -                  |
| ISO/IEC/IEEE 60559 | 2011         | Information technology - Microprocessor Systems - Floating-Point arithmetic   | -                | -                  |
| IEEE 802.15.4      | 2006         | IEEE Standard for Information technology- Telecommunications and information exchange between systems- Local and metropolitan area networks- Specific requirements Part 15.4: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Low-Rate Wireless Personal Area Networks (WPANs) | -                | -                  |
| ITU-T G.9901       | 2014         | SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS - Access Networks - In premises networks - Narrow-band orthogonal frequency division multiplexing power line communication transceivers - Power spectral density specification   | -                | -                  |

<sup>2)</sup> Superseded by EN 62056-3-1:2014 (IEC 62056-3-1:2013).

| <u>Publication</u>        | <u>Year</u>  | <u>Title</u>   | <u>EN/HD</u> | <u>Year</u> |
|---------------------------|--------------|--|--------------|-------------|
| ITU-T<br>G.9903:2012/A1   | 2013         | SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS - Access networks - In premises networks – Narrow-band orthogonal frequency division multiplexing power line communication transceivers for G3-PLC networks | -            | -           |
| ITU-T G.9903              | 2014         | SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS - Access networks - In premises networks - Narrow-band orthogonal frequency division multiplexing power line communication transceivers for G3-PLC networks | -            | -           |
| ITU-T G.9904              | 2012         | SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS - Access networks - In premises networks - Narrow-band orthogonal frequency division multiplexing power line communication transceivers for PRIME networks  | -            | -           |
| ETSI GSM 05.08            | -            | Digital cellular telecommunications system - (Phase 2+); Radio subsystem link control  | -            | -           |
| ANSI C12.19/<br>IEEE 1377 | 1997<br>1997 | Utility Industry End Device Data Tables  | -            | -           |
| IETF STD 51               | 1994         | The Point-to-Point Protocol (PPP)  | -            | -           |
| IETF RFC 791              | 1981         | INTERNET PROTOCOL DARPA INTERNET PROGRAM PROTOCOL SPECIFICATION  | -            | -           |
| IETF RFC 1332             | 1992         | The PPP Internet Protocol Control Protocol- (IPCP)   | -            | -           |
| IETF RFC 1570             | 1994         | PPP LCP Extensions   | -            | -           |
| IETF RFC 1661             | 1994         | Point-to-Point Protocol (PPP)  | -            | -           |
| IETF RFC 1662             | 1994         | PPP in HDLC-like Framing   | -            | -           |
| RFC 1994                  | 1996         | PPP Challenge Handshake Authentication Protocol (CHAP)   | -            | -           |
| RFC 2433                  | 1998         | PPP CHAP Extension   | -            | -           |
| IETF RFC 2474             | 1998         | Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers  | -            | -           |
| IETF RFC 2507             | 1999         | IP Header Compression  | -            | -           |
| RFC 2759                  | 2000         | Microsoft PPP CHAP Extensions  | -            | -           |
| IETF RFC 3241             | 2002         | Robust Header Compression (ROHC) over- PPP   | -            | -           |
| RFC 3513                  | 2003         | Internet Protocol Version 6 (IPv6) Addressing Architecture   | -            | -           |
| RFC 3544                  | 2003         | IP Header Compression over PPP   | -            | -           |
| IETF RFC 4861             | 2007         | Neighbor Discovery for IP version 6 (IPv6)   | -            | -           |

Point-to-Point (PPP) Protocol Field Assignments. Online database. Available from:

<http://www.iana.org/assignments/ppp-numbers/ppp-numbers.xhtml>





# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Electricity metering data exchange – The DLMS/COSEM suite –  
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –  
Partie 6-2: Classes d'interfaces COSEM**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2015 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
 3, rue de Varembe  
 CH-1211 Geneva 20  
 Switzerland

Tel.: +41 22 919 02 11  
 Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Electricity metering data exchange – The DLMS/COSEM suite –  
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –  
Partie 6-2: Classes d'interfaces COSEM**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 17.220; 35.110; 91.140.50

ISBN 978-2-8322-3041-1

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|  |    |
|--|----|
| FOREWORD.....  | 9  |
| INTRODUCTION.....  | 12 |
| 1 Scope.....   | 14 |
| 2 Normative references.....  | 14 |
| 3 Terms, definitions and abbreviations .....   | 16 |
| 3.1 Terms and definitions related to the Image transfer process (see 5.3.6) .....        | 16 |
| 3.2 Terms and definitions related to the S-FSK PLC setup classes (see 5.8) .....         | 17 |
| 3.3 Terms and definitions related to the PRIME NB OFDM PLC setup ICs<br>(see 5.10) ..... | 18 |
| 3.4 Terms and definitions related to ZigBee® (see 5.12) .....                            | 20 |
| 3.5 Abbreviations .....  | 22 |
| 4 Basic principles .....   | 26 |
| 4.1 General.....   | 26 |
| 4.2 Referencing methods .....  | 27 |
| 4.3 Reserved base_names for special COSEM objects .....                                  | 27 |
| 4.4 Class description notation .....   | 27 |
| 4.5 Common data types .....  | 30 |
| 4.6 Data formats .....   | 31 |
| 4.6.1 Date and time formats .....  | 31 |
| 4.6.2 Floating point number formats .....  | 33 |
| 4.7 The COSEM server model.....  | 35 |
| 4.8 The COSEM logical device.....  | 36 |
| 4.8.1 General .....  | 36 |
| 4.8.2 COSEM logical device name (LDN) .....  | 36 |
| 4.8.3 The “association view” of the logical device .....                                 | 36 |
| 4.8.4 Mandatory contents of a COSEM logical device .....                                 | 37 |
| 4.8.5 Management logical device .....  | 37 |
| 4.9 Information security.....  | 37 |
| 5 The COSEM interface classes.....   | 38 |
| 5.1 Overview.....  | 38 |
| 5.2 Interface classes for parameters and measurement data.....                           | 42 |
| 5.2.1 Data (class_id = 1, version = 0).....  | 42 |
| 5.2.2 Register (class_id = 3, version = 0) .....   | 42 |
| 5.2.3 Extended register (class_id = 4, version = 0) .....                                | 46 |
| 5.2.4 Demand register (class_id = 5, version = 0) .....                                  | 47 |
| 5.2.5 Register activation (class_id = 6, version = 0).....                               | 50 |
| 5.2.6 Profile generic (class_id = 7, version = 1) .....                                  | 52 |
| 5.2.7 Utility tables (class_id = 26, version = 0).....                                   | 57 |
| 5.2.8 Register table (class_id = 61, version = 0) .....                                  | 58 |
| 5.2.9 Status mapping (class_id = 63, version = 0).....                                   | 60 |
| 5.3 Interface classes for access control and management.....                             | 61 |
| 5.3.1 Overview .....   | 61 |
| 5.3.2 Client user identification.....  | 61 |
| 5.3.3 Association SN (class_id = 12, version = 3) .....                                  | 62 |
| 5.3.4 Association LN (class_id = 15, version = 2) .....                                  | 66 |
| 5.3.5 SAP assignment (class_id = 17, version = 0) .....                                  | 72 |

|        |   |     |
|--------|---|-----|
| 5.3.6  | Image transfer .....  | 72  |
| 5.3.7  | Security setup (class_id = 64, version = 0).....                                | 79  |
| 5.3.8  | Push interface classes and objects .....  | 81  |
| 5.4    | Interface classes for time- and event bound control.....                        | 87  |
| 5.4.1  | Clock (class_id = 8, version = 0).....  | 87  |
| 5.4.2  | Script table (class_id = 9, version = 0).....                                   | 90  |
| 5.4.3  | Schedule (class_id = 10, version = 0) .....                                     | 91  |
| 5.4.4  | Special days table (class_id = 11, version = 0) .....                           | 94  |
| 5.4.5  | Activity calendar (class_id = 20, version = 0) .....                            | 95  |
| 5.4.6  | Register monitor (class_id = 21, version = 0) .....                             | 98  |
| 5.4.7  | Single action schedule (class_id = 22, version = 0).....                        | 100 |
| 5.4.8  | Disconnect control (class_id = 70, version = 0) .....                           | 101 |
| 5.4.9  | Limiter (class_id = 71, version = 0).....                                       | 103 |
| 5.4.10 | Parameter monitor (class_id = 65, version = 0).....                             | 106 |
| 5.4.11 | Sensor manager interface class.....   | 107 |
| 5.5    | Interface classes for setting up data exchange via local ports and modems ..... | 111 |
| 5.5.1  | IEC local port setup (class_id = 19, version = 1) .....                         | 111 |
| 5.5.2  | IEC HDLC setup (class_id = 23, version = 1) .....                               | 112 |
| 5.5.3  | IEC twisted pair (1) setup (class_id = 24, version = 1).....                    | 114 |
| 5.5.4  | Modem configuration (class_id = 27, version = 1) .....                          | 117 |
| 5.5.5  | Auto answer (class_id = 28, version = 2) .....                                  | 118 |
| 5.5.6  | Auto connect (class_id = 29, version = 2) .....                                 | 121 |
| 5.5.7  | GPRS modem setup (class_id = 45, version = 0) .....                             | 123 |
| 5.5.8  | GSM diagnostic (class_id = 47, version = 0) .....                               | 124 |
| 5.6    | Interface classes for setting up data exchange via M-Bus.....                   | 126 |
| 5.6.1  | M-Bus slave port setup (class_id = 25, version = 0) .....                       | 126 |
| 5.6.2  | M-Bus client (class_id = 72, version = 1) .....                                 | 127 |
| 5.6.3  | Wireless Mode Q channel (class_id = 73, version = 1) .....                      | 132 |
| 5.6.4  | M-Bus master port setup (class_id = 74, version = 0).....                       | 133 |
| 5.7    | Interface classes for setting up data exchange over the Internet.....           | 133 |
| 5.7.1  | TCP-UDP setup (class_id = 41, version = 0) .....                                | 133 |
| 5.7.2  | IPv4 setup (class_id = 42, version = 0) .....                                   | 134 |
| 5.7.3  | IPv6 setup (class_id = 48, version = 0) .....                                   | 137 |
| 5.7.4  | MAC address setup (class_id = 43, version = 0) .....                            | 140 |
| 5.7.5  | PPP setup (class_id = 44, version = 0) .....                                    | 141 |
| 5.7.6  | SMTP setup (class_id = 46, version = 0).....                                    | 145 |
| 5.8    | Interface classes for setting up data exchange using S-FSK PLC .....            | 146 |
| 5.8.1  | General .....   | 146 |
| 5.8.2  | Overview .....  | 146 |
| 5.8.3  | S-FSK Phy&MAC set-up (class_id = 50, version = 1) .....                         | 149 |
| 5.8.4  | S-FSK Active initiator (class_id = 51, version = 0).....                        | 153 |
| 5.8.5  | S-FSK MAC synchronization timeouts (class_id = 52, version = 0) .....           | 155 |
| 5.8.6  | S-FSK MAC counters (class_id = 53, version = 0).....                            | 157 |
| 5.8.7  | IEC 61334-4-32 LLC setup (class_id = 55, version = 1).....                      | 160 |
| 5.8.8  | -FSK Reporting system list (class_id = 56, version = 0).....                    | 161 |
| 5.9    | Interface classes for setting up the LLC layer for ISO/IEC 8802-2.....          | 162 |
| 5.9.1  | General .....   | 162 |
| 5.9.2  | ISO/IEC 8802-2 LLC Type 1 setup (class_id = 57, version = 0) .....              | 162 |
| 5.9.3  | ISO/IEC 8802-2 LLC Type 2 setup (class_id = 58, version = 0) .....              | 163 |

|         |   |     |
|---------|---|-----|
| 5.9.4   | ISO/IEC 8802-2 LLC Type 3 setup (class_id = 59, version = 0) .....  | 164 |
| 5.10    | Interface classes for setting up and managing DLMS/COSEM narrowband<br>OFDM PLC profile for PRIME networks .....      | 166 |
| 5.10.1  | Overview .....  | 166 |
| 5.10.2  | Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC<br>attributes .....   | 167 |
| 5.10.3  | 61334-4-32 LLC SSCS setup (class_id = 80, version = 0) .....  | 169 |
| 5.10.4  | PRIME NB OFDM PLC Physical layer parameters .....   | 170 |
| 5.10.5  | PRIME NB OFDM PLC Physical layer counters (class_id = 81, version =<br>0) .....                                       | 170 |
| 5.10.6  | PRIME NB OFDM PLC MAC setup (class_id = 82, version = 0) .....  | 171 |
| 5.10.7  | PRIME NB OFDM PLC MAC functional parameters (class_id = 83<br>version = 0) .....                                      | 172 |
| 5.10.8  | PRIME NB OFDM PLC MAC counters (class_id = 84, version = 0) .....   | 174 |
| 5.10.9  | PRIME NB OFDM PLC MAC network administration data (class_id = 85,<br>version = 0) .....                               | 175 |
| 5.10.10 | PRIME NB OFDM PLC MAC address setup (class_id = 43, version = 0) .....  | 177 |
| 5.10.11 | PRIME NB OFDM PLC Application identification (class_id = 86, version<br>= 0) .....                                    | 177 |
| 5.11    | Interface classes for setting up and managing the DLMS/COSEM<br>narrowband OFDM PLC profile for G3-PLC networks ..... | 178 |
| 5.11.1  | Overview .....  | 178 |
| 5.11.2  | Mapping of G3-PLC PIB attributes to COSEM IC attributes .....   | 179 |
| 5.11.3  | G3-PLC MAC layer counters (class_id = 90, version = 1) .....  | 180 |
| 5.11.4  | G3-PLC MAC setup (class_id = 91, version = 1) .....   | 181 |
| 5.11.5  | G3-PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 1) .....  | 187 |
| 5.12    | ZigBee® setup classes .....   | 192 |
| 5.12.1  | Overview .....  | 192 |
| 5.12.2  | ZigBee® SAS startup (class_id = 101, version = 0) .....   | 194 |
| 5.12.3  | ZigBee® SAS join (class_id = 102, version = 0) .....  | 196 |
| 5.12.4  | ZigBee® SAS APS fragmentation (class_id = 103, version = 0) .....   | 197 |
| 5.12.5  | ZigBee® network control (class_id = 104, version = 0) .....   | 198 |
| 5.12.6  | ZigBee® tunnel setup (class_id = 105, version = 0) .....  | 204 |
| 5.13    | Maintenance of the interface classes .....  | 205 |
| 5.13.1  | New versions of interface classes .....   | 205 |
| 5.13.2  | New interface classes .....   | 205 |
| 5.13.3  | Removal of interface classes .....  | 205 |
| 6       | Relation to OBIS .....  | 206 |
| 6.1     | General .....   | 206 |
| 6.2     | Abstract COSEM objects .....  | 206 |
| 6.2.1   | Use of value group C .....  | 206 |
| 6.2.2   | Data of historical billing periods .....  | 207 |
| 6.2.3   | Billing period values / reset counter entries .....   | 209 |
| 6.2.4   | Other abstract general purpose OBIS codes .....   | 209 |
| 6.2.5   | Clock objects (class_id = 8) .....  | 210 |
| 6.2.6   | Modem configuration and related objects .....   | 210 |
| 6.2.7   | Script table objects (class_id = 9) .....   | 210 |
| 6.2.8   | Special days table objects (class_id = 11) .....  | 211 |
| 6.2.9   | Schedule objects (class_id = 10) .....  | 211 |
| 6.2.10  | Activity calendar objects (class_id = 20) .....   | 211 |

|        |  |     |
|--------|--|-----|
| 6.2.11 | Register activation objects (class_id = 6).....                                  | 212 |
| 6.2.12 | Single action schedule objects (class_id = 22).....                              | 212 |
| 6.2.13 | Register monitor objects (class_id = 21).....                                    | 212 |
| 6.2.14 | Parameter monitor objects (class_id = 65).....                                   | 212 |
| 6.2.15 | Limiter objects (class_id = 71).....   | 212 |
| 6.2.16 | IEC local port setup objects (class_id = 19).....                                | 213 |
| 6.2.17 | Standard readout profile objects (class_id = 7).....                             | 213 |
| 6.2.18 | IEC HDLC setup objects (class_id = 23).....                                      | 213 |
| 6.2.19 | IEC twisted pair (1) setup objects (class_id =24).....                           | 213 |
| 6.2.20 | Objects related to data exchange over M-Bus.....                                 | 214 |
| 6.2.21 | Objects to set up data exchange over the Internet.....                           | 215 |
| 6.2.22 | Objects for setting up data exchange using S-FSK PLC.....                        | 216 |
| 6.2.23 | Objects for setting up the ISO/IEC 8802-2 LLC layer.....                         | 216 |
| 6.2.24 | Objects for data exchange using narrowband OFDM PLC for PRIME<br>networks.....   | 217 |
| 6.2.25 | Objects for data exchange using narrow-band OFDM PLC for G3-PLC<br>networks..... | 218 |
| 6.2.26 | ZigBee® setup objects.....   | 218 |
| 6.2.27 | Association objects (class_id = 12, 15).....                                     | 218 |
| 6.2.28 | SAP assignment object (class_id = 17).....                                       | 218 |
| 6.2.29 | COSEM logical device name object.....  | 219 |
| 6.2.30 | Information security related objects.....  | 219 |
| 6.2.31 | Image transfer objects (class_id = 18).....                                      | 219 |
| 6.2.32 | Utility table objects (class_id = 26).....                                       | 219 |
| 6.2.33 | Device ID objects.....   | 220 |
| 6.2.34 | Metering point ID objects.....   | 220 |
| 6.2.35 | Parameter changes and calibration objects.....                                   | 221 |
| 6.2.36 | I/O control signal objects.....  | 221 |
| 6.2.37 | Disconnect control objects (class_id = 70).....                                  | 221 |
| 6.2.38 | Status of internal control signals objects.....                                  | 221 |
| 6.2.39 | Internal operating status objects.....   | 222 |
| 6.2.40 | Battery entries objects.....   | 222 |
| 6.2.41 | Power failure monitoring objects.....  | 222 |
| 6.2.42 | Operating time objects.....  | 223 |
| 6.2.43 | Environment related parameters objects.....                                      | 223 |
| 6.2.44 | Status register objects.....   | 223 |
| 6.2.45 | Event code objects.....  | 224 |
| 6.2.46 | Communication port log parameter objects.....                                    | 224 |
| 6.2.47 | Consumer message objects.....  | 224 |
| 6.2.48 | Currently active tariff objects.....   | 224 |
| 6.2.49 | Event counter objects.....   | 224 |
| 6.2.50 | Meter tamper event related objects.....  | 225 |
| 6.2.51 | Error register objects.....  | 225 |
| 6.2.52 | Alarm register, Alarm filter and Alarm descriptor objects.....                   | 226 |
| 6.2.53 | General list objects.....  | 226 |
| 6.2.54 | Event log objects.....   | 227 |
| 6.2.55 | Inactive objects.....  | 227 |
| 6.3    | Electricity related COSEM objects.....   | 227 |
| 6.3.1  | Value group D definitions.....   | 227 |

|                       |   |     |
|-----------------------|---|-----|
| 6.3.2                 | Electricity ID numbers .....  | 227 |
| 6.3.3                 | Billing period values / reset counter entries.....                              | 228 |
| 6.3.4                 | Other electricity related general purpose objects.....                          | 228 |
| 6.3.5                 | Measurement algorithm .....   | 229 |
| 6.3.6                 | Metering point ID (electricity related) .....                                   | 231 |
| 6.3.7                 | Electricity related status objects .....  | 231 |
| 6.3.8                 | List objects – Electricity (class_id = 7) .....                                 | 231 |
| 6.3.9                 | Threshold values.....   | 232 |
| 6.3.10                | Register monitor objects (class_id = 21) .....                                  | 232 |
| 6.4                   | Coding of OBIS identifications .....  | 233 |
| 7                     | Previous versions of interface classes.....                                     | 234 |
| 7.1                   | General.....  | 234 |
| 7.2                   | Profile generic (class_id = 7, version = 0) .....                               | 234 |
| 7.3                   | Association SN (class_id = 12, version = 0) .....                               | 237 |
| 7.4                   | Association SN (class_id = 12, version = 1) .....                               | 239 |
| 7.5                   | Association SN (class_id = 12, version = 2) .....                               | 242 |
| 7.6                   | Association LN (class_id = 15, version = 0).....                                | 245 |
| 7.7                   | Association LN (class_id = 15, version = 1).....                                | 250 |
| 7.8                   | IEC local port setup (class_id = 19, version = 0) .....                         | 255 |
| 7.9                   | IEC HDLC setup, (class_id = 23, version = 0) .....                              | 256 |
| 7.10                  | IEC twisted pair (1) setup (class_id = 24, version = 0).....                    | 258 |
| 7.11                  | PSTN modem configuration (class_id = 27, version = 0).....                      | 259 |
| 7.12                  | Auto answer (class_id = 28, version = 0) .....                                  | 261 |
| 7.13                  | PSTN auto dial (class_id = 29, version = 0) .....                               | 262 |
| 7.14                  | Auto connect (class_id = 29, version = 1).....                                  | 263 |
| 7.15                  | S-FSK Phy&MAC setup (class_id = 50, version = 0).....                           | 265 |
| 7.16                  | S-FSK IEC 61334-4-32 LLC setup (class_id = 55, version = 0) .....               | 268 |
| 7.17                  | M-Bus client (class_id = 72, version = 0).....                                  | 269 |
| 7.18                  | G3 NB OFDM PLC MAC layer counters (class_id = 90, version = 0) .....            | 274 |
| 7.19                  | G3 NB OFDM PLC MAC setup (class_id = 91, version = 0) .....                     | 275 |
| 7.20                  | G3 NB OFDM PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 0)..... | 279 |
| Annex A (informative) | Additional information on Auto answer and Auto connect ICs .....                | 285 |
| Annex B (informative) | Additional information to M-Bus client (class_id = 72, version 1) .....         | 287 |
| Annex C (informative) | Additional information on IPv6 setup class (class_id = 48, version = 0) .....   | 289 |
| C.1                   | General.....  | 289 |
| C.2                   | IPv6 addressing .....   | 289 |
| C.3                   | IPv6 header format.....   | 291 |
| C.4                   | IPv6 header extensions .....  | 292 |
| C.4.1                 | Overview .....  | 292 |
| C.4.2                 | Hop-by-Hop options .....  | 293 |
| C.4.3                 | Destination options .....   | 293 |
| C.4.4                 | Routing options.....  | 293 |
| C.4.5                 | Fragment options .....  | 293 |
| C.4.6                 | Security options .....  | 294 |
| Annex D (informative) | Overview of the narrow-band OFDM PLC technology for PRIME networks .....        | 295 |

|   |     |
|---|-----|
| Annex E (informative) Overview of the narrow-band OFDM PLC technology for G3-PLC networks ..... | 296 |
| Annex F (informative) Significant technical changes with respect to IEC 62056-6-2:2013 .....    | 297 |
| Bibliography .....  | 299 |
| Index .....   | 301 |
| <br>  |     |
| Figure 1 – Meaning of the definitions concerning the Image .....                                | 17  |
| Figure 2 – An interface class and its instances .....   | 26  |
| Figure 3 – The COSEM server model .....   | 35  |
| Figure 4 – Combined metering device .....   | 36  |
| Figure 5 – Overview of the interface classes – Part 1.....                                      | 38  |
| Figure 6 – Overview of the interface classes – Part 2.....                                      | 39  |
| Figure 7 – The time attributes when measuring sliding demand.....                               | 47  |
| Figure 8 – The attributes in the case of block demand .....                                     | 47  |
| Figure 9 – The attributes in the case of sliding demand (number of periods = 3).....            | 48  |
| Figure 10 – Image transfer process flow chart .....   | 78  |
| Figure 11 – COSEM model of push operation .....   | 82  |
| Figure 12 – Push windows and delays .....   | 83  |
| Figure 13 – The generalized time concept .....  | 88  |
| Figure 14 – State diagram of the Disconnect control IC.....                                     | 101 |
| Figure 15 – Definition of upper and lower thresholds .....                                      | 110 |
| Figure 16 – Object model of DLMS/COSEM servers .....  | 147 |
| Figure 17 – Object model of DLMS/COSEM servers .....  | 166 |
| Figure 18 – Example of a ZigBee® network .....  | 193 |
| Figure 19 – Data of historical billing periods – example with module 12, VZ = 5 .....           | 208 |
| Figure A.1 – Network connectivity example for a GSM/GPRS network.....                           | 285 |
| Figure B.1 – Encryption key status diagram.....   | 287 |
| Figure C.1 – IPv6 address formats .....   | 290 |
| Figure C.2 – IPv6 header format .....   | 291 |
| Figure C.3 – Traffic class parameter format.....  | 291 |
| <br>  |     |
| Table 1 – Reserved base_names for SN referencing .....  | 27  |
| Table 2 – Common data types.....  | 30  |
| Table 3 – List of interface classes by class_id .....   | 40  |
| Table 4 – Enumerated values for physical units .....  | 44  |
| Table 5 – Examples for scaler_unit.....   | 46  |
| Table 6 – Encoding of selective access parameters with data_index .....                         | 87  |
| Table 7 – Schedule .....  | 91  |
| Table 8 – Special days table .....  | 92  |
| Table 9 – Disconnect control IC – states and state transitions.....                             | 102 |
| Table 10 – Explicit presentation of threshold value arrays.....                                 | 111 |
| Table 11 – Explicit presentation of action_sets .....   | 111 |
| Table 12 – ADS address elements .....   | 116 |

|  |     |
|--|-----|
| Table 13 – Fatal error register .....  | 116 |
| Table 14 – Mapping IEC 61334-4-512:2001 MIB variables to COSEM IC attributes / methods ..... | 148 |
| Table 15 – MAC addresses in the S-FSK profile .....  | 153 |
| Table 16 – Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC attributes.....           | 167 |
| Table 17 – Mapping of G3-PLC IB attributes to COSEM IC attributes .....                      | 179 |
| Table 18 – Use of ZigBee® setup COSEM interface classes .....                                | 194 |
| Table 19 – Use of value group C for abstract objects in the COSEM context .....              | 207 |
| Table 20 – Representation of various values by appropriate ICs .....                         | 227 |
| Table 21 – Measuring algorithms – enumerated values.....                                     | 230 |
| Table 22 – Threshold objects, electricity.....   | 232 |
| Table 23 – Register monitor objects, electricity.....  | 233 |
| Table B.1 – Encryption key is preset in the slave and cannot be changed .....                | 288 |
| Table B.2 – Encryption key is preset in the slave and new key is set after installation..... | 288 |
| Table B.3 – Encryption key is not preset in the slave, but can be set, case a) .....         | 288 |
| Table B.4 – Encryption key is not preset in the slave, but can be set, case b) .....         | 288 |
| Table C.1 – IPv6 header vs. IPv6 IC.....   | 292 |
| Table C.2 – Optional IPv6 header extensions vs. IPv6 IC.....                                 | 292 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICITY METERING DATA EXCHANGE –  
THE DLMS/COSEM SUITE –****Part 6-2: COSEM interface classes**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the Image transfer procedure.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licenses either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC. Information may be obtained from Itron, Inc., Liberty Lake, Washington, USA.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. The IEC shall not be held responsible for identifying any or all such patent rights.

IEC (<http://patents.iec.ch>) maintains on-line databases of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this International Standard may involve the use of a maintenance service concerning the stack of protocols on which the present standard IEC 62056-6-2 is based.

The IEC takes no position concerning the evidence, validity and scope of this maintenance service.

The provider of the maintenance service has assured the IEC that he is willing to provide services under reasonable and non-discriminatory terms and conditions for applicants throughout the world. In this respect, the statement of the provider of the maintenance service is registered with the IEC. Information may be obtained from:

DLMS<sup>1</sup> User Association  
Zug/Switzerland  
[www.dlms.com](http://www.dlms.com)

International Standard IEC 62056-6-2 has been prepared by IEC technical committee 13: Electrical energy measurement and control.

This second edition cancels and replaces the first edition of IEC 62056-6-2, published in 2013. It constitutes a technical revision.

The significant technical changes with respect to IEC 62056-6-2:2013 are listed in Annex F (informative).

The text of this standard is based on the following documents:

|               |                  |
|---------------|------------------|
| FDIS          | Report on voting |
| 13/1651A/FDIS | 13/1659/RVD      |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS/COSEM suite*, can be found on the IEC website.

---

<sup>1</sup> Device Language Message Specification.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This second edition of IEC 62056-6-2 has been prepared by IEC TC13 WG14 with a significant contribution of the DLMS User Association, its D-type liaison partner.

This edition is in line with the DLMS UA Blue Book Edition 11.0. The main new features are the client user identification mechanism, the “Push setup”, the “Parameter monitor”, the “GSM diagnostic”, the “IPv6 setup”, the “Prime NB OFDM PLC setup”, the “G3-PLC setup” and the “ZigBee® setup”<sup>2</sup> interface classes.

In 2014, the DLMS UA has published Blue Book Edition 12.0 adding several new features regarding functionality, efficiency and security while keeping full backwards compatibility.

The intention of the DLMS UA is to bring also these latest developments to international standardization. Therefore, IEC TC13 WG14 launched a project to bring these new elements also to the IEC 62056 suite that will lead to Edition 3.0 of the standard.

### Object modelling and data identification

Driven by the business needs of the energy market participants – generally in a liberalized, competitive environment – and by the desire to manage natural resources efficiently and to involve the consumers, the utility meter became part of an integrated metering, control and billing system. The meter is not any more a simple data recording device but it relies critically on communication capabilities. Ease of system integration, interoperability and data security are important requirements.

COSEM, the Companion Specification for Energy Metering, addresses these challenges by looking at the utility meter as part of a complex measurement and control system. The meter has to be able to convey measurement results from the metering points to the business processes which use them. It also has to be able to provide information to the consumer and manage consumption and eventually local generation.

COSEM achieves this by using object modelling techniques to model all functions of the meter, without making any assumptions about which functions need to be supported, how those functions are implemented and how the data are transported. The formal specification of COSEM interface classes forms a major part of COSEM.

To process and manage the information it is necessary to uniquely identify all data items in a manufacturer-independent way. The definition of OBIS, the Object Identification System is another essential part of COSEM. It is based on DIN 43863-3:1997, *Electricity meters – Part 3: Tariff metering device as additional equipment for electricity meters – EDIS – Energy Data Identification System*. The set of OBIS codes has been considerably extended over the years to meet new needs.

COSEM models the utility meter as a server application – see 4.7 – used by client applications that retrieve data from, provide control information to, and instigate known actions within the meter via controlled access to the COSEM objects. The clients act as agents for third parties i.e. the business processes of energy market participants.

The standardized COSEM interface classes form an extensible library. Manufacturers use elements of this library to design their products that meet a wide variety of requirements.

---

<sup>2</sup> ZigBee® is a trademark owned by ZigBee corporation. This information is given for the convenience of users of this document and does not constitute an endorsement by the IEC of the product named.

The server offers means to retrieve the functions supported, i.e. the COSEM objects instantiated. The objects can be organized to logical devices and application associations and to provide specific access rights to various clients.

The concept of the standardized interface class library provides different users and manufacturers with a maximum of diversity while ensuring interoperability.

# ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

## Part 6-2: COSEM interface classes

### 1 Scope

This part of IEC 62056 specifies a model of a meter as it is seen through its communication interface(s). Generic building blocks are defined using object-oriented methods, in the form of interface classes to model meters from simple up to very complex functionality.

Annexes A to F (informative) provide additional information related to some interface classes.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61334-4-32:1996, *Distribution automation using distribution line carrier systems – Part 4: Data communication protocols – Section 32: Data link layer – Logical link control (LLC)*

IEC 61334-4-41:1996, *Distribution automation using distribution line carrier systems – Part 4: Data communication protocols – Section 41: Application protocols – Distribution line message specification*

IEC 61334-4-511:2000, *Distribution automation using distribution line carrier systems – Part 4-511: Data communication protocols – Systems management – CIASE protocol*

IEC 61334-4-512:2001, *Distribution automation using distribution line carrier systems – Part 4-512: Data communication protocols – System management using profile 61334-5-1 – Management Information Base (MIB)*

IEC 61334-5-1:2001, *Distribution automation using distribution line carrier systems – Part 5-1: Lower layer profiles – The spread frequency shift keying (S-FSK) profile*

IEC 61334-6:2000, *Distribution automation using distribution line carrier systems – Part 6: A-XDR encoding rule*

IEC 62056-21:2002, *Electricity metering – Data exchange for meter reading, tariff and load control – Part 21: Direct local data exchange*

IEC 62056-31:1999, *Electricity metering – Data exchange for meter reading, tariff and load control – Part 31: Using local area networks on twisted pair with carrier signalling*

NOTE This Edition is referenced in the interface class “IEC twisted pair (1) setup” (class\_id: 24, version: 0).

IEC 62056-3-1:2013, *Electricity metering data exchange – The DLMS/COSEM suite – Part 3-1: Use of local area networks on twisted pair with carrier signalling*

NOTE This Edition is referenced in the interface class “IEC twisted pair (1) setup” (class\_id: 24, version: 1).

IEC 62056-46:2007, *Electricity metering – Data exchange for meter reading, tariff and load control – Part 46: Data link layer using HDLC protocol*

IEC 62056-5-3:2016, *Electricity metering data exchange – The DLMS/COSEM suite – Part 5-3: DLMS/COSEM application layer*

IEC 62056-6-1:2015, *Electricity metering data exchange – The DLMS/COSEM suite – Part 6-1: Object identification system (OBIS)*

ISO/IEC 8802-2:1998, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 2: Logical Link Control*

ISO/IEC/IEEE 60559:2011, *Information technology – Microprocessor Systems – Floating-Point arithmetic*

EN 13757-2:2004, *Communication system for and remote reading of meters – Part 2: Physical and link layer*

EN 13757-3:2004, *Communication systems for and remote reading of meters – Part 3: Dedicated application layer*

NOTE This standard is referenced in the “M-Bus client setup” interface class version 0.

EN 13757-3:2013, *Communication systems for and remote reading of meters – Part 3: Dedicated application layer*

NOTE This standard is referenced in the M-Bus client setup interface class version 1.

EN 13757-5:2015, *Communication systems for meters – Part 5: Wireless relaying*

IEEE 802.15.4:2006, *Standard for Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 15.4: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Low-Rate Wireless Personal Area Networks (WPANs)*

NOTE This standard is also available as ISO/IEC/IEEE 8802-15-4:2010.

ITU-T G.9901:2014, *SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS – Access Networks – In premises networks – Narrow-band orthogonal frequency division multiplexing power line communication transceivers – Power spectral density specification*

ITU-T G.9903 Amd. 1:2013, *SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS – Access networks – In premises networks – Narrow-band orthogonal frequency division multiplexing power line communication transceivers for G3-PLC networks*

ITU-T G.9903:2014, *SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS – Access networks – In premises networks – Narrow-band orthogonal frequency division multiplexing power line communication transceivers for G3-PLC networks*

ITU-T G.9904:2012, *SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS – Access networks – In premises networks – Narrow-band orthogonal frequency division multiplexing power line communication transceivers for PRIME networks*

ETSI GSM 05.08, *Digital cellular telecommunications system (Phase 2+); Radio subsystem link control*

ANSI C12.19:1997, *IEEE 1377:1997, Utility industry end device data tables*

The following RFCs are available online from the Internet Engineering Task Force (IETF):  
<http://www.ietf.org/rfc/std-index.txt>, <http://www.ietf.org/rfc/>

IETF STD 51, *The Point-to-Point Protocol (PPP)*, 1994. (Also RFC 1661, RFC 1662)

RFC 791, *Internet Protocol (Also: IETF STD 0005)*, 1981. RFC 1332, *The PPP Internet Protocol Control Protocol (IPCP)*, 1992, Updated by: RFC 3241. Obsoletes: RFC 1172

RFC 1570, *PPP LCP Extensions*, 1994

IETF STD 51 / RFC 1661, *The Point-to-Point Protocol (PPP) (Also: IETF STD 0051)*, 1994, Updated by: RFC 2153, Obsoletes: RFC 1548

IETF STD 51 / RFC 1662, *PPP in HDLC-like Framing*, (Also: IETF STD 0051), 1994, Obsoletes: RFC 1549

RFC 1994, *PPP Challenge Handshake Authentication Protocol (CHAP)*, 1996. Obsoletes: RFC 1334

RFC 2433, *PPP CHAP Extension*, 1998

RFC 2474, *Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers*, 1998

RFC 2507, *IP Header Compression*, 1999

RFC 2759, *Microsoft PPP CHAP Extensions, Version 2*, 2000

RFC 3241 *Robust Header Compression (ROHC) over PPP*, 2002. Updates: RFC1332

RFC 3513, *Internet Protocol Version 6 (IPv6) Addressing Architecture*, 2003

RFC 3544, *IP Header Compression over PPP*, 2003

RFC 4861, *Neighbor Discovery for IP version 6 (IPv6)*, 2007

*Point-to-Point (PPP) Protocol Field Assignments*. Online database. Available from:  
<http://www.iana.org/assignments/ppp-numbers/ppp-numbers.xhtml>

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**