

<b>TNI</b>	<b>Tesniace tmely na nenosné použitie v spojoch budov a v komunikáciách pre chodcov Odporúčania na označenie CE a vyhlásenie o parametroch (DoP)</b>	<b>TNI CEN/TR 17068</b>  72 2351
------------	----------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------

Sealants for non-structural use in joints in buildings and pedestrian walkways - Guidance for CE marking and Declaration of Performance (DoP)

Táto technická normalizačná informácia obsahuje anglickú verziu CEN/TR 17068:2017.  
This Technical standard information includes the English version of CEN/TR 17068:2017.

Táto technická normalizačná informácia bola oznámená vo Vestníku ÚNMS SR č. 06/17

**125016**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017  
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

TECHNICAL REPORT

CEN/TR 17068

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

February 2017

ICS 91.100.50

English Version

## Sealants for non-structural use in joints in buildings and pedestrian walkways - Guidance for CE marking and Declaration of Performance (DoP)

Mastics pour joints pour des usages non structuraux dans les constructions immobilières et pour chemins piétonniers - Lignes directrices concernant le marquage CE et la déclaration des performances (DoP)

Fugendichtstoffe für nicht tragende Anwendungen in Gebäuden und Fußgängerwegen - Anleitung für die CE-Kennzeichnung und die Leistungserklärung

This Technical Report was approved by CEN on 6 February 2017. It has been drawn up by the Technical Committee CEN/TC 349.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>3</b>
<b>Introduction</b> .....	<b>4</b>
<b>1 Scope</b> .....	<b>5</b>
<b>2 Normative references</b> .....	<b>5</b>
<b>3 Example of DOP</b> .....	<b>5</b>
<b>4 Examples of CE marking</b> .....	<b>7</b>
<b>4.1 Background</b> .....	<b>7</b>
<b>4.2 Example of CE marking</b> .....	<b>7</b>
<b>4.3 Example of an additional customer information</b> .....	<b>9</b>
<b>Bibliography</b> .....	<b>10</b>

## **European foreword**

This document (CEN/TR 17068:2017) has been prepared by Technical Committee CEN/TC 349 “Sealants for joints in building construction”, the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

## **Introduction**

In 2015, as it was in line with the provisions in Subclause 11.4 of the CEN-CENELEC Internal Regulations, BT/TCMG on behalf of BT decides that Technical Committees preparing hENs in support of Regulation EU 305/211 (CPR - Construction Products Regulation) could develop Technical Reports to include examples of CE marking and Declaration of Performance (DoP).

These examples are especially useful for SMEs.

This Technical Report does not supersede the provisions of the CPR.

## 1 Scope

This Technical Report provides guidance for CE marking and Declaration of Performance (DoP) for sealants for joints in building construction.

## 2 Normative references

Not applicable.

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**