

STN	Endotermické tepelné čerpadlá spaľujúce plyn Časť 4: Skúšobné metódy	STN EN 16905-4 06 1515
------------	---	--

Gas-fired endothermic engine driven heat pumps - Part 4: Test methods

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/17

Obsahuje: EN 16905-4:2017

125054

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD

EN 16905-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 27.080

English Version

Gas-fired endothermic engine driven heat pumps - Part 4: Test methods

Pompes à chaleur à moteur endothermique alimenté
au gaz - Partie 4 : Méthodes d'essai

Gasbefeuerte endothermische Motor-Wärmepumpen -
Teil 4: Prüfverfahren

This European Standard was approved by CEN on 9 January 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	5
1 Scope	6
1.1 Scope of EN 16905 series.....	6
1.2 Scope of EN 16905-4.....	6
2 Normative references	7
3 Terms and definitions	7
4 Test methods	7
4.1 General.....	7
4.2 Basic principles method of calculation for the determination of capacities.....	7
4.2.1 Capacity.....	7
4.2.2 Engine heat recovery capacity.....	9
4.2.3 Heat input.....	11
4.2.4 Electrical power input.....	12
4.2.5 Gas utilization efficiency (GUE).....	16
4.2.6 Auxiliary energy factor (AEF).....	17
4.2.7 Engine heat recovery efficiency (EHRE).....	18
4.2.8 Primary energy factor (PER).....	19
4.3 Test apparatus.....	19
4.3.1 Arrangement of the test apparatus.....	19
4.3.2 Installation and connection of the appliance.....	20
4.4 Uncertainties of measurement.....	21
4.5 Test procedure.....	23
4.5.1 General.....	23
4.5.2 Non-cyclical operation.....	26
4.5.3 Cyclical operation.....	38
4.6 Test methods for electric power consumption during thermostat off mode, standby mode and off mode.....	42
4.6.1 Measurement of electrical power consumption during thermostat off mode.....	42
4.6.2 Measurement of the electrical power consumption during standby mode.....	42
4.6.3 Measurement of the electric power consumption during crankcase heater mode.....	42
4.6.4 Measurement of the electric power consumption during off mode.....	43
4.7 Test results — Data to be recorded.....	43
5 Heat recovery test for air-cooled multisplit systems	45
5.1 Test installation.....	45
5.1.1 General.....	45
5.1.2 Three-room calorimeter method.....	45
5.1.3 Three-room air-enthalpy method.....	45
5.1.4 Two-room air-enthalpy method.....	45
5.2 Test procedure.....	46
5.3 Test results.....	46
6 Test report	46
6.1 General information.....	46
6.2 Additional information.....	47
6.3 Rating test results.....	47

Annex A (normative) Calorimeter test method	48
A.1 General	48
A.2 Transient heating capacity test	51
A.3 Calibrated room-type calorimeter	51
A.4 Balanced ambient room-type calorimeter	52
A.5 Calorimeter and auxiliary equipment for water-cooled condenser tests.....	52
A.6 Calculations-cooling capacities	52
A.7 Calculations- heating capacities.....	54
A.7.1 General	54
Annex B (normative) Indoor air enthalpy test method	57
B.1 General	57
B.2 Test conditions	57
B.3 Application.....	57
B.4 Calculations-cooling capacities	57
B.5 Calculations-heating capacities.....	58
Annex C (normative) Symbols and units used in Annex A and B.....	59
Annex D (normative) Water enthalpy test method	61
D.1 General	61
D.2 Calculations.....	61
D.2.1 Measured cooling capacity	61
D.2.2 Measured heating capacity.....	61
D.2.3 Measured engine heat recovery capacity.....	62
Annex E (normative) Direct method for air-to-water (brine) and water (brine)-to-water (brine) appliances	63
E.1 General	63
E.2 Compensation system for air-to-water (brine) appliances.....	63
E.3 Compensation system for water(brine) to water (brine) appliances	64
Annex F (informative) Measurement control criteria for water (brine) to water (brine) appliances.....	65
F.1 General	65
F.2 Water (brine)-to-water (brine) heat pump in heating mode	65
F.3 Water (brine)-to-water (brine) chiller or chiller/heater in cooling mode	66
Annex G (normative) Determination of the pump efficiency.....	68
G.1 General	68
G.2 Hydraulic power of the pump	68
G.2.1 The pump is an integral part of the appliance	68
G.2.2 The pump is not an integral part of the appliance.....	68
G.3 Efficiency of the pump.....	69
Annex H (informative) Calculation procedure for determination of GUE, AEF and Cd values	71
H.1 Calculation procedure for determination of GUE values at part load (GUEPL).....	71
H.1.1 General	71
H.1.2 For air-to-air, brine-to-air and water-to-air units.....	71
H.1.3 For air-to-water, water-to-water and brine-to-water units.....	72
H.2 Calculation procedure for determination of AEF values at part load (AEFPL).....	72
H.2.1 General	72
H.2.2 For air-to-air, brine-to-air and water-to-air units	73
H.2.3 For air-to-water, water-to-water and brine-to-water units.....	73
H.3 Air-to-air and water-to-air units - Determination of the degradation coefficient Cd	74
H.3.1 General	74
H.3.2 Air-to-air units - Cooling mode.....	75

H.3.3	Air-to-air units – Heating mode	75
H.3.4	Water-to-air units – Cooling mode.....	75
H.3.5	Water-to-air units – Heating mode	75
H.4	Air-to-water units and water-to-water units - Determination of the degradation coefficient Cc	75
Annex I (informative) “Individual” correction to include in the “global” electrical power input correction depending on the GEHP appliance		76
Annex J (informative) Heating capacity tests - Flow chart and examples of different test sequences.....		83
J.1	Flow chart	83
J.2	Examples of test profiles	84
Annex K (informative) Rating of indoor and outdoor units of multisplit and modular heat recovery multisplit system.....		89
K.1	General.....	89
K.2	Terms and definitions	89
K.3	Rating in indoor units.....	89
K.3.1	General.....	89
K.3.2	Air flow rate measurement.....	90
K.3.3	Measurement of the power input of indoor units	90
K.4	Rating of outdoor units	90
K.4.1	General.....	90
K.4.2	Test conditions.....	90
K.4.3	Test procedure	90
Annex L (informative) Air flow measurement.....		91
L.1	General.....	91
L.2	Test installation.....	91
L.3	Test conditions.....	91
L.4	Air flow measurement.....	91
Annex ZA (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 813/2013 aimed to be covered.....		92
Annex ZB (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EU) No 811/2013 aimed to be covered		93
Bibliography.....		95

European foreword

This document (EN 16905-4:2017) has been prepared by Technical Committee CEN/TC 299 “Gas-fired sorption appliances, indirect fired sorption appliances, gas-fired endothermic engine heat pumps and domestic gas-fired washing and drying appliances”, the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2017, and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA and Annex ZB, which is an integral part of this document.

This standard comprises the following parts under the general title, *Gas-fired endothermic engine driven heat pumps*:

- *Part 1: Terms and definitions;*
- *Part 2: Safety* (WI 00299025; currently in preparation);
- *Part 3: Test conditions;*
- *Part 4: Test methods;*
- *Part 5: Calculation of seasonal performances in heating and cooling mode.*

EN 16905-1, prEN 16905-2, EN 16905-3, EN 16905-4 and EN 16905-5 have been prepared to address the essential requirements of the European Directive 2009/142/EC relating to appliances burning gaseous fuels (see prEN 16905-2:201X, Annex ZA for safety aspects and EN 16905-5:2017, Annex ZA for rational use of energy aspects).

These documents are linked to the Energy Related Products Directive (2009/125/EC) in terms of tests conditions, tests methods and seasonal performances calculation methods under Mandate M/535; (see EN 16905-3:2017, Annex ZA, EN 16905-4:2017, Annex ZA, EN 16905-5:2017, Annex ZA and prEN 16905-2:201X, Annex ZB).

These documents will be reviewed whenever new mandates could apply.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

1.1 Scope of EN 16905 series

This European Standard specifies the requirements, test methods and test conditions for the rating and performance calculation of air conditioners and heat pumps using either air, water or brine as heat transfer media, with gas-fired endothermic engine driven compressors when used for space heating, cooling and refrigeration, hereafter referred to as “GEHP appliance”.

This European Standard only applies to appliances with a maximum heat input (based on net calorific value) not exceeding 70 kW at standard rating conditions.

This European Standard only applies to appliances under categories I_{2H}, I_{2E}, I_{2Er}, I_{2R}, I_{2E(S)B}, I_{2L}, I_{2LL}, I_{2ELL}, I_{2E(R)B}, I_{2ESi}, I_{2E(R)}, I_{3P}, I_{3B}, I_{3B/P}, II_{2H3+}, II_{2Er3+}, II_{2H3B/P}, II_{2L3B/P}, II_{2E3B/P}, II_{2ELL3B/P}, II_{2L3P}, II_{2H3P}, II_{2E3P} and II_{2Er3P} according to EN 437.

This European Standard only applies to appliances having:

- a) gas fired endothermic engines under the control of fully automatic control systems;
- b) closed system refrigerant circuits in which the refrigerant does not come into direct contact with the fluid to be cooled or heated;
- c) where the temperature of the heat transfer fluid of the heating system (heating water circuit) does not exceed 105 °C during normal operation;
- d) where the maximum operating pressure in the:
 - 1) heating water circuit (if installed) does not exceed 6 bar;
 - 2) domestic hot water circuit (if installed) does not exceed 10 bar.

This European Standard applies to appliances only when used for space heating or space cooling or for refrigeration, with or without heat recovery.

The appliances having their condenser cooled by air and by the evaporation of external additional water are not covered by this European Standard.

Packaged units, single split and multisplit systems are covered by this European Standard. Single duct and double duct units are covered by this European Standard.

The above appliances can have one or more primary or secondary functions.

This European Standard is applicable to appliances that are intended to be type tested. Requirements for appliances that are not type tested would need to be subject to further consideration.

In the case of packaged units (consisting of several parts), this European Standard applies only to those designed and supplied as a complete package.

NOTE All the symbols given in this text are used regardless of the language used.

1.2 Scope of EN 16905-4

This part of the EN 16905 series specifies the test methods for gas-fired endothermic engine driven heat pumps for heating and/or cooling mode including the engine heat recovery.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 437, *Test gases — Test pressures — Appliance categories*

EN 12102, *Air conditioners, liquid chilling packages, heat pumps and dehumidifiers with electrically driven compressors for space heating and cooling - Measurement of airborne noise - Determination of the sound power level*

EN 16905-1, *Gas-fired endothermic engine driven heat pumps — Part 1: Terms and definitions*

prEN 16905-2¹⁾, *Gas-fired endothermic engine driven heat pumps — Part 2: Safety*

EN 16905-3:2017, *Gas-fired endothermic engine driven heat pumps — Part 3: Test conditions*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN

1) Currently in preparation.