STN

Zhotovovanie oceľových a hliníkových konštrukcií Časť 5: Technické požiadavky na tenké, za studena tvarované hliníkové prvky a konštrukcie striech, stropov, podláh a stenových aplikácií

STN EN 1090-5

73 2601

Execution of steel structures and aluminium structures - Part 5: Technical requirements for cold-formed structural aluminium elements and cold-formed structures for roof, ceiling, floor and wall applications

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/17

Obsahuje: EN 1090-5:2017

125066

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 1090-5

March 2017

ICS 91.080.13; 91.080.17

English Version

Execution of steel structures and aluminium structures - Part 5: Technical requirements for cold-formed structural aluminium elements and cold-formed structures for roof, ceiling, floor and wall applications

Exécution des structures en acier et des structures en aluminium - Partie 5 : Exigences techniques pour éléments en aluminium formés à froid et structures formées à froid pour applications en toiture, plafond, paroi verticale et plancher

Ausführung von Stahltragwerken und Aluminiumtragwerken - Teil 5: Technische Anforderungen an tragende, kaltgeformte Bauelemente aus Aluminium und tragende, kaltgeformte Bauteile für Dach-, Decken-, Boden- und Wandanwendungen

This European Standard was approved by CEN on 6 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents Page European foreword......6 Scope.......7 1 2 Normative references......8 Terms, definitions, symbols and abbreviations......9 3 Terms, definitions......9 3.1 3.2 4.1 4.1.1 4.1.2 4.1.3 4.1.4 4.2 General......14 4.2.1 4.2.2 4.2.3 4.3 4.4 5 **5.1** 5.2 5.3 5.4 5.5 5.5.1 5.5.2 5.6 5.7 5.7.1 5.7.2 5.7.3 Verification of suitability......18 Accessories ________18 5.8 5.9 5.10 5.11 5.12 5.13 5.14 Manufacturing _______19 6 6.1 6.2 6.3

| 6.4 | Cutting | |
|-------|--|----|
| 6.5 | Punching | 20 |
| 7 | Welding at the construction site | 20 |
| 8 | Mechanical Fastening | 20 |
| 8.1 | General | |
| 8.2 | Use of self-tapping and self-drilling screws | |
| 8.3 | Use of blind rivets | |
| 8.4 | Attachment of cold formed structural elements to the supporting member | |
| 8.4.1 | Types of connections and attachments | |
| 8.4.2 | Attachment of profiled sheets to the supporting member transverse to the direction of span | |
| 8.4.3 | Attachment of profiled sheets to the supporting member parallel to the direction of | |
| | span | |
| 8.4.4 | Supporting member made of metal | |
| 8.4.5 | Supporting member made of timber or other wood-based materials | |
| 8.4.6 | Supporting member made of concrete or masonry | |
| 8.5 | Connecting profiled sheets | |
| 8.6 | Edge and field spacings of fasteners for structural elements | |
| 8.6.1 | General | |
| 8.6.2 | Edge spacings of webs of trapezoidal sheeting and liner tray profiles | 26 |
| 9 | Erection | 26 |
| 9.1 | General | |
| 9.2 | Site conditions | _ |
| 9.3 | Training / instruction of installation personnel | |
| 9.4 | Inspection of preceding works | |
| 9.5 | Layout drawing | |
| 9.6 | Tools required | |
| 9.7 | Safety on site | |
| 9.8 | Inspection of packaging and contents | |
| 9.9 | Storage | |
| 9.10 | Damaged structural elements and connecting devices | |
| 9.11 | Unloading, lifting gear / slings / straps | |
| 9.12 | Laying | |
| 9.13 | Direction of lay of structural aluminium components | |
| 9.14 | Maintaining the cover width / adherence to tolerances | |
| 9.15 | Condition after installation (swarf from drilling, fouling of surface, protective film wrap) | |
| 9.16 | Inspection after installation | |
| 9.17 | Diaphragms and moment-resisting connections in the envelope | |
| 9.18 | Protection against lightning | |
| | | |
| 10 | Surface protection | |
| 10.1 | Corrosion protection | |
| 10.2 | Cleaning and maintenance | 30 |
| 11 | Geometrical tolerances | |
| 11.1 | General | |
| 11.2 | Tolerance types | |
| 11.3 | Essential tolerances | |
| | General | |
| | Manufacturing tolerances | |
| | Erection tolerances | |
| 11.4 | Functional tolerances | 32 |

| | General Tabulated values | |
|----------------|--|----|
| 12 | Inspection, testing and correction | |
| 12.1 | General | |
| 12.2 | Structural elements | |
| | General | |
| 12.2.2 12.3 | Non-conforming products Manufacturing: geometrical dimensions of manufactured structural elements | |
| | General | |
| 12.3.2 | Profiled sheets | |
| 12.4 | Welding at the construction site | |
| 12.5 | Inspection of fastening | |
| | Blind rivets | |
| | A (normative) Basic requirements for profiled sheeting | |
| A.1 | General | 35 |
| A.2 | Supporting members | 35 |
| A.3 | Edges of laying area | 35 |
| A.3.1 | Longitudinal edge stiffeners | 35 |
| A.3.2 | Weakening of the cross section | 36 |
| A.3.3 | Avoidance of ice damming | 36 |
| A.4 | Building physics requirements | 37 |
| A.4.1 | General | 37 |
| A.4.2 | Water permeability | 37 |
| A.4.3 | Thermal insulation | 37 |
| A.4.4 | Avoidance of condensation | 37 |
| A.4.4.1 | General | 37 |
| A.4.4.2 | Measures against convection | 37 |
| A.4.5 | Airborne sound insulation | 38 |
| A.4.6 | Sound absorption | 38 |
| A.4.7 | Protection against lightning | 38 |
| A.5 | Roof drainage | 38 |
| Annex | B (normative) Additional design requirements for profiled sheeting | 40 |
| B.1 | General | 40 |
| B.2 | Serviceability | 40 |
| B.3 | Dimensions, widths of supports | 40 |
| B.3.1 | General | 40 |
| B.3.2 | Supporting members made of metal (steel / aluminium) | 41 |
| B.3.3 | Supporting members made of timber | 41 |
| B.3.4 | Supports made of concrete or masonry | 41 |

| B.3.5 | Shear forces / fixed points | 43 |
|-------------|---|----|
| B.4 | Eccentric attachments | |
| B.5 | Stiffening of liner trays | 44 |
| B.6 | Walkability | 45 |
| B.6.1 | Walkability during installation | 45 |
| B.6.2 | Walkability and access after installation | 45 |
| B.6.3 | Test "Walkability" | 45 |
| B.7 | Rotational restraint | 47 |
| B.8 | Stressed skin design (diaphragms) | 47 |
| B.9 | Cantilevers | 47 |
| B.10 | Openings in laying areas | 48 |
| | x C (informative) Documentation | 51 |
| Annex | x D (normative) Geometrical tolerances | 52 |
| D.1 | General | 52 |
| D.2 | Essential and functional manufacturing tolerances - Cold formed profiled sheets | 52 |
| Annex | x E (normative) Galvanic corrosion | 55 |
| Annex | x F (normative) Additional information | 56 |
| F.1 | List of required additional information | 56 |
| F.2 | List of additional information if not otherwise specified | 56 |
| Biblio | ography | 58 |

European foreword

This document (EN 1090-5:2017) has been prepared by Technical Committee CEN/TC 135 "Execution of steel structures and aluminium structures", the secretariat of which is held by SN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2017, and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document is part of the EN 1090 series, which comprises the following parts:

- EN 1090-1, Execution of steel structures and aluminium structures Part 1: Assessment and verification of constancy of performance for structural components
- EN 1090-2, Execution of steel structures and aluminium structures Part 2: Technical requirements for steel structures
- EN 1090-3, Execution of steel structures and aluminium structures Part 3: Technical requirements for aluminium structures
- EN 1090-4, Execution of steel structures and aluminium structures Part 4: Technical requirements for cold-formed structural steel elements and cold-formed structures for roof, ceiling, floor and wall applications
- EN 1090-5, Execution of steel structures and aluminium structures Part 5: Technical requirements for cold-formed structural aluminium elements and cold-formed structures for roof, ceiling, floor and wall applications

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies requirements for the execution i.e. the manufacture and the installation of cold-formed structural aluminium components made from profiled sheeting for roof, ceiling, floor and wall applications under predominately static loading conditions or seismic loading conditions and their documentation. It does cover products of structural class I and II according to EN 1999-1-4 used in structures.

Structural elements are understood here to mean profiled sheeting, such as trapezoidal, sinusoidal, liner trays or cassette profiles (Figure 1), that are produced by cold forming. Perforated and micro profiled sheeting are also covered by this part.

Welded sections are excluded from this part and are covered by EN 1090-3 except seal welding in low-stress areas.

This standard also covers spacer constructions between the outer and inner or upper and lower skins as well as supporting members for roofs, walls and ceilings made from cold-formed profiled sheeting and the connections and attachments of the afore mentioned elements as long as they are involved in load transfer, it also covers connections and attachments of these elements.

A combination of steel and aluminium structural elements are permitted, e.g. liner trays made of steel, stiffened by profiles made of aluminium. In this case, EN 1090-4 and this document apply.

Composite structural elements where the interaction between dissimilar materials are an integral part of the structural behaviour such as sandwich panels and composite floors are not covered by this standard.

NOTE The structures covered in this standard can be for example

- single- or multi-skin roofs, whereby the load-bearing structure (lower skin) as well as the actual roof covering (upper skin) or both consist of structural elements;
- single- or multi-skin walls whereby the load-bearing structure (inner skin) as well as the actual cladding (outer skin) or both consist of structural elements; or
- suspended ceilings for interior fitting.




Figure 1 — Examples of profiled sheets

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 508-2, Roofing products from metal sheet — Specification for self-supporting products of steel, aluminium or stainless steel sheet — Part 2: Aluminium

EN 1090-1, Execution of steel structures and aluminium structures — Part 1: Requirements for conformity assessment of structural elements

EN 1090-3, Execution of steel structures and aluminium structures — Part 3: Technical requirements for aluminium structures

CEN/TS 1187, Test methods for external fire exposure to roofs

EN 1995-1 (all parts), Eurocode 5: Design of timber structures — Part 1-1: General — Common rules and rules for buildings

EN 1999-1-1, Eurocode 9: Design of aluminium structures — Part 1-1: General structural rules

EN 1999-1-4, Eurocode 9 — Design of aluminium structures — Part 1-4: Cold-formed structural sheeting

EN 10204, Metallic products — Types of inspection documents

EN 13501-5, Fire classification of construction products and building elements — Part 5: Classification using data from external fire exposure to roofs tests

EN 62305-3:2011, Protection against lightning — Part 3: Physical damage to structures and life hazard (IEC 62305-3:2010)

EN ISO 376, Metallic materials — Calibration of force-proving instruments used for the verification of uniaxial testing machines (ISO 376)

EN ISO 717-1, Acoustics — Rating of sound insulation in buildings and of building elements — Part 1: Airborne sound insulation (ISO 717-1)

EN ISO 11654, Acoustics — Sound absorbers for use in buildings — Rating of sound absorption (ISO 11654)

koniec náhľadu – text ďalej pokračuje v platenej verzii STN