## STN

## Geometrické špecifikácie výrobkov (GPS) Geometrické tolerovanie Tolerovanie profilov (ISO 1660: 2017)

STN EN ISO 1660

01 3134

Geometrical product specifications (GPS) - Geometrical tolerancing - Profile tolerancing (ISO 1660:2017)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/17

Obsahuje: EN ISO 1660:2017, ISO 1660:2017

Oznámením tejto normy sa ruší STN EN ISO 1660 (01 3134) z júla 1998

#### 125187

STN EN ISO 1660: 2017

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

#### **EN ISO 1660**

February 2017

ICS 01.100.01; 17.040.40

Supersedes EN ISO 1660:1995

#### **English Version**

## Geometrical product specifications (GPS) - Geometrical tolerancing - Profile tolerancing (ISO 1660:2017)

Spécification géométrique des produits (GPS) -Tolérancement géométrique - Tolérancement des profils (ISO 1660:2017) Geometrische Produktspezifikation (GPS) -Geometrische Tolerierung - Profiltolerierung (ISO 1660:2017)

This European Standard was approved by CEN on 14 December 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### EN ISO 1660:2017 (E)

Contents	Page
European foreword	3

#### **European foreword**

This document (EN ISO 1660:2017) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2017 and conflicting national standards shall be withdrawn at the latest by August 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 1660:1995.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 1660:2017 has been approved by CEN as EN ISO 1660:2017 without any modification.

INTERNATIONAL STANDARD

ISO 1660

Third edition 2017-02

# Geometrical product specifications (GPS) — Geometrical tolerancing — Profile tolerancing

Spécification géométrique des produits (GPS) — Tolérancement géométrique — Tolérancement des profils



ISO 1660:2017(E)



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	ntent	S S	Page
Fore	word		iv
Intr	oductio	on	<b>v</b>
1	Scop	ıe	1
2	_	native references	
3		ns and definitions	
3			
4	-	bols	
5	Rule	s for profile tolerancing	3
	5.1	General	3
	5.2	Default rules for profile tolerancing	4
		5.2.1 Rule A: Definition of the theoretically exact feature (TEF)	
		5.2.2 Rule B: Type of toleranced feature	
	5.3	5.2.3 Rule C: Definition of the tolerance zone	
	5.5	5.3.1 Rule D: Toleranced feature specification elements	7
		5.3.2 Rule E: Unequally disposed tolerance zone	8
		5.3.3 Rule F: Linear tolerance zone offset	8
		5.3.4 Rule G: Angular tolerance zone offset	
		5.3.5 Rule H: Variable tolerance zone width	
		5.3.6 Rule I: Filtered feature specification elements	8
		5.3.7 Rule J: Association and parameter specification elements	9
		5.3.8 Rule K: Associated toleranced feature specification elements	9
		5.3.9 Rule L: Non-rigid part	9
Ann	ex A (in	formative) Compound features	10
		formative) Illustration of the rules	
		formative) Former practices	
Ann	<b>ex D</b> (in	formative) Relation to the GPS matrix model	44
Bibl	iograpl	ny	45

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

This third edition cancels and replaces the second edition (ISO 1660:1987), which has been technically revised with the following changes:

- the requirements for defining the theoretically exact feature (the nominal geometry) have been made more explicit;
- the definition of what constitutes the toleranced feature has been clarified and updated to follow the feature principle, (see ISO 8015:2011, 5.5);
- tools for defining specifications for restricted features and compound features have been added;
- tools for defining specifications using unequally disposed or offset tolerance zones have been added;
- tools for defining specifications using tolerance zone of variable width have been added.

#### Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences the chain links A, B and C of the chains of standards on form, orientation and location.

The ISO GPS Masterplan given in ISO 14638 gives an overview of the ISO GPS system of which this document is a part. The fundamental rules of ISO GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information of the relation of this document to the GPS matrix model, see Annex D.

This document provides rules for profile tolerancing.

For the presentation of lettering (proportions and dimensions), see ISO 3098-2.

All figures in this document for the 2D drawing indications have been drawn in first-angle projection with dimensions and tolerances in millimetres. It should be understood that third-angle projection and other units of measurement could have been used equally well without prejudice to the principles established. For all figures giving specification examples in 3D, the dimensions and tolerances are the same as for the similar figures shown in 2D.

The figures in this document represent either 2D drawing views or 3D axonometric views on 2D drawings and are intended to illustrate how a specification can be fully indicated with visible annotation. For possibilities of illustrating a specification, where elements of the specification may be available through a query function or other interrogation of information in the 3D CAD model and rules for attaching specifications to 3D CAD models, see ISO 16792.

The figures in this document illustrate the text and are not intended to reflect an actual application. Consequently, the figures are not fully dimensioned and specified, showing only the relevant general principles. Neither are the figures intended to imply a particular display requirement in terms of whether hidden detail, tangent lines or other annotations are shown or not shown. Many figures have lines or details removed for clarity, or added or extended to assist with the illustration of the text. See Table 1 for the line types used in definition figures.

In order for a GPS specification to be unambiguous, the partition defining the boundary of the toleranced feature, as well as the filtering should be well defined. Currently, the detailed rules for partitioning and the default for filtering are not defined in GPS standards.

For a definitive presentation (proportions and dimensions) of symbols for geometrical tolerancing, see ISO 7083 and ISO 1101:2017, Annex F.

For the purposes of this document, the terms "axis" and "median plane" are used for derived features of perfect form, and the terms "median line" and "median surface" for derived features of imperfect form. Furthermore, the following line types have been used in the explanatory illustrations, i.e. those representing non-technical drawings for which the rules of ISO 128 (all parts) apply.

Table 1

	Feature type	Details	Line type		
Feature level			Visible	Behind plane/ surface	
Nominal feature	integral feature	point line/axis surface/plane	wide continuous	narrow dashed	
	derived feature	point line/axis surface/plane	narrow long dashed dotted	narrow dashed dotted	
Real feature	integral feature	surface	wide freehand continuous	narrow freehand dashed	
Extracted feature	integral feature	point line surface	wide short dashed	narrow short dashed	
	derived feature	point line surface	wide dotted	narrow dotted	
Filtered feature	integral feature	line surface	continuous narrow	continuous narrow	
Associated feature	integral feature	point straight line plane	wide doubled-dashed double-dotted	narrow double- dashed double- dotted	
	derived feature	point straight line (axis) plane	narrow long dashed double-dotted	wide dashed double-dotted	
	datum	point line/axis surface/plane	wide long dashed double-short dashed	narrow long dashed double-short dashed	
Tolerance zone limits, tolerance planes		line surface	continuous narrow	narrow dashed	
Section, illustration plane, drawing plane, aid plane		line surface	narrow long dashed short dashed	narrow dashed short dashed	
Extension, dimension, leader and reference lines		line	continuous narrow	narrow dashed	

Contrary to other kinds of geometrical tolerancing, profile tolerancing also allows geometrical tolerancing of non-straight lines and non-flat surfaces, in addition to simpler features, such as planes, cylinders, etc. This makes profile tolerancing more complex than other geometrical tolerancing with respect to the definition of the nominal geometry and the extent of the toleranced feature. This document expands on and provides tools and rules for these two complexities.

This edition of ISO 1660 is a pilot project for writing rule-based standards for geometrical tolerancing rather than example-based standards. In the long term, it is envisioned that the content of this document will be integrated into a future rule-based ISO 1101.

This document references other standards for rules for GPS tolerancing in general and geometrical tolerancing in particular, rather than repeating those rules. These GPS principles and rules include, but are not limited to:

- the feature principle (see ISO 8015:2011, 5.4);
- the independency principle (see ISO 8015:2011, 5.5);
- the rules for implicit TEDs (see ISO 5458:1998, 4.3);
- the width of the tolerance zone applies normal to the toleranced feature (See ISO 1101:2017, Clause 7);
- the rules for identifying the toleranced features (see ISO 1101:2017, Clause 6 and 9.1);
- form specifications, i.e. specifications without reference to a datum, a datum system or a pattern, constrain neither orientation nor location (see ISO 1101:2017, 4.8);
- the tolerance zone can be constrained by reference to datums (see ISO 5459).

## Geometrical product specifications (GPS) — Geometrical tolerancing — Profile tolerancing

IMPORTANT — The illustrations included in this document are intended to illustrate the text and/or to provide examples of the related technical drawing specification; these illustrations are not fully dimensioned and toleranced, showing only the relevant general principles. In particular, the illustrations do not contain filter specifications. As a consequence, the illustrations are not a representation of a complete workpiece and are not of a quality that is required for use in industry (in terms of full conformity with the standards prepared by ISO/TC 10 and ISO/TC 213), and as such are not suitable for projection for teaching purposes.

#### 1 Scope

This document gives the rules for geometrical specifications of integral and derived features, using the line profile and surface profile characteristic symbols as defined in ISO 1101.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1101:2017, Geometrical product specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out

ISO 5459:2011, Geometrical product specifications (GPS) — Geometrical tolerancing — Datums and datum systems

 ${\sf ISO~8015:2011}$ , Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules

ISO 16792, Technical product documentation — Digital product definition data practices

ISO 17450-1, Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification

ISO 17450-3, Geometrical product specifications (GPS) — General concepts — Part 3: Toleranced features

ISO 22432, Geometrical product specifications (GPS) — Features utilized in specification and verification

#### koniec náhľadu – text ďalej pokračuje v platenej verzii STN