

STN	<p>Stacionárne kontajnery na odpady Časť 1: Kontajnery s objemom do 10 000 l s plochým alebo klenutým vekom pre čapové, dvojčapové alebo vreckové zdvívacie zariadenie Rozmery a konštrukcia</p>	<p>STN EN 12574-1</p>
		26 9355

Stationary waste containers - Part 1: Containers with a capacity up to 10 000 l with flat or dome lid(s), for trunnion, double trunnion or pocket lifting device - Dimensions and design

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/17

Obsahuje: EN 12574-1:2017

Oznámením tejto normy sa ruší
STN EN 12574-1 (26 9355) z augusta 2006

125192

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017

Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnrožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 12574-1

February 2017

ICS 13.030.40

Supersedes EN 12574-1:2006

English Version

Stationary waste containers - Part 1: Containers with a capacity up to 10 000 l with flat or dome lid(s), for trunnion, double trunnion or pocket lifting device - Dimensions and design

Conteneurs fixes à déchets - Partie 1 : Conteneurs de capacité allant jusqu'à 10 000 l à couvercle(s) plat(s) ou bombé(s), pour lève-conteneurs à préhension par tourillons, double tourillon ou manchons - Dimensions et conception

Stationäre Abfallsammelbehälter - Teil 1: Behälter mit einem Volumen bis 10 000 l mit Flach- oder Schiebedeckel(n), für Schüttungen mit Zapfenaufnahme, Doppelzapfenaufnahme oder Taschenaufnahme - Maße und Formgebung

This European Standard was approved by CEN on 21 November 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
 COMITÉ EUROPÉEN DE NORMALISATION
 EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

	Page
European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	4
4 Volumes	6
5 Dimensions and design	7
6 Nominal load and total permissible mass	7
7 Safety and health requirements	7
8 Testing.....	7
9 Marking.....	8
10 Designation.....	8
Annex A (informative) A-deviations.....	23
Bibliography.....	24

European foreword

This document (EN 12574-1:2017) has been prepared by Technical Committee CEN/TC 183 "Waste management", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2017, and conflicting national standards shall be withdrawn at the latest by August 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12574-1:2006.

This European Standard is one part of the series of standards EN 12574 about "Stationary waste containers" comprising the following parts:

- Part 1: Containers with a capacity up to 10 000 l with flat or dome lid(s), for trunnion, double trunnion or pocket lifting device — Dimensions and design;
- Part 2: Performance requirements and test methods;
- Part 3: Safety and health requirements;

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This part of EN 12574 specifies dimensions and requirements of stationary waste containers (in the text also called containers) without wheels or with wheels for positioning purposes only, with flat or dome lid(s) and capacities up to 10 000 l for trunnion, double trunnion or pocket lifting devices.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1501-5, *Refuse collection vehicles - General requirements and safety requirements - Part 5: Lifting devices for refuse collection vehicles*

EN 12574-2:2017, *Stationary waste containers - Part 2: Performance requirements and test methods*

EN 12574-3:2017, *Stationary waste containers - Part 3: Safety and health requirements*

EN 840-1:2012, *Mobile waste and recycling containers - Part 1: Containers with 2 wheels with a capacity up to 400 l for comb lifting devices - Dimensions and design*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN