Železnice Koľaj Traťové stroje na stavbu a údržbu tratí Časť 1: Technické požiadavky na chod 28 2236

Railway applications - Track - Railbound construction and maintenance machines - Part 1: Technical requirements for running

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/17

Obsahuje: EN 14033-1:2017

Oznámením tejto normy sa ruší STN EN 14033-1 (28 2236) z júla 2011 STN EN 14033-1: 2017

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 14033-1

May 2017

ICS 45.120; 93.100

Supersedes EN 14033-1:2011

English Version

Railway applications - Track - Railbound construction and maintenance machines - Part 1: Technical requirements for running

Applications ferroviaires - Voie - Machines de construction et de maintenance empruntant exclusivement les voies ferrées - Partie 1 : Prescriptions techniques pour la circulation

Bahnanwendungen - Oberbau - Schienengebundene Bau- und Instandhaltungsmaschinen - Teil 1: Technische Anforderungen an das Fahren

This European Standard was approved by CEN on 2 October 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	Contents	
Europ	oean foreword	7
Intro	duction	10
1	Scope	11
2	Normative references	
3	Terms and definitions	
4 4.1	Machine categorizationGeneral rules	
4.1 4.2	Demountable modules	
5 5.1	Rolling stock gaugeGeneral rules	
5.1 5.2	Stowing of moveable machine parts in running positions	
5.2.1	Component locks	
5.2.2	Exemption from locking	
5.2.3	Secondary support	
5.2.4	Indication of locked state	_
5.2.5	Running	18
6	Frame	18
6.1	Design of the machine frame and attachments	18
6.2	Lifting and jacking points	
6.3	Hook for stowage on boats and for towing	19
7	Bogie and running gear	
7.1	General	
7.2	Structural design	
7.2.1	Structural design of the bogie frame	
7.2.2 7.3	Other components	
7.3 7.4	Static axle loading	
7. 5	Wheel profile	
7.6	Shape and dimensions of the axles and wheelsets	
7.7	Machine mass measurement	
7.7.1	Axle arrangement and axle loads	
7.7.2	Operational mass of the machine	
7.7.3	Maximum mass of the machine without payload	
7.7.4 7.7.5	Maximum mass of the machine with payload	
7.7.5 7.8	Weighing method Design for longitudinal compressive forces	
7.0 7.9	Lifeguards	
7.10	Obstacle deflector	
В	Running safety	28
B.1	Running tests	
8.2	Running safety on track twists	
8.3	Running simulation	29
9	Brakes	29

9.1	Mandatory braking equipment	29
9.2	Characteristics	31
9.2.1	Performance	31
9.2.2	Brake testing	31
9.2.3	Mechanical characteristics of the brake	
9.2.4	Automatic compressed air brake	_
9.2.5	Direct brake	
9.2.6	Brake functions to keep a machine stationary	
9.2.7	Dynamic brake	
9.2.8	Emergency brake	
9.2.9	Brake distributor controls	
	Other brake systems	
9.2.10 9.3	Air reservoirs	
9.4	Compressed air production of self-propelled machines	
9.5	Brake hose connections	
9.6	Special braking equipment	38
10	Buffing and draw gear	39
10.1	General	
10.2	Conventional connection between machines/vehicles	
	Couplings	
	Buffers	
	Interaction of buffers and screw couplings	
10.2.3	Connection between machines/vehicles	
10.3 10.4	Interaction forces between the machine and coupled vehicles	
10.4 10.5		
	Space to be kept free at the end of the machine	
10.6	Shunters' handrail	
10.7	Shunters' step	42
11	Operation of track circuits, axle-counters, treadles for level crossings, hot box	
	detectors and unreleased brake detectors	42
11.1	Operation of track circuits	
11.2	Operation of axle-counters and treadles for level crossings	
11.3	Operation of hot axle box and unreleased brake detectors	
11.4	On board hot box detection	
11.5	Operation of other signalling systems	
_		
12	Running safety equipment	
12.1	Indication equipment	4 3
12.2	Data recorder	43
13	Warning equipment and lights	42
	Warning horns	
	Audibility	
	Warning horn sound pressure level	
	Protection	
	Headlights	
	Lamp brackets and marker lights	
	Lamp brackets	
	Arrangement of marker lights	
	Additional devices	
13.3.4	Light switching arrangements	47
14	Drivers cabs and driving positions	47
14 14.1	General	
	Access to cab.	
14.4	ALLESS IN CAU	47

	General	
14.2.2	Steps, handrails, platforms and railings	48
14.2.3	Doors	48
14.3	Interior of cab	48
14.3.1	Driver's position	48
14.3.2	Additional seats	48
	Layout of driver's cab(s)	
	Windscreens and forward facing windows	
	Other glazing	
	Cab side windows	
14.4	Heating, cooling and ventilation	
14.5	Internal lighting	
14.6	Area of visibility	
14.7	Driver's desks	
14.7 14.8	Controls and indicators	
14.0 14.9	Driver's and assistant's seats	
14.10	Equipment and controls	
14.10 14.10.:	_ <u> </u>	
14.10.2 14.10.2		
14.10. <i>.</i> 14.10.:		
14.10 14.10.	g .	
_		
14.11	Driver's vigilance device	53
15	Safety design features	54
15.1	Electrical protection measures	54
15.2	Mechanical protection measures	55
15.3	Fire protection	55
15.3.1	Material requirements	55
15.3.2	Specific measures for flammable liquids	55
15.3.3	Portable fire extinguishers	55
15.3.4	Fire detection and suppression systems	55
15.3.5	Driver's cab emergency exit	55
15.3.6	Floors	55
15.4	Personnel protection	55
15.5	Electromagnetic compatibility	
4.0		
16	Environmental conditions	
16.1	General	
16.2	Carriage and storage of fuel and oil	
16.3	Tanks and equipment	
	Fuel tanks and pipework	
	Hydraulic oil circuit	
16.4	Power equipment	57
17	Aerodynamic effects	57
17.1	Cross wind	
17.2	Slipstream effect of machines with maximum speed greater than 160 km/h	
17.3	Head pressure pulse	
	• •	
18	Design for recovery purposes	58
19	Machine marking	59
19.1	Lettering on the machine	
19.2	Machine identification number	
19.3	Details of the railway infrastructure where the machine is allowed to run	

20 User information	59
20.1 General	
20.2 Data for inclusion in National Vehicle Register20.3 Instruction Handbook	
20.3.1 Technical documentation	
20.3.2 Technical documentation for operators	
20.4 Maintenance instructions	
20.4.1 Maintenance schedule	
Annex A (normative) Application of technical requirements to machines categories	_
Annex B (normative) Special national conditions	
Annex C (normative) Machine diagram with gauge and critical points	
Annex D (normative) Free space at the end of the machine	
Annex E (informative) Steps, handrails and door handles	
Annex F (informative) Identification plate	
Annex G (normative) Marking	
Annex H (normative) On board safety equipment	
Annex I (informative) Structure of European Standards for track construction and	>0
maintenance machines	101
Annex J (informative) Clause by clause comparison with Commission Regulation (EU) No 1302/2014 (Loc&Pas TSI)	103
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC	107
Bibliography	112
Tables	
Table 1 — Machine categories by maximum running speed	16
Table 2 — Static axle loading	22
Table 3 — Wheelset dimension	23
Table 4 — Distance between wheelsets	25
Table 5 — Compulsory braking equipment	30
Table 6 — Minimum compressed air production for the number of braked wheelsets	38
Table 7 — Limit criteria for slipstream effects on passengers on platform and on workers trackside	58
Table A.1 — Application of technical requirements to machines categories	70
Table B.1 — Special national conditions	79
Table G.1 — Marking	91
Table H.1 — On board safety equipment	93
Table I.1 — Structure of European standards for track construction and maintenance	100
machines	102

(Loc&Pas TSI)(Loc&Pas TSI)	.103
Table ZA.1 — Correspondence between this European Standard, the Commission Regulation (EU) No 1302/2014 of 18 November 2014 concerning a technical specification for interoperability relating to the 'rolling stock — locomotives and passenger rolling stock' subsystem of the rail system in the European Union published in the Official Journal L356/228 on 12/12/2014 and Directive 2008/57/EC	108
Table ZA.2 — Correspondence between this European Standard, the Commission Decision 2012/88/EU of 25 January 2012 on the technical specification for interoperability relating to the control-command and signalling subsystems of the trans-European rail system published in the Official Journal L 51/1 on 23/2/2012 and Directive 2008/57/EC	. 109
Table ZA.3 — Correspondence between this European Standard, Commission Regulation (EU) No 1304/2014 of 26 November 2014 on the technical specification for interoperability relating to the subsystem 'rolling stock — noise' amending Decision 2008/232/EC and repealing Decision 2011/229/EU - published in the Official Journal L356/421 on 12/12/2014 and Directive 2008/57/EC	110
Table ZA.4 — Correspondence between this European Standard, the Commission Decision (EU) No 2011/314/EU of 12 May 2011 concerning the technical specification for interoperability relating to the 'operation and traffic management' subsystem of the trans-European conventional rail system - published in the Official Journal L 144/1 on 31/5/2011 and Directive 2008/57/EC	111
Figures	
Figure 1 — Stowage and towing hook	20
Figure 2 — Wheelset dimensions	24
Figure 3 — Distance between buffer and drawhook	40
Figure 4 — Tail signal lamp brackets	45
Figure 5 — Tail signal lamps, required space - envelope	46
Figure 6 — Control directions	
Figure C.1 — Machine diagram with gauge and critical points	86
Figure D.1 — Free space at the end of the machine	87
Figure D.2 — ISO 7010-W019 "Warning; Crushing"	88
Figure E.1 — Steps, handrails and door handles	89
Figure F.1 — Identification plate	90
Figure I.1 —Flowchart of European standards for track construction and maintenance	101

European foreword

This document (EN 14033-1:2017) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2017, and conflicting national standards shall be withdrawn at the latest by November 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14033-1:2011.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC.

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

This series of standards EN 14033, *Railway applications* — *Track* — *Railbound construction and maintenance machines*, consists of the following parts:

- Part 1: Technical requirements for running;
- Part 2: Technical requirements for travelling and working;
- Part 3: General safety requirements.

Amended clauses compared to EN 14033-1:2011:

General	All references updated to latest issue
3.3	Inspection vehicles recognized as an additional type of railbound machine
3.8 to 3.10	Different modes of machine defined
4.2	New section on demountable modules added
5.1	Requirement for reference profile to be marked
5.2.5	Additional requirements for prevention of operation of locks in running mode
6.1	Clarification added concerning machine attachments and when fatigue calculations are required
6.3	Recognition that stowage hooks also used for towing
7.2	New requirements for structural design of bogies added
7.6	Wheelsets required to comply with ENs and dimensions mandated
7.7	New section on machine mass measurement added
7.9	Requirements for when lifeguards fitted and design forces reduced
7.10	New section on obstacle deflectors aligned with requirements of TSI

Clause 8	Running safety section amended to align with latest edition of EN 14363
Clause 9	Brakes section extensively modified to align with requirements of emerging ENs and TSI, and to clarify testing
Clause 10	Alternative buffing and drawgear now permitted and requirements added
10.5	Marking of machine required where Berne rectangle not achieved
10.6 & 10.7	Clarity added when shunters handrail and step required
11.1	Dimensions of machine for operation of track machine aligned with requirements of TSI
11.3	Requirements for hot axle box detection aligned with requirements of EN 15437-1
11.4	New section on on-board hot box detection added
11.5	New section on other signalling systems added
12.2	Requirements for data recorder aligned with requirements of EN 62625-1
Clause 13	Section on warning horns and lights amended to align with requirements of TSI
14.2.2	Position of handrails no longer mandated, handrails to comply with EN 14033-3
14.2.3	Section on doorways amended to align with requirements of TSI
14.3.4	All forward facing windows now windscreens but reduced requirements from EN 15152 to only certain clauses
14.3.5	Reduced requirements for side windows and other glazing now included
14.6	Area of visibility requirements relaxed
14.8	Section on controls and indicators amended to align with requirements of TSI
14.10.1	Requirements for sanding and brake gauges added
14.10.4	Requirement for storage of tools added
14.11	New section on driver's vigilance device added
15.3	Section on fire precaution amended to align with requirements of TSI
15.4	New requirement for front end to be yellow added
16.1	New requirement to demonstrate compliance to environmental conditions where there is no previous experience
16.3	Requirements for fuel tank amended
Clause 17	New section on aerodynamic effects added
Clause 18	New section on design for recovery added
Clause 19	Requirements for machine marking aligned with EN 15877-2 and use of identification plate de-mandated
Clause 20	User information extensively amended and incorporates requirements in former Annexes G and I
Annexes	All annexes reviewed and updated
Annexes E and F	Now Informative
Annex H	Now Normative
	•

Annex J New annex giving clause-by-clause comparison with Loc&Pas TSI

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard was prepared to meet the essential requirements of EU Directives to facilitate an open market for goods and services.

This document is the first of a series of three parts of the European Standard: *Railway applications* — *Track* — *Railbound construction and maintenance machines*:

- Part 1 covers the safety and technical requirements for the machines in running mode; this is a
 harmonized standard with the Technical Specification for Interoperability (TSI) for Locomotives
 and Passenger Rolling Stock Commission decision 2011/291/EU, which itself meets the essential
 requirements to ensure the interoperability of the rail system as described in Article 1 of European
 Directive 2008/57/EC;
- Part 2 covers the railway specific requirements for the machines in working and travelling modes;
- Part 3 covers the safety requirements for the machines in working and travelling modes; this is a harmonized standard with the European Machinery Directive 2006/42/EC.

The risks that exist in all mechanical, electrical, hydraulic, pneumatic and other components of machines and which are dealt with in the relevant European Standards are not within the scope of this European Standard. Where necessary, references are made to appropriate standards of this type.

1 Scope

This European Standard defines the specific technical railway requirements for running of machines and other vehicles used for construction, maintenance and inspection of track, structures, track formation and fixed electric traction equipment. Special national conditions applicable to specific member states are shown in Annex B.

This European Standard applies to all railbound machines and other vehicles – referred to as machines – running exclusively on the railway (utilizing adhesion between the rail and wheels) and used for construction, maintenance and inspection of track, structures, infrastructure and fixed electric traction equipment.

This European Standard applies to machines that are intended to operate signalling and control systems. Other machines are dealt with in other European Standards, see Annex I.

This European Standard is written for 1 435 mm nominal track gauge; special requirements can apply for running on infrastructures with narrow gauge or broad gauge lines, urban railways, railways utilizing other than adhesion between the rail and wheels and road-rail machines which are not included in this standard.

This European Standard covers the railway specific requirements for movements of the machine as a train and movements to reach work sites.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 286-3, Simple unfired pressure vessels designed to contain air or nitrogen — Part 3: Steel pressure vessels designed for air braking equipment and auxiliary pneumatic equipment for railway rolling stock

EN 286-4, Simple unfired pressure vessels designed to contain air or nitrogen — Part 4: Aluminium alloy pressure vessels designed for air braking equipment and auxiliary pneumatic equipment for railway rolling stock

EN 10220, Seamless and welded steel tubes — Dimensions and masses per unit length

EN 10305-4, Steel tubes for precision applications — Technical delivery conditions — Part 4: Seamless cold drawn tubes for hydraulic and pneumatic power systems

EN 10305-6, Steel tubes for precision applications — Technical delivery conditions — Part 6: Welded cold drawn tubes for hydraulic and pneumatic power systems

EN 12080, Railway applications — Axleboxes — Rolling bearings

EN 12663-1:2010+A1:2014, Railway applications — Structural requirements of railway vehicle bodies — Part 1: Locomotives and passenger rolling stock (and alternative method for freight wagons)

EN 12663-2:2010, Railway applications — Structural requirements of railway vehicle bodies — Part 2: Freight wagons

EN 13103, Railway applications — Wheelsets and bogies — Non-powered axles — Design method

EN 13104, Railway applications — Wheelsets and bogies — Powered axles — Design method

EN 13260, Railway applications — Wheelsets and bogies — Wheelsets — Product requirements

EN 13261, Railway applications — Wheelsets and bogies — Axles — Product requirements

EN 13262, Railway applications — Wheelsets and bogies — Wheels — Product requirements

EN 13715, Railway applications — Wheelsets and bogies — Wheels — Tread profile

EN 13749:2011, Railway applications — Wheelsets and bogies — Method of specifying the structural requirements of bogie frames

EN 13979-1, Railway applications — Wheelsets and bogies — Monobloc wheels — Technical approval procedure — Part 1: Forged and rolled wheels

EN 14033-2:2017, Railway applications — Track — Railbound construction and maintenance machines — Part 2: Technical requirements for travelling and working

EN 14033-3:2017, Railway applications — Track — Railbound construction and maintenance machines — Part 3: General safety requirements

EN 14067-4:2013, Railway applications — Aerodynamics — Part 4: Requirements and test procedures for aerodynamics on open track

EN 14067-6:2010, Railway applications — Aerodynamics — Part 6: Requirements and test procedures for cross wind assessment

EN 14198, Railway applications — Braking — Requirements for the brake system of trains hauled by a locomotive

EN 14363:2016, Railway applications — Testing and Simulation for the acceptance of running characteristics of railway vehicles — Running Behaviour and stationary tests

EN 14531-1:2015, Railway applications — Methods for calculation of stopping and slowing distances and immobilization braking — Part 1: General algorithms utilizing mean value calculation for train sets or single vehicles

EN 14531-2, Railway applications — Methods for calculation of stopping and slowing distances and immobilization braking — Part 2: Step by step calculations for train sets or single vehicles

EN 14535-1, Railway applications — Brake discs for railway rolling stock — Part 1: Brake discs pressed or shrunk onto the axle or drive shaft, dimensions and quality requirements

EN 14535-2, Railway applications — Brake discs for railway rolling stock — Part 2: Brake discs mounted onto the wheel, dimensions and quality requirements

EN 14601, Railway applications — Straight and angled end cocks for brake pipe and main reservoir pipe

EN 15152:2007, Railway applications — Front windscreens for train cabs

EN 15153-1:2013+A1:2016, Railway applications — External visible and audible warning devices for trains — Part 1: Head, marker and tail lamps

EN 15153-2:2013, Railway applications — External visible and audible warning devices for trains — Part 2: Warning horns

EN 15179:2007, Railway applications — Braking — Requirements for the brake system of coaches

EN 15220:2016, Railway applications — Brake indicators

EN 15227:2008+A1:2010, Railway applications — Crashworthiness requirements for railway vehicle bodies

EN 15273-1, Railway applications — Gauges — Part 1: General - Common rules for infrastructure and rolling stock

EN 15273-2:2013, Railway applications — Gauges — Part 2: Rolling stock gauge

EN 15313, Railway applications — In-service wheelset operation requirements — In-service and offvehicle wheelset maintenance

EN 15329, Railway applications — Braking — Brake block holder and brake shoe key for railway vehicles

EN 15355, Railway applications — Braking — Distributor valves and distributor-isolating devices

EN 15437-1:2009, Railway applications — Axlebox condition monitoring — Interface and design requirements — Part 1: Track side equipment and rolling stock axlebox

EN 15528, Railway applications — Line categories for managing the interface between load limits of vehicles and infrastructure

EN 15551, Railway applications — Railway rolling stock —Buffers

EN 15566:2016, Railway applications — Railway rolling stock — Draw gear and screw coupling

EN 15595:2009+A1:2011, Railway applications — Braking — Wheel slide protection

EN 15611, Railway applications — Braking — Relay valves

EN 15612, Railway applications — Braking — Brake pipe accelerator valve

EN 15624, Railway applications — Braking — Empty-loaded changeover devices

EN 15625, Railway applications — Braking — Automatic variable load sensing devices

EN 15663, Railway applications — Definition of vehicle reference masses

EN 15806:2010, Railway applications — Braking — Static brake testing

EN 15807, Railway applications — Pneumatic half couplings

EN 15827:2011, Railway applications — Requirements for bogies and running gears

EN 15839, Railway applications — Testing for the acceptance of running characteristics of railway vehicles — Freight wagons — Testing of running safety under longitudinal compressive forces

EN 15877-1:2012, Railway applications — Marking on railway vehicles — Part 1: Freight wagons

EN 15877-2:2013, Railway applications — Markings of railway vehicles — Part 2: External markings on coaches, motive power units, locomotives and on track machines

EN 16116-2, Railway applications — Design requirements for steps, handrails and associated access for staff — Part 2: Freight wagons

EN 16207, Railway applications — Braking — Functional and performance criteria of Magnetic Track Brake systems for use in railway rolling stock

EN 16404, Railway applications — Re-railing and recovery requirements for railway vehicles

EN 45545-2:2013+A1:2015, Railway applications — Fire protection on railway vehicles — Part 2: Requirements for fire behaviour of materials and components

EN 50121-3-1, Railway applications — Electromagnetic compatibility — Part 3-1: Rolling stock - Train and complete vehicle

EN 50121-3-2, Railway applications — Electromagnetic compatibility — Part 3-2: Rolling stock - Apparatus

EN 50125-1, Railway applications — Environmental conditions for equipment — Part 1: Rolling stock and on-board equipment

EN 50153:2014, Railway applications — Rolling stock — Protective provisions relating to electrical hazards

EN 50238-1:2003, Railway applications — Compatibility between rolling stock and train detection systems — Part 1: General

EN 62625-1:2013, Electronic railway equipment — On board driving data recording system — Part 1: System specification (IEC 62625-1:2013)

EN ISO 7010:2012, Graphical symbols — Safety colours and safety signs — Registered safety signs (ISO 7010:2011)

EN ISO/IEC 17025, General requirements for the competence of testing and calibration laboratories (ISO/IEC 17025)

ISO 8573-1:2010, Compressed air — Part 1: Contaminants and purity classes

ISO 11112, Earth-moving machinery — Operator's seat — Dimensions and requirements

UIC 520:2003, Wagons, coaches and vans — Draw gear — Standardisation

UIC 527-1:2005, Coaches, vans and wagons — Dimensions of buffer heads — Track layout on S-curves

UIC 541-03:1984, Brakes — Regulations concerning manufacture of the different brake parts — Driver's brake valve

UIC 541-1, Brakes — Regulations concerning the design of brake components

UIC 541-5:2006, Brakes — Electropneumatic brake (EP brake) — Electropneumatic emergency brake override (EBO)

UIC 544-1:2014, Brakes — Braking performance

koniec náhľadu – text ďalej pokračuje v platenej verzii STN