

Ochrana ovzdušia Vonkajšie ovzdušie Štandardná metóda merania NO3-, SO42-, CI-, NH4+, Na+, K+, Mg2+, Ca2+ v časticiach PM2,5 zachytených na filtroch

STN EN 16913

83 5627

Ambient air - Standard method for measurement of NO, SO, Cl, NH, Na, K, Mg, Ca in PM2,5 as deposited on filters

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/17

Obsahuje: EN 16913:2017

STN EN 16913: 2018

EN 16913

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

June 2017

ICS 13.040.20

English Version

Ambient air - Standard method for measurement of NO₃, SO_4^{2-} , Cl^- , NH_4^+ , Na^+ , K^+ , Mg^{2+} , Ca^{2+} in PM2,5 as deposited on filters

Air ambiant - Méthode normalisée pour le mesurage de NO₃⁻, SO₄²⁻, Cl⁻, NH₄⁺, Na⁺, K⁺, Mg²⁺, Ca²⁺ dans la fraction PM2,5 telle que déposée sur des filtres

Außenluft - Messverfahren zur Bestimmung von NO₃-, SO₄²⁻, Cl⁻, NH₄⁺, Na⁺, K⁺, Mg²⁺, Ca²⁺ in PM2,5 nach Abscheidung auf Filtern

This European Standard was approved by CEN on 27 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	ents	Page
Europ	ean foreword	4
Introd	luction	5
1	Scope	6
2	Normative references	7
3	Terms and definitions	7
4	Symbols and abbreviations	7
5	Principle	8
6	Equipment	8
7	Sampling	9
8	Transport and storage	10
9	Analysis	10
10	Calculation of results	12
11	Quality control	14
12	Measurement uncertainty	17
13	Artefacts and interferences	18
14	Data recording	19
Annex	A (informative) Statistical analysis of anion and cation concentrations collected on filters from field validation exercise	20
A.1	General	20
A.2	Analysis methodology	20
A.2.1	General	20
A.2.2	Calculating between- and within-laboratory variability	20
A.2.2.1	l Notation	20
A.2.2.2	2 Data processing	21
A.2.2. 3	3 Outlier rejection	21
A.2.2. 4	ł Data normalization	22
A.2.2.5	5 Analysis of variance	22
A.2.2.6	6 Calculation of standard deviations	23
A.2.3	Calculating between-sampler variability	23
A.2.3.1	l Notation	23
A.2.3.2	2 Data processing	24
A.2.4	Combined standard uncertainty	25
A.3	Remarks	25

A.4	Results	25
A.4.1	Data set 1 - Between laboratory and internal laboratory variability	25
A.4.2	Data set 2 - Between sampler variability	26
A.4.3	Data set 3 - Uncertainty over the measured concentration range	27
A.4.4	Detection limit	31
A.4.5	Field Blanks	31
Annex	B (informative) Uncertainty budget	33
Annex	C (informative) Reagents	36
C.1	General	36
C.2	Anion determination by ion chromatography	36
C.3	Cation determination by ion chromatography	37
C.4	Cation determination by inductively coupled plasma optical emission spectrometry (ICP-OES)	38
C.5	Ammonium determination by photometry	39
Annex	D (informative) Other analysis methods used in the validation programme	41
D.1	Inductively coupled plasma optical emission spectrometer system (ICP-OES)	41
D.2	Conductometry	41
D.3	Photometry	42
D.3.1	Equipment	42
D.3.2	Preparation of calibration curve	42
D.3.3	Analytical procedure	42
Annex	E (informative) Preparation of stock standard solution	43
Annex	x F (informative) Sampling artefacts	44
F.1	General	44
F.2	Ammonium nitrate	44
F.3	Chloride	45
Biblio	graphy	46

European foreword

This document (EN 16913:2017) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard describes how to measure a specified range of anions and cations in $PM_{2,5}$ as deposited on filters.

The EU Air Quality Directive 2008/50/EC [1] on ambient air quality and cleaner air for Europe requests the measurements of concentrations of NO_{3^-} , $SO_{4^{2^-}}$, Cl^- , NH_{4^+} , Na^+ , K^+ , Mg^{2^+} , Ca^{2^+} in $PM_{2,5}$ at rural background locations. In Annex IV of the Directive, guidance for these measurements is given.

Measurements of anions and cations in PM are being performed by the EMEP programme, mainly by using a filterpack with limited particle size selectivity. The cooperative programme for monitoring and evaluation of long-range transmission of air pollutants in Europe (EMEP) was launched in 1977 as a response to the growing concern over the effects on the environment caused by acid deposition. EMEP was organized under the auspices of the United Nations Economic Commission for Europe (UNECE). Today EMEP is an integral component of the cooperation under the Convention on Long-range Transboundary Air Pollution.

Directive 2008/50/EC requires that measurements at rural sites, where appropriate, are coordinated with the monitoring strategy and measurement programme of EMEP. Although, there are different sampling procedures involved, a common approach is used for the analytical procedure.

In order to keep the agreement between existing EMEP data and data to be produced using this European Standard as close as possible, the EMEP protocol has been taken as starting point for this European Standard. This European Standard differs from the EMEP protocol in the sense that measurement of anions and cations are done in PM_{2,5}, and that a number of critical parameters (e.g. choice of filter material) are fixed.

Additional attention is given to harmonizing these critical parameters with elemental carbon/organic carbon (EC/OC) measurements and with $PM_{2,5}$ measurements as well, as sampling is usually done simultaneously.

1 Scope

This European Standard specifies a method for the determination of the mass concentration of water soluble NO_{3^-} (nitrate), $SO_{4^{2-}}$ (sulphate), Cl^- (chloride), NH_{4^+} (ammonium), Na^+ (sodium), K^+ (potassium), Mg^{2+} (magnesium), Ca^{2+} (calcium) in $PM_{2,5}$ as deposited on filters.

This European Standard describes the analytical procedures for determining anions and cations as part of the $PM_{2,5}$ particulate phase, sample extraction and analysis of anions and cations by ion chromatography. Sampling onto filters will be done in accordance with EN 12341 for $PM_{2,5}$.

NOTE 1 Alternatively, cations, excluding ammonium, can be analysed by inductively coupled plasma optical emission spectrometry (ICP-OES). Ammonium can also be analysed by photometry or conductometry.

This European Standard can be used for the measurements of anions and cations as required by Directive 2008/50/EC. The method does not take into account the possible losses during sampling due to evaporation.

NOTE 2 NO $_3$ -, Cl-, NH $_4$ + are part of the volatile fraction of PM $_2$,5, and the concentrations determined using this standard can be used as minimum values for the concentrations of these ions in PM $_2$,5. NO $_3$ -, NH $_4$ +, Cl- are usually up to 30 % underestimated due to evaporational losses from the filter during sampling.

This European Standard may be used at rural and urban background sites and road sites that are in accordance with the siting criteria of Directive 2008/50/EC.

This European Standard is applicable to the measurement of anion/cations in $PM_{2,5}$ samples corresponding to $PM_{2,5}$ mass concentrations between approximately 1 μ g/m³ (i.e. the limit of detection of the standard measurement method (EN 12341) expressed as its uncertainty) up to 120 μ g/m³.

The validated range of the anion and cation concentrations based on the field validation measurements is presented in Table 1.

Minimum **Maximum** Component $\mu g/m^3$ $\mu g/m^3$ Cl-1,4 0,001 0.002 29 NO^{3} SO₄2-0.05 13 0,003 Na+ 1.9 0,04 NH_4 + 11 K+ 0,003 0,49 Mg^{2+} 0,001 0,38 Ca2+ 0.002 0.72

Table 1 — Validated range of anions and cations

See Annex A for the statistical analysis of the field validation measurements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12341:2014, Ambient air — Standard gravimetric measurement method for the determination of the PM10 or PM2,5 mass concentration of suspended particulate matter

koniec náhľadu – text ďalej pokračuje v platenej verzii STN