## STN

#### Kvalita vody Celková objemová aktivita beta v neslanej vode Skúšobná metóda na hrubej vrstve (ISO 9697: 2015)

STN EN ISO 9697

75 7630

Water quality - Gross beta activity in non-saline water - Test method using thick source (ISO 9697:2015)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/17

Obsahuje: EN ISO 9697:2017, ISO 9697:2015

STN EN ISO 9697: 2018

### EUROPEAN STANDARD NORME EUROPÉENNE

**EN ISO 9697** 

June 2017

EUROPÄISCHE NORM

ICS 13.280; 13.060.60

#### **English Version**

## Water quality - Gross beta activity in non-saline water - Test method using thick source (ISO 9697:2015)

Qualité de l'eau - Activité bêta globale des eaux non salines - Méthode d'essai par source concentrée (ISO 9697:2015) Wasserbeschaffenheit - Bestimmung der Gesamt-Beta-Aktivität in nicht-salzhaltigem Wasser -Dickschichtverfahren (ISO 9697:2015)

This European Standard was approved by CEN on 27 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 9697:2017 E

Contents	Pa	
European foreword	3	

#### **European foreword**

The text of ISO 9697:2015 has been prepared by Technical Committee ISO/TC 147 "Water quality" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 9697:2017 by Technical Committee CEN/TC 230 "Water analysis" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 9697:2015 has been approved by CEN as EN ISO 9697:2017 without any modification.

INTERNATIONAL STANDARD

ISO 9697

Third edition 2015-04-01

# Water quality — Gross beta activity in non-saline water — Test method using thick source

Qualité de l'eau — Activité bêta globale des eaux non salines — Méthode d'essai par source concentrée



ISO 9697:2015(E)



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents		Page	
Fore	word		iv
Intr	oductio	n	v
1	Scop	e	1
2	•		
3		ools, definitions, and units	
	=		
4		ciple	
5	U	ents and equipment	
	5.1 5.2	Reagents Equipment	
6	_		
6	6.1	edureSampling	
	6.2	Pretreatment	
	6.3	Concentration stage	
	6.4	Sulfation stage	
	6.5	Ignition stage	
	6.6	Source preparation	
	6.7	Measurement	
	6.8	Determination of counting background	
	6.9 6.10	Preparation of calibration sources  Sensitivity and bias	
	6.11	Optimization of the determination	
7	Source control		
	7.1	Contamination check	
	7.2	Potential disequilibrilium of radionuclides	
8	Expression of results		7
	8.1	Calculation of activity concentration	
	8.2	Standard uncertainty	
	8.3	Decision threshold	
	8.4	Detection limit	
	8.5	Confidence limits	
9	7 Test report		10
Ann	ex A (inf	formative) Example of performance criteria	11
Bibliography		12	

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: Foreword — Supplementary information.

The committee responsible for this document is ISO/TC 147, *Water quality*, Subcommittee SC 3, *Radioactivity measurements*.

This third edition cancels and replaces the second edition (ISO 9697:2008), which has been technically revised.

#### Introduction

Radioactivity from several naturally occurring and anthropogenic sources is present throughout the environment. Thus, water bodies (e.g. surface water, groundwater, seawater) can contain the following radionuclides of natural or human-made origins:

- natural radionuclides, including potassium-40 and those originating from the thorium and uranium decay series, particularly radium-226, radium-228, uranium-234, uranium-238, and lead-210, can be found in water for natural reasons (e.g. desorption from the soil and wash-off by rain water) or can be released from technological processes involving naturally occurring radioactive materials (e.g. the mining and processing of mineral sands or the production and use of phosphate fertilizer);
- human-made radionuclides, such as transuranium elements (americium, plutonium, neptunium, curium), tritium, carbon-14, strontium-90, and some gamma-emitting radionuclides, can also be found in natural waters as a result of authorized routine releases into the environment in small quantities of the effluent discharged from nuclear fuel cycle facilities. They are also released into the environment following their use in unsealed form for medical and industrial applications. They are also found in the water as a result of past fallout contamination resulting from the explosion in the atmosphere of nuclear devices and accidents such as those that occurred in Chernobyl and Fukushima.

Drinking water can thus contain radionuclides at activity concentrations which could present a risk to human health. In order to assess the quality of drinking water (including mineral waters and spring waters), with respect to its radionuclide content and to provide guidance on reducing health risks by taking measures to decrease radionuclide activity concentrations, water resources (groundwater, river, lake, sea, etc.) and drinking water are monitored for their radioactivity content as recommended by the World Health Organization (WHO) and can be required by some national authorities.

An International Standard on a test method for gross beta activity in water samples is justified for test laboratories carrying out these measurements, required sometimes by national authorities, as laboratories might have to obtain a specific accreditation for radionuclide measurement in drinking water samples.

The screening level for gross beta activity in drinking water, as recommended by WHO, is  $1 \text{ Bq l}^{-1}$ . If this value is not exceeded, an effective dose of  $0.1 \text{ mSv year}^{-1}$  should not be exceeded. In case that gross beta screening level is exceeded, it is recommended that the specific radionuclides should be identified and their individual activity concentrations measured. Gross beta measurements based on the evaporation method include a contribution from potassium-40, a naturally occurring beta emitter in a fixed ratio to stable potassium. If the screening level of  $1 \text{ Bq l}^{-1}$  for gross beta is exceeded, a separate determination of total potassium in water should be performed to subtract the contribution of potassium-40 to beta activity. The factor of  $27.6 \text{ Bq g}^{-1}$  of beta activity to total potassium should be used to calculate the potassium-40 contribution.

NOTE The screening level is determined based on the activity concentration with an intake of  $2 l day^{-1}$  of drinking water for 1 year that results in an effective dose of less than 0,1 mSv year<sup>-1</sup> for members of the public, an effective dose that represents a very low level of risk that is not expected to give rise to any detectable adverse health effect.

This International Standard is one of a set of International Standards on test methods dealing with the measurement of gross activity of radionuclides in water samples. Other related standards include

- ISO 9696,
- ISO 10704, and
- ISO 11704.

## Water quality — Gross beta activity in non-saline water — Test method using thick source

WARNING — Persons using this International Standard should be familiar with normal laboratory practice. This International Standard does not purport to address all of the safety issues, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

IMPORTANT — It is absolutely essential that tests conducted according to this International Standard be carried out by suitably trained staff.

#### 1 Scope

This International Standard specifies a test method for the determination of gross beta activity concentration in non-saline waters. The method covers non-volatile radionuclides with maximum beta energies of approximately 0,3 MeV or higher. Measurement of low energy beta emitters (e.g. <sup>3</sup>H, <sup>228</sup>Ra, <sup>210</sup>Pb, <sup>14</sup>C, <sup>35</sup>S, and <sup>241</sup>Pu) and some gaseous or volatile radionuclides (e.g. radon and radioiodine) might not be included in the gross beta quantification using the test method described in this International Standard.

This test method is applicable to the analysis of raw and drinking waters. The range of application depends on the amount of total soluble salts in the water and on the performance characteristics (background count rate and counting efficiency) of the counter used.

It is the laboratory's responsibility to ensure the suitability of this method for the water samples tested.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 5667-1, Water quality — Sampling — Part 1: Guidance on the design of sampling programmes and sampling techniques

ISO 5667-3, Water quality — Sampling — Part 3: Preservation and handling of water samples

ISO 5667-14, Water quality — Sampling — Part 14: Guidance on quality assurance and quality control of environmental water sampling and handling

ISO 11929, Determination of the characteristic limits (decision threshold, detection limit and limits of the confidence interval) for measurements of ionizing radiation — Fundamentals and application

ISO 80000-10, Quantities and units — Part 10: Atomic and nuclear physics

ISO/IEC 17025, General requirements for the competence of testing and calibration laboratories

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)* 

ISO/IEC Guide 99, International vocabulary of metrology — Basic and general concepts and associated terms (VIM)

### koniec náhľadu – text ďalej pokračuje v platenej verzii STN