

STN	Plasty Stanovenie horľavosti metódou kyslíkového čísla Časť 1: Všeobecné požiadavky (ISO 4589-1: 2017)	STN EN ISO 4589-1 64 0756
------------	---	---

Plastics - Determination of burning behaviour by oxygen index - Part 1: General requirements (ISO 4589-1:2017)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/17

Obsahuje: EN ISO 4589-1:2017, ISO 4589-1:2017

Oznámením tejto normy sa ruší
STN EN ISO 4589-1 (64 0756) zo septembra 2001

125591

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD

EN ISO 4589-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2017

ICS 13.220.40; 83.080.01

Supersedes EN ISO 4589-1:1999

English Version

Plastics - Determination of burning behaviour by oxygen index - Part 1: General requirements (ISO 4589-1:2017)

Plastiques - Détermination du comportement au feu au moyen de l'indice d'oxygène - Partie 1: Exigences générales (ISO 4589-1:2017)

Kunststoffe - Bestimmung des Brennverhaltens durch den Sauerstoff-Index - Teil 1: Allgemeine Anforderungen (ISO 4589-1:2017)

This European Standard was approved by CEN on 20 March 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 4589-1:2017) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2017 and conflicting national standards shall be withdrawn at the latest by November 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4589-1:1999.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 4589-1:2017 has been approved by CEN as EN ISO 4589-1:2017 without any modification.

**Plastics — Determination of burning
behaviour by oxygen index —**

**Part 1:
General requirements**

*Plastiques — Détermination du comportement au feu au moyen de
l'indice d'oxygène —*

Partie 1: Exigences générales





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principles of the test	2
5 Applicability of the test	2
6 Specimen preparation	3
7 Apparatus	3
7.1 General.....	3
7.2 Measuring device.....	3
7.3 Column design.....	3
7.4 Sample holder.....	3
8 Operating conditions	3
8.1 Calibration.....	3
8.2 Flame application time.....	4
8.3 Gas flow.....	4
8.4 Elevated-temperature routine.....	4
8.5 Pass/fail criteria.....	4
9 Conclusions	5
Bibliography	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 4, *Burning behaviour*.

This second edition cancels and replaces the first edition (ISO 4589-1:1996), which has been technically revised.

A list of all parts in the ISO 4589 series can be found on the ISO website.

Introduction

The oxygen index (OI) test at ambient temperature was first described by Fenimore and Martin^[3] in 1966. The first use of the method in standards was ASTM D2863:1970^[2] and it has since been published in a wide range of national and international standards. It was published as ISO 4589 in 1984 and has now been revised as ISO 4589-2. The OI test at elevated temperatures is described in ISO 4589-3.

In the period since ASTM D2863 became a standard, a considerable number of papers have been published about this test. An example is the review in Reference ^[6] relating to the relevance of the test to real fire situations. Other papers have suggested empirical formulae relating OI to the amounts of added fire retardant, or describe practical investigations on the equipment performance (see Reference ^[7]). A clear consensus on the value of the two variants of the test has emerged, however, and it is the purpose of this document to discuss the use of the equipment and the applicability of both test methods.

Plastics — Determination of burning behaviour by oxygen index —

Part 1: General requirements

1 Scope

This document specifies the general requirements for the oxygen index (OI) test which are further described in ISO 4589-2 and ISO 4589-3 as follows:

- ISO 4589-2 describes a method for determining the minimum volume fraction of oxygen in a mixture of oxygen and nitrogen introduced at $23\text{ °C} \pm 2\text{ °C}$ that will just support combustion of a material under specified test conditions;
- ISO 4589-3 describes methods of carrying out the same determination over a range of temperatures typically between 25 °C and 150 °C (although temperatures up to 400 °C can be used).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4589-2:2017, *Plastics — Determination of burning behaviour by oxygen index — Part 2: Ambient-temperature test*

ISO 4589-3:2017, *Plastics — Determination of burning behaviour by oxygen index — Part 3: Elevated-temperature test*

ISO 13943, *Fire safety — Vocabulary*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN