

STN	Plasty Stanovenie horľavosti metódou kyslíkového čísla Časť 2: Skúška pri teplote okolia (ISO 4589-2: 2017)	STN EN ISO 4589-2 64 0756
------------	--	---

Plastics - Determination of burning behaviour by oxygen index - Part 2: Ambient-temperature test (ISO 4589-2:2017)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/17

Obsahuje: EN ISO 4589-2:2017, ISO 4589-2:2017

Oznámením tejto normy sa ruší
STN EN ISO 4589-2 (64 0756) zo septembra 2001

125592

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD

EN ISO 4589-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2017

ICS 13.220.40; 83.080.01

Supersedes EN ISO 4589-2:1999

English Version

Plastics - Determination of burning behaviour by oxygen index - Part 2: Ambient-temperature test (ISO 4589-2:2017)

Plastiques - Détermination du comportement au feu au moyen de l'indice d'oxygène - Partie 2: Essai à la température ambiante (ISO 4589-2:2017)

Kunststoffe - Bestimmung des Brennverhaltens durch den Sauerstoff-Index - Teil 2: Prüfung bei Umgebungstemperatur (ISO 4589-2:2017)

This European Standard was approved by CEN on 13 March 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 4589-2:2017) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2017 and conflicting national standards shall be withdrawn at the latest by November 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4589-2:1999.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 4589-2:2017 has been approved by CEN as EN ISO 4589-2:2017 without any modification.

**Plastics — Determination of burning
behaviour by oxygen index —**

**Part 2:
Ambient-temperature test**

*Plastiques — Détermination du comportement au feu au moyen de
l'indice d'oxygène —*

Partie 2: Essai à la température ambiante





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus	2
5.1 Test chimney.....	2
5.2 Test specimen holder.....	2
5.3 Gas supplies.....	6
5.4 Gas control devices.....	7
5.5 Oxygen analyser.....	7
5.6 Flame igniter.....	7
5.7 Timing device.....	7
5.8 Fume extraction system.....	8
5.9 Tool for preparing rolled film.....	8
6 Calibration of equipment	8
7 Preparation of test specimens	8
7.1 Sampling.....	8
7.2 Test specimen dimensions and preparation.....	9
7.3 Marking of test specimens.....	11
7.3.1 General.....	11
7.3.2 Marks for testing by top surface ignition.....	11
7.3.3 Marks for testing by propagating ignition.....	11
7.4 Conditioning.....	11
8 Procedure for determination of oxygen index	12
8.1 General.....	12
8.2 Setting up the apparatus and test specimen.....	12
8.3 Igniting the test specimen.....	13
8.3.1 General.....	13
8.3.2 Procedure A — Top surface ignition.....	13
8.3.3 Procedure B — Propagating ignition.....	13
8.4 Assessing the burning behaviour of individual test specimens.....	13
8.5 Selecting successive volume fractions of oxygen.....	14
8.6 Determining the preliminary volume fraction of oxygen.....	15
8.7 Volume fraction of oxygen changes.....	15
9 Calculations and expression of results	16
9.1 Oxygen index.....	16
9.2 Determination of <i>k</i>	17
9.3 Standard deviation of oxygen volume fraction measurements.....	17
9.4 Precision of results.....	18
10 Comparison with a specified minimum value of the oxygen index (short procedure)	19
10.1 General.....	19
10.2 Setting up the apparatus and test specimen.....	19
10.3 Igniting the test specimen.....	19
10.4 Assessing the burning behaviour of the test specimens.....	19
10.5 Expressing of results.....	19
11 Test report	19
Annex A (normative) Calibration of equipment	20

Annex B (normative) Calculation of volume fraction of oxygen	22
Annex C (informative) Typical test results sheet.....	23
Annex D (informative) Results obtained by interlaboratory trials on type VI specimens	25
Annex E (informative) Precision data obtained from an interlaboratory trial carried out in 1978-1980	26
Bibliography	27

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 4, *Burning behaviour*.

This second edition cancels and replaces the first edition (ISO 4589-2:1996), which has been technically revised. It also incorporates the Amendment ISO 4589-2:1996/Amd.1:2005.

A list of all parts in the ISO 4589 series can be found on the ISO website.

Introduction

Oxygen index (OI) results obtained using the methods described in this document can provide a sensitive measure of the burning characteristics of materials under certain controlled laboratory conditions, and hence may be useful for quality control purposes. The results obtained are dependent upon the shape, orientation and isolation of the test specimen and the conditions of ignition. For particular materials or applications, it may be necessary or appropriate to specify different test conditions. Results obtained from test specimens of differing thickness or by using different ignition procedures may not be comparable and no correlation with flammability behaviour under other fire conditions is implied.

Results obtained in accordance with this document are not applicable to describe or appraise the fire hazard presented by a particular material or shape under actual fire conditions, unless used as one element of a fire risk assessment that takes into account all of the factors pertinent to the assessment of the fire hazard of a particular application for the material.

For assessing the flame propagation properties of cellular materials of density $< 100 \text{ kg/m}^3$, attention is drawn to the method described in ISO 3582.

Plastics — Determination of burning behaviour by oxygen index —

Part 2: Ambient-temperature test

1 Scope

This document specifies methods for determining the minimum volume fraction of oxygen, in admixture with nitrogen, that will support combustion of small vertical test specimens under specified test conditions. The results are defined as oxygen index (OI) values.

Methods are provided for testing materials that are self-supporting in the form of vertical bars or sheets up to 10,5 mm thick. These methods are suitable for solid, laminated or cellular materials characterized by an apparent density 100 kg/m³ or greater. The methods might also be applicable to some cellular materials having an apparent density of less than 100 kg/m³. A method is provided for testing flexible sheets or film materials while supported vertically.

For comparative purposes, a procedure is provided for determining whether or not the OI of a material lies above some specified minimum value.

NOTE It might not be possible to apply these methods satisfactorily to materials that exhibit high levels of shrinkage when heated, e.g. highly oriented thin film.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291:2008, *Plastics — Standard atmospheres for conditioning and testing*

ISO 2859-1, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 2859-2, *Sampling procedures for inspection by attributes — Part 2: Sampling plans indexed by limiting quality (LQ) for isolated lot inspection*

ISO 4589-1, *Plastics — Determination of burning behaviour by oxygen index — Part 1: General requirements*

ISO 5725-2, *Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method*

ISO 7823-1, *Plastics — Poly(methyl methacrylate) sheets — Types, dimensions and characteristics — Part 1: Cast sheets*

ISO 13943, *Fire safety – Vocabulary*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN