

STN	Zariadenia s krátkym dosahom (SRD) používajúce technológiu ultraširokého pásma (UWB) na komunikačné účely Harmonizovaná norma vzťahujúca sa na základné požiadavky podľa článku 3.2 smernice 2014/53/EÚ Časť 2: Požiadavky na sledovanie polohy využitím UWB	STN EN 302 065-2 V2.1.1 87 2065
------------	---	---

Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 2: Requirements for UWB location tracking

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/17

Obsahuje: EN 302 065-2 V2.1.1:2016

125726

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2017
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

ETSI EN 302 065-2 V2.1.1 (2016-11)



HARMONISED EUROPEAN STANDARD

**Short Range Devices (SRD) using
Ultra Wide Band technology (UWB);
Harmonised Standard covering the essential requirements
of article 3.2 of the Directive 2014/53/EU;
Part 2: Requirements for UWB location tracking**

Reference

REN/ERM-TGUWB-139

Keywordsharmonised standard, radio, regulation, SRD,
testing, UWB**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important noticeThe present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
1 Scope	8
2 References	9
2.1 Normative references	9
2.2 Informative references.....	9
3 Definitions, symbols and abbreviations	11
3.1 Definitions.....	11
3.2 Symbols.....	11
3.3 Abbreviations	11
4 Technical requirements specifications	11
4.1 Environmental conditions.....	11
4.2 General	11
4.3 Transmitter Conformance Requirements.....	12
4.3.1 Operating Bandwidth.....	12
4.3.1.1 Applicability.....	12
4.3.1.2 Description	13
4.3.1.3 Limits	13
4.3.1.4 Conformance.....	13
4.3.2 Maximum Value of Mean Power Spectral Density	13
4.3.2.1 Applicability.....	13
4.3.2.2 Description	13
4.3.2.3 Limits	13
4.3.2.4 Conformance.....	14
4.3.3 Maximum value of peak power	15
4.3.3.1 Applicability.....	15
4.3.3.2 Description	15
4.3.3.3 Limits	15
4.3.3.4 Conformance.....	16
4.3.4 Exterior Limits.....	16
4.3.5 Total Power.....	16
4.3.6 Other Emissions	16
4.3.6.1 Applicability.....	16
4.3.6.2 Description	16
4.3.6.3 Limits	17
4.3.6.4 Conformance.....	17
4.3.7 Transmitter Unwanted Emissions	17
4.4 Receiver Conformance Requirements	17
4.4.1 General.....	17
4.4.2 Receiver spurious emissions	18
4.4.2.1 Applicability.....	18
4.4.2.2 Description	18
4.4.2.3 Limits	18
4.4.2.4 Conformance.....	18
4.4.3 Receiver interference handling	18
4.4.3.1 Applicability.....	18
4.4.3.2 Description	18
4.4.3.3 Limits	19
4.4.3.4 Conformance.....	19
4.5 Requirements for Spectrum Access.....	19
4.5.1 Detect and Avoid (DAA).....	19
4.5.1.1 Applicability.....	19
4.5.1.2 Description	19

4.5.1.3	Limits	19
4.5.1.4	Conformance	19
4.5.2	Listen-Before-Talk (LBT)	19
4.5.3	Low Duty Cycle (LDC)	19
4.5.3.1	Applicability	19
4.5.3.2	Description	19
4.5.3.3	Limits	20
4.5.3.4	Conformance	20
4.6	Antenna Requirements	20
4.6.1	Characteristics and orientation	20
4.6.1.1	Applicability	20
4.6.1.2	Description	20
4.6.1.3	Limits	20
4.6.1.4	Conformance	20
4.7	Other Requirements and Mitigation techniques	21
4.7.1	Adaptive / Transmit Power Control (TPC)	21
4.7.2	Activity Factor	21
4.7.3	Frequency Domain Mitigation	21
4.7.4	Shielding Effects	21
4.7.5	Thermal Radiation	21
4.7.6	Site Registration	21
4.7.6.1	Applicability	21
4.7.6.2	Description	21
4.7.6.3	Limits	21
4.7.6.4	Conformance	21
5	Testing for compliance with technical requirements	21
5.1	Environmental conditions for testing	21
5.2	General conditions for testing	22
5.2.1	Product information	22
5.2.2	Requirements for the test modulation	22
5.2.3	Test conditions, power supply and ambient temperatures	22
5.2.4	Choice of equipment for test suites	22
5.2.5	Multiple operating bandwidths and multiband equipment	22
5.2.6	Testing of host connected equipment and plug-in radio devices	22
5.3	Interpretation of the measurement results	22
5.3.0	General	22
5.3.1	Measurement uncertainty is equal to or less than maximum acceptable uncertainty	22
5.3.2	Measurement uncertainty is greater than maximum acceptable uncertainty	22
5.3.3	Emissions	22
6	Conformance methods of measurement for transmitters	23
6.1	Introduction	23
6.2	Initial Measurement steps	23
6.3	Radiated measurements	23
6.3.1	General	23
6.3.2	Test sites and general arrangements for measurements involving the use of radiated fields	23
6.3.3	Guidance on the use of a radiation test site	23
6.3.3.1	General	23
6.3.3.2	Range length	23
6.3.4	Coupling of signals	23
6.3.5	Standard test methods	23
6.3.5.1	Generic measurement method	23
6.3.5.1.1	Calibrated setup	23
6.3.5.1.2	Substitution method	23
6.3.6	Standard calibration method	24
6.4	Conducted measurements	24
6.4.1	General Setup	24
6.4.2	Specific Setup	24
6.5	Conformance methods of measurement for transmitter	24
6.5.1	General	24
6.5.2	Method of measurements of the Ultra Wideband Emissions	24

6.5.3	Operating Bandwidth.....	24
6.5.4	Mean power spectral density measurements.....	24
6.5.5	Peak power measurements.....	25
6.5.6	Exterior limit measurement.....	25
6.5.7	Total Power.....	25
6.5.8	Transmitter unwanted emissions.....	25
6.6	Conformance methods of measurement for receiver.....	25
6.6.1	Receiver spurious emissions.....	25
6.6.2	Receiver interference handling.....	25
6.7	Conformance test suites for spectrum access.....	25
6.7.1	Detect and Avoid Mechanisms.....	25
6.7.2	Listen Before Talk.....	25
6.7.3	Low Duty Cycle.....	25
6.8	Conformance test suites for antenna requirements.....	26
6.9	Other Test Suites.....	26
6.9.1	Transmit Power Control.....	26
6.9.2	Activity Factor.....	26
6.9.3	Frequency Domain Mitigation.....	26
6.9.4	Shielding Effects.....	26
6.9.5	Thermal Radiation.....	26
6.9.6	Installation requirements / site registration.....	26
Annex A (normative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU.....	27
Annex B (informative):	Application form for testing.....	29
B.1	Introduction.....	29
B.2	General information as required by ETSI EN 302 065-2, clause 5.2.1.....	29
B.2.1	Type of equipment (stand-alone, combined, plug-in radio device, etc.).....	29
B.2.2	The nominal voltages of the stand-alone radio equipment or the nominal voltages of the combined (host) equipment or test jig in case of plug-in devices.....	29
B.3	Signal-related information as required by ETSI EN 302 065-2, clause 4.3.....	30
B.3.1	Introduction.....	30
B.3.2	Operating Bandwidth(s) of the equipment.....	30
B.3.3	The worst case mode for each of the following tests.....	30
B.4	RX test Information as required by ETSI EN 302 06-2, clause 4.4.....	30
B.4.2	Performance criterion and level of performance.....	30
B.4.4	Interfering signals.....	30
B.5	Information on spectrum access techniques as required by ETSI EN 302 065-2, clause 4.5.....	31
B.5.1	Introduction.....	31
B.5.2	Spectrum access.....	31
B.6	Information on antenna requirements as required by ETSI EN 302 065-2, clause 4.6.....	31
B.6.1	Introduction.....	31
B.6.2	Antenna Requirements.....	31
B.7	Additional information provided by the applicant.....	32
B.7.1	About the UUT.....	32
B.7.2	Additional items and/or supporting equipment provided.....	32
Annex C (normative):	Equivalent mitigation techniques.....	33
C.1	Equivalent mitigation techniques and LDC limits.....	33
C.2	Test Procedure.....	33
C.3	Limit.....	33
Annex D (informative):	Measurement antenna, preamplifier and cable specifications.....	34
Annex E (informative):	Bibliography.....	35

Annex F (informative): **Change history**36
History37

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.18] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.15].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.17].

National transposition dates	
Date of adoption of this EN:	18 July 2016
Date of latest announcement of this EN (doa):	31 October 2016
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2017
Date of withdrawal of any conflicting National Standard (dow):	30 April 2018

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document applies to transceivers, transmitters and receivers utilizing Ultra WideBand (UWB) technologies and used for location tracking purposes.

The present document applies to impulse, modified impulse and RF carrier based UWB communication technologies.

The present document applies to fixed, mobile or portable applications, e.g. the present document applies to the following equipment types:

- stand-alone radio equipment with or without its own control provisions;
- plug-in radio devices intended for use with, or within, a variety of host systems, e.g. personal computers, hand-held terminals, etc.;
- plug-in radio devices intended for use within combined equipment, e.g. cable modems, set-top boxes, access points, etc.;
- combined equipment or a combination of a plug-in radio device and a specific type of host equipment.

The present document applies to UWB equipment with an output connection used with a dedicated antenna or UWB equipment with an integral antenna.

The present document covers three different types of location tracking system, which may use either of the UWB technologies listed previously:

- **LT1 systems:** These systems, operating in the 6 GHz to 9 GHz region (see CEPT Report 45 [i.13]), are intended for general location tracking of people and objects. They operate on an unlicensed basis. The transmitting terminals in these systems are mobile (indoors or outdoors), or fixed (indoors only). Fixed outdoor LT1 transmitters are not permitted. Typically, LT1 transmitters are mobile location tracking tags which are attached to people or objects, and tags are tracked using a fixed receiver infrastructure to only receive the UWB emission emitted by the tags, ETSI EG 201 399 [i.1].
- **LT2 systems:** These systems, operating in the 3,1 GHz to 4,8 GHz region (see ECC/REC(11)09 [i.8]), are intended for person and object tracking and industrial applications at well-defined locations. The transmitting terminals in these systems may be located indoors or outdoors, and may be fixed or mobile. They operate at fixed sites and may be subject to registration and authorization, provided local coordination with possible interference victims has been performed, ECC Report 167 [i.10] and ECC Report 170 [i.11].
- **LAES systems:** These systems, operating in the 3,1 GHz to 4,8 GHz region (see ECC/REC(11)10 [i.9]), are intended for tracking staff belonging to the fire and other emergency services, who need to work in dangerous situations. Being able to track such people, even when deep inside a building, provides an important enhancement to command and control and to their personal safety. Typically, an LAES system is deployed temporarily at the scene of a fire or other emergency in a building. Licences may be required for user organization, ECC Report 167 [i.10] and ECC Report 170 [i.11].

Some individual location tracking devices may be able to operate within different kinds of location tracking systems, and therefore may meet (in different modes) the requirements of any or all of LT1, LT2 and LAES.

The present document does not cover UWB transmitters whose authorization to operate depends solely on the tests set out in the present document and which are installed or used in flying models, aircraft and other forms of aviation. Furthermore, it does not cover LT1 UWB transmitters that are operated on board a road or rail vehicle running on a public network or highway.

The permitted frequency ranges of operation for the various device types covered by the present document are given in table 1.

Table 1: Operating frequency bands

Device type	Mode	Permitted range of operation	Intended range of operation (preferred range of Operational Bandwidth) (see note 1)
LT1	Transmit	30 MHz to 10,6 GHz (note 2)	6,0 GHz to 9 GHz
	Receive	30 MHz to 10,6 GHz	6,0 GHz to 9 GHz
LAES	Transmit	30 MHz to 10,6 GHz (note 3)	3,1 GHz to 4,8 GHz
	Receive	30 MHz to 10,6 GHz	3,1 GHz to 4,8 GHz
LT2	Transmit	30 MHz to 10,6 GHz (note 4)	3,1 GHz to 4,8 GHz
	Receive	30 MHz to 10,6 GHz	3,1 GHz to 4,8 GHz

NOTE 1: This is the preferred range for the operating bandwidth, as defined in clause 4.3.1.
NOTE 2: Limits in table 2 (clause 4.3.2.3) and table 5 (clause 4.3.3.3) are to be met.
NOTE 3: Limits in table 3 (clause 4.3.2.3) and table 6 (clause 4.3.3.3) are to be met.
NOTE 4: Limits in table 4 (clause 4.3.2.3) and table 7 (clause 4.3.3.3) are to be met.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 102 754 (V1.3.1) (03-2013): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics of Detect And Avoid (DAA) mitigation techniques for SRD equipment using Ultra Wideband (UWB) technology".
- [2] ETSI EN 303 883 (V1.1.1) (09-2016): "Short Range Devices (SRD) using Ultra Wide Band (UWB); Measurement Techniques".
- [3] ETSI TS 103 361 (V1.1.1) (03-2016): "Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Receiver technical requirements, parameters and measurement procedures to fulfil the requirements of the Directive 2014/53/EU".
- [4] Void.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI EG 201 399 (V2.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of candidate Harmonized Standards for application under the R&TTE Directive".

- [i.2] Void.
- [i.3] Void.
- [i.4] CEPT ECC/DEC/(06)04 of 24 March 2006 amended 9 December 2011: "The harmonised conditions for devices using Ultra-Wideband (UWB) technology in bands below 10.6 GHz".
- [i.5] Commission Decision 2007/131/EC of 21 February 2007 on allowing the use of the radio spectrum for equipment using ultra-wideband technology in a harmonised manner in the Community (notified under document number C(2007) 522).
- [i.6] ECC Report 120 (March 2008): "ECC Report on Technical requirements for UWB DAA (Detect and avoid) devices to ensure the protection of radiolocation in the bands 3.1-3.4 GHz and 8.5-9 GHz and BWA terminals in the band 3.4 - 4.2 GHz".
- [i.7] Void.
- [i.8] ECC Recommendation (11)09 on UWB Location Tracking Systems Type 2 (LT2), October 2011.
- [i.9] ECC Recommendation (11)10 on Location Tracking Application for Emergency and Disaster Situations, October 2011.
- [i.10] ECC Report 167 (May 2011): "The Practical Implementation of Registration/Coordination Mechanism for UWB LT2 (Location Tracking Type 2) Systems".
- [i.11] ECC Report 170 (October 2011): "ECC Report on Specific UWB Applications in the Bands 3.4 - 4.8 GHz and 6 - 8.5 GHz Location Tracking Applications for Emergency Services (LAES), Location Tracking Applications Type 2 (LT2) and Location Tracking and Sensor Applications for Automotive and Transportation Environments (LTA)".
- [i.12] Void.
- [i.13] CEPT Report 45: "Report from CEPT to the European Commission in response to the Fifth Mandate to CEPT on ultra-wideband technology to clarify the technical parameters in view of a potential update of Commission Decision 2007/131/EC; Report approved on 21 June 2013 by the ECC".
- [i.14] Commission Decision 2014/702/EU of 7 October 2014 amending Decision 2007/131/EC on allowing the use of the radio spectrum for equipment using ultra-wideband technology in a harmonised manner in the Community (notified under document C(2014) 7083).
- [i.15] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.16] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.17] ETSI EN 302 065-1 (V.2.1.0): "Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Requirements for Generic UWB applications".
- [i.18] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN