

STN	Tepelné mosty v budovách pozemných stavieb Tepelné toky a povrchové teploty Podrobné výpočty (ISO 10211: 2017)	STN EN ISO 10211 73 0551
------------	---	--

Thermal bridges in building construction - Heat flows and surface temperatures - Detailed calculations (ISO 10211:2017)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/18

Obsahuje: EN ISO 10211:2017, ISO 10211:2017

Oznámením tejto normy sa ruší
STN EN ISO 10211 (73 0551) z augusta 2008

126020

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2018
Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD

EN ISO 10211

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2017

ICS 91.120.10

Supersedes EN ISO 10211:2007

English Version

Thermal bridges in building construction - Heat flows and surface temperatures - Detailed calculations (ISO 10211:2017)

Ponts thermiques dans les bâtiments - Flux thermiques et températures superficielles - Calculs détaillés (ISO 10211:2017)

Wärmebrücken im Hochbau - Wärmeströme und Oberflächentemperaturen - Detaillierte Berechnungen (ISO 10211:2017)

This European Standard was approved by CEN on 27 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 10211:2017) has been prepared by Technical Committee ISO/TC 163 "Thermal performance and energy use in the built environment" in collaboration with Technical Committee CEN/TC 89 "Thermal performance of buildings and building components" the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2018 and conflicting national standards shall be withdrawn at the latest by January 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document is part of the set of standards and accompanying technical reports on the energy performance of buildings and has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association (Mandate M/480, see reference [EF3] below).

Directive 2010/31/EU recasting the Directive 2002/91/EC on energy performance of buildings (EPBD, [EF4]) promotes the improvement of the energy performance of buildings within the European Union, taking into account all types of energy uses (heating, lighting, cooling, air conditioning, ventilation) and outdoor climatic and local conditions, as well as indoor climate requirements and cost effectiveness (Article 1).

The directive requires Member States to adopt measures and tools to achieve the prudent and rational use of energy resources. In order to achieve those goals, the EPBD requires increasing energy efficiency and the enhanced use of renewable energies in both new and existing buildings. One tool for this is the application by Member States of minimum requirements on the energy performance of new buildings and for existing buildings that are subject to major renovation, as well as for minimum performance requirements for the building envelope if energy-relevant parts are replaced or retrofitted. Other tools are energy certification of buildings, inspection of boilers and air-conditioning systems.

The use of European standards increases the accessibility, transparency and objectivity of the energy performance assessment in the Member States facilitating the comparison of best practices and supporting the internal market for construction products. The use of EPB standards for calculating energy performance, as well as for energy performance certification and the inspection of heating systems and boilers, ventilation and air-conditioning systems will reduce costs compared to developing different standards at national level.

The first mandate to CEN to develop a set of CEN EPBD standards (M/343, [EF1]), to support the first edition of the EPBD ([EF2]) resulted in the successful publication of all EPBD related CEN standards in 2007-2008.

Mandate M/480 was issued to review the mandate M/343 as the recast of the EPBD raised the need to revisit the standards and reformulate and add standards so that they become on the one hand unambiguous and compatible, and on the other hand a clear and explicit overview of the choices,

boundary conditions and input data that need to be defined at national or regional level. Such national or regional choices remain necessary, due to differences in climate, culture and building tradition, policy and legal frameworks. Consequently, the set of CEN EPBD standards published in 2007-2008 had to be improved and expanded on the basis of the recast of the EPBD.

The EPB standards are flexible enough to allow for necessary national and regional differentiation and facilitate Member States implementation and the setting of requirements by the Member States.

Further target groups are users of the voluntary common European Union certification scheme for the energy performance of non-residential buildings (EPBD article 11.9) and any other regional (e.g. pan European) parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

This document supersedes EN ISO 10211:2007.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

References:

- [EF1] EPBD, Directive 2002/91/EC of the European Parliament and of the Council of 16 December 2002 on the energy performance of buildings
- [EF2] EPBD Mandate M/343, Mandate to CEN, CENELEC and ETSI for the elaboration and adoption of standards for a methodology calculating the integrated energy performance of buildings and estimating the environmental impact, in accordance with the terms set forth in Directive 2002/91/EC , 30 January 2004
- [EF3] Mandate M/480, Mandate to CEN, CENELEC and ETSI for the elaboration and adoption of standards for a methodology calculating the integrated energy performance of buildings and promoting the energy efficiency of buildings, in accordance with the terms set in the recast of the Directive on the energy performance of buildings (2010/31/EU), 14 December 2010
- [EF4] EPBD, Recast of the Directive on the energy performance of buildings (2010/31/EU). 14 December 2010

Endorsement notice

The text of ISO 10211:2017 has been approved by CEN as EN ISO 10211:2017 without any modification.

**Thermal bridges in building
construction — Heat flows and surface
temperatures — Detailed calculations**

*Ponts thermiques dans les bâtiments — Flux thermiques et
températures superficielles — Calculs détaillés*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and subscripts	7
4.1 Symbols.....	7
4.2 Subscripts.....	7
5 Description of the method	8
5.1 Output.....	8
5.2 General description.....	8
6 Output data and input data	8
6.1 Output data.....	8
6.2 Calculation time intervals.....	9
6.3 Input data.....	9
7 Modelling of the construction	9
7.1 Dimension systems.....	9
7.2 Rules for modelling.....	9
7.2.1 General.....	9
7.2.2 Cut-off planes for a 3-D geometrical model for calculation of total heat flow and/or surface temperatures.....	9
7.2.3 Cut-off planes for a 2-D geometrical model.....	11
7.2.4 Cut-off planes in the ground.....	12
7.2.5 Periodic heat flows via the ground.....	13
7.2.6 Adjustments to dimensions.....	13
7.2.7 Auxiliary planes.....	15
7.2.8 Quasi-homogeneous layers and materials.....	15
7.3 Conditions for simplifying the geometrical model.....	15
7.3.1 General.....	15
7.3.2 Conditions for adjusting dimensions to simplify the geometrical model.....	16
7.3.3 Conditions for using quasi-homogeneous material layers to simplify the geometrical model.....	17
8 Input data specifications	20
8.1 General.....	20
8.2 Thermal conductivities of materials.....	21
8.3 Surface resistances.....	21
8.4 Boundary temperatures.....	21
8.5 Thermal conductivity of quasi-homogeneous layers.....	21
8.6 Equivalent thermal conductivity of air cavities.....	21
8.7 Determining the temperature in an adjacent unheated room.....	22
9 Calculation method	22
9.1 Solution technique.....	22
9.2 Calculation rules.....	22
9.2.1 Heat flows between material cells and adjacent environment.....	22
9.2.2 Heat flows at cut-off planes.....	22
9.2.3 Solution of the formulae.....	22
9.2.4 Calculation of the temperature distribution.....	23
10 Determination of thermal coupling coefficients and heat flow rate from 3-D calculations	23
10.1 Two boundary temperatures, unpartitioned model.....	23
10.2 Two boundary temperatures, partitioned model.....	23

10.3	More than two boundary temperatures.....	24
11	Calculations using linear and point thermal transmittances from 3-D calculations.....	25
11.1	Calculation of thermal coupling coefficient.....	25
11.2	Calculation of linear and point thermal transmittances.....	25
12	Determination of thermal coupling coefficient, heat flow rate and linear thermal transmittance from 2-D calculations.....	26
12.1	Two boundary temperatures.....	26
12.2	More than two boundary temperatures.....	26
12.3	Determination of the linear thermal transmittance.....	27
12.4	Determination of the linear thermal transmittance for wall/floor junctions.....	27
12.4.1	All cases.....	27
12.4.2	Option A.....	27
12.4.3	Option B.....	29
12.5	Determination of the external periodic heat transfer coefficient for ground floors.....	31
13	Determination of the temperature at the internal surface.....	32
13.1	Determination of the temperature at the internal surface from 3-D calculations.....	32
13.1.1	Two boundary temperatures.....	32
13.1.2	More than two boundary temperatures.....	32
13.2	Determination of the temperature at the internal surface from 2-D calculations.....	33
13.2.1	Two boundary temperatures.....	33
13.2.2	Three boundary temperatures.....	33
14	Report.....	33
14.1	Input data.....	33
14.2	Output data.....	34
14.2.1	General.....	34
14.2.2	Calculation of the heat transmission using the thermal coupling coefficient.....	34
14.2.3	Calculation of the surface temperatures using weighting factors.....	34
14.2.4	Additional output data.....	34
14.2.5	Estimate of error.....	35
Annex A	(normative) Input and method selection data sheet — Template.....	36
Annex B	(informative) Input and method selection data sheet — Default choices.....	38
Annex C	(normative) Validation of calculation methods.....	40
Annex D	(normative) Examples of the determination of the linear and point thermal transmittances.....	47
Annex E	(normative) Determination of values of thermal coupling coefficient and temperature weighting factor for more than two boundary temperatures.....	50
Bibliography	55

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

ISO 10211 was prepared by ISO Technical Committee ISO/TC 163, *Thermal performance and energy use in the built environment*, Subcommittee SC 2, *Calculation methods*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 89, *Thermal performance of buildings and building components*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 10211:2007), which has been technically revised.

The changes in the second edition are mostly editorial. The standard has been re-drafted according to CEN/TS 16629:2014.

Introduction

This document is part of a series aimed at the international harmonization of the methodology for assessing the energy performance of buildings. Throughout, this series is referred to as a “set of EPB standards”.

All EPB standards follow specific rules to ensure overall consistency, unambiguity and transparency.

All EPB standards provide a certain flexibility with regard to the methods, the required input data and references to other EPB standards, by the introduction of a normative template in [Annex A](#) and [Annex B](#) with informative default choices.

For the correct use of this document, a normative template is given in [Annex A](#) to specify these choices. Informative default choices are provided in [Annex B](#).

The main target groups for this document are architects, engineers and regulators.

Use by or for regulators: In case the document is used in the context of national or regional legal requirements, mandatory choices may be given at national or regional level for such specific applications. These choices (either the informative default choices from [Annex B](#) or choices adapted to national/regional needs, but in any case following the template of [Annex A](#)) can be made available as national annex or as separate (e.g. legal) document (national data sheet).

NOTE 1 So in this case:

- the regulators will specify the choices;
- the individual user will apply the document to assess the energy performance of a building, and thereby use the choices made by the regulators.

Topics addressed in this document can be subject to public regulation. Public regulation on the same topics can override the default values in [Annex B](#). Public regulation on the same topics can even, for certain applications, override the use of this document. Legal requirements and choices are in general not published in standards but in legal documents. In order to avoid double publications and difficult updating of double documents, a national annex may refer to the legal texts where national choices have been made by public authorities. Different national annexes or national data sheets are possible, for different applications.

It is expected, if the default values, choices and references to other EPB standards in [Annex B](#) are not followed due to national regulations, policy or traditions, that:

- national or regional authorities prepare data sheets containing the choices and national or regional values, according to the model in [Annex A](#). In this case a national annex (e.g. NA) is recommended, containing a reference to these data sheets;
- or, by default, the national standards body will consider the possibility to add or include a national annex in agreement with the template of [Annex A](#), in accordance to the legal documents that give national or regional values and choices.

Further target groups are parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

More information is provided in the Technical Report accompanying this document (ISO/TR 52019-2).

The subset of EPB standards prepared under the responsibility of ISO/TC 163/SC 2 cover *inter alia*:

- calculation procedures on the overall energy use and energy performance of buildings;
- calculation procedures on the internal temperature in buildings (e.g. in case of no space heating or cooling);
- indicators for partial EPB requirements related to thermal energy balance and fabric features;

- calculation methods covering the performance and thermal, hygrothermal, solar and visual characteristics of specific parts of the building and specific building elements and components, such as opaque envelope elements, ground floor, windows and facades.

ISO/TC 163/SC 2 cooperates with other technical committees for the details on appliances, technical building systems, indoor environment, etc.

This document sets out the specifications for a geometrical model of a thermal bridge for the numerical calculation of linear thermal transmittances, point thermal transmittances and internal surface temperatures.

[Table 1](#) shows the relative position of this document within the set of EPB standards in the context of the modular structure as set out in ISO 52000-1.

NOTE 2 In ISO/TR 52000-2 the same table can be found, with, for each module, the numbers of the relevant EPB standards and accompanying technical reports that are published or in preparation.

NOTE 3 The modules represent EPB standards, although one EPB standard could cover more than one module and one module could be covered by more than one EPB standard, for instance, a simplified and a detailed method respectively. See also [Tables A.1](#) and [B.1](#).

Table 1 — Position of this document (*in casu* M2–5) within the modular structure of the set of EPB standards

Sub-module	Overarching		Building (as such)		Technical Building Systems									
	Descriptions		Descriptions		Descriptions	Heating	Cooling	Ventilation	Humidification	Dehumidification	Domestic hot water	Lighting	Building automation and control	PV, wind, ..
sub1		M1		M2		M3	M4	M5	M6	M7	M8	M9	M10	M11
1	General		General		General									
2	Common terms and definitions; symbols, units and subscripts		Building energy needs		Needs								a	
3	Applications		(Free) indoor conditions without systems		Maximum load and power									
4	Ways to express energy performance		Ways to express energy performance		Ways to express energy performance									
5	Building categories and building boundaries		Heat transfer by transmission	ISO 10211	Emission and control									

^a The shaded modules are not applicable.

Table 1 (continued)

Overarching		Building (as such)		Technical Building Systems										
Sub-module	Descriptions		Descriptions		Descriptions	Heat- ing	Cool- ing	Ven- tila- tion	Humidi- fication	Dehu- midifi- cation	Domestic hot water	Lighting	Building automa- tion and control	PV, wind, ..
sub1		M1		M2		M3	M4	M5	M6	M7	M8	M9	M10	M11
6	Building occupancy and operating conditions		Heat transfer by infiltration and ventilation		Distribution and control									
7	Aggregation of energy services and energy carriers		Internal heat gains		Storage and control									
8	Building zoning		Solar heat gains		Generation and control									
9	Calculated energy performance		Building dynamics (thermal mass)		Load dispatching and operating conditions									
10	Measured energy performance		Measured energy performance		Measured Energy Performance									
11	Inspection		Inspection		Inspection									
12	Ways to express indoor comfort				BMS									
13	External environment conditions													
14	Economic calculation													

^a The shaded modules are not applicable.

Thermal bridges in building construction — Heat flows and surface temperatures — Detailed calculations

1 Scope

This document sets out the specifications for a three-dimensional and a two-dimensional geometrical model of a thermal bridge for the numerical calculation of

- heat flows, in order to assess the overall heat loss from a building or part of it, and
- minimum surface temperatures, in order to assess the risk of surface condensation.

These specifications include the geometrical boundaries and subdivisions of the model, the thermal boundary conditions, and the thermal values and relationships to be used.

This document is based upon the following assumptions:

- all physical properties are independent of temperature;
- there are no heat sources within the building element.

This document can also be used for the derivation of linear and point thermal transmittances and of surface temperature factors.

NOTE Table 1 in the Introduction shows the relative position of this document within the set of EPB standards in the context of the modular structure as set out in ISO 52000-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6946, *Building components and building elements — Thermal resistance and thermal transmittance — Calculation method*

ISO 7345, *Thermal insulation — Physical quantities and definitions*

ISO 13370, *Thermal performance of buildings — Heat transfer via the ground — Calculation methods*

ISO 13788, *Hygrothermal performance of building components and building elements — Internal surface temperature to avoid critical surface humidity and interstitial condensation — Calculation methods*

ISO 10456, *Building materials and products — Hygrothermal properties — Tabulated design values and procedures for determining declared and design thermal values*

ISO 13789, *Thermal performance of buildings — Transmission and ventilation heat transfer coefficients — Calculation method*

ISO 52000-1:2017, *Energy performance of buildings — Overarching EPB assessment — Part 1: General framework and procedures*

NOTE 1 Default references to EPB standards other than ISO 52000-1 are identified by the EPB module code number and given in [Annex A](#) (normative template in Table A.1) and [Annex B](#) (informative default choice in Table B.1).

ISO 10211:2017(E)

EXAMPLE EPB module code number: M5-5, or M5-5,1 (if module M5-5 is subdivided), or M5-5/1 (if reference to a specific clause of the standard covering M5-5).

NOTE 2 In this document, there are no choices in references to other EPB standards. The sentence and note above is kept to maintain uniformity between all EPB standards.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN