

|            |   |  |
|------------|---|--|
| <b>STN</b> | <p><b>Zariadenia s krátkym dosahom (SRD)</b><br/><b>Radar na sondovanie hladiny v nádržiach (TLPR)</b><br/>pracujúci vo frekvenčných pásmach od 4,5 GHz<br/>do 7 GHz, od 8,5 GHz do 10,6 GHz, od 24,05 GHz<br/>do 27 GHz, od 57 GHz do 64 GHz, od 75 GHz do 85<br/>GHz<br/><b>Harmonizovaná norma vzťahujúca sa na základné<br/>požiadavky podľa článku 3.2 smernice 2014/53/EÚ</b></p> | <p><b>STN</b><br/><b>EN 302 372 V2.1.1</b></p> |
|            |   | 87 2372  |

Short Range Devices (SRD); Tank Level Probing Radar (TLPR) equipment operating in the frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz, 24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/18

Obsahuje: EN 302 372 V2.1.1:2016

**126037**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2018

Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnôžovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

# ETSI EN 302 372 V2.1.1 (2016-12)



**Short Range Devices (SRD);  
Tank Level Probing Radar (TLPR) equipment operating in the  
frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz,  
24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz;  
Harmonised Standard covering the essential requirements  
of article 3.2 of the Directive 2014/53/EU**

---

Reference

REN/ERM-TGUWB-131

---

KeywordsEHF, harmonised standard, radar, regulation,  
SHF, short range, SRD, testing, UWB***ETSI***

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

# Contents

|   |    |
|---|----|
| Intellectual Property Rights .....                          | 8  |
| Foreword.....   | 8  |
| Modal verbs terminology.....                                | 8  |
| Introduction .....  | 8  |
| 1    Scope .....  | 10 |
| 2    References .....                                       | 10 |
| 2.1    Normative references .....                           | 10 |
| 2.2    Informative references.....                          | 11 |
| 3    Definitions, symbols and abbreviations .....           | 12 |
| 3.1    Definitions .....                                    | 12 |
| 3.2    Symbols .....  | 13 |
| 3.3    Abbreviations .....                                  | 14 |
| 4    Technical requirements specifications .....            | 15 |
| 4.1    Environmental conditions.....                        | 15 |
| 4.2    General .....  | 15 |
| 4.3    Transmitter conformance requirements.....            | 15 |
| 4.3.1    Permitted frequency range of operation.....        | 15 |
| 4.3.1.1    Applicability.....                               | 15 |
| 4.3.1.2    Description .....                                | 15 |
| 4.3.1.3    Limits .....                                     | 15 |
| 4.3.1.4    Conformance.....                                 | 15 |
| 4.3.2    Operating bandwidth.....                           | 16 |
| 4.3.2.1    Applicability.....                               | 16 |
| 4.3.2.2    Description .....                                | 16 |
| 4.3.2.3    Limits .....                                     | 16 |
| 4.3.2.4    Conformance.....                                 | 16 |
| 4.3.3    Maximum value of mean power spectral density ..... | 16 |
| 4.3.4    Maximum value of peak power .....                  | 16 |
| 4.3.4.1    Applicability.....                               | 16 |
| 4.3.4.2    Description .....                                | 17 |
| 4.3.4.3    Limits .....                                     | 17 |
| 4.3.4.4    Conformance.....                                 | 17 |
| 4.3.5    Exterior limits .....                              | 17 |
| 4.3.6    Low duty cycle .....                               | 17 |
| 4.3.7    Other emissions .....                              | 17 |
| 4.3.8    Transmitter unwanted emissions.....                | 17 |
| 4.3.8.1    Applicability.....                               | 17 |
| 4.3.8.2    Description .....                                | 17 |
| 4.3.8.3    Limits .....                                     | 18 |
| 4.3.8.4    Conformance.....                                 | 18 |
| 4.4    Receiver conformance requirements .....              | 18 |
| 4.4.1    General.....                                       | 18 |
| 4.4.2    Receiver spurious emissions .....                  | 18 |
| 4.4.2.1    Applicability.....                               | 18 |
| 4.4.2.2    Description .....                                | 18 |
| 4.4.2.3    Limits .....                                     | 18 |
| 4.4.2.4    Conformance.....                                 | 19 |
| 4.4.3    Interferer signal handling.....                    | 19 |
| 4.4.3.1    Applicability.....                               | 19 |
| 4.4.3.2    Description .....                                | 19 |
| 4.4.3.3    Limits .....                                     | 19 |
| 4.4.3.4    Conformance.....                                 | 20 |
| 4.5    Requirements for spectrum access .....               | 20 |
| 4.5.1    Detect and avoid (DAA) .....                       | 20 |

|         |   |    |
|---------|---|----|
| 4.5.2   | Listen-before-talk (LBT) .....  | 20 |
| 4.5.3   | Low duty cycle (LDC) .....  | 20 |
| 4.6     | Antenna requirements.....   | 20 |
| 4.7     | Other requirements and mitigation techniques .....  | 20 |
| 4.7.1   | General.....  | 20 |
| 4.7.2   | Adaptive power control (APC) .....  | 21 |
| 4.7.3   | Activity factor and duty cycle.....   | 21 |
| 4.7.3.1 | Applicability.....  | 21 |
| 4.7.3.2 | Description .....   | 21 |
| 4.7.3.3 | Limits .....  | 22 |
| 4.7.3.4 | Conformance .....   | 22 |
| 4.7.4   | Frequency domain mitigation .....   | 22 |
| 4.7.4.1 | Applicability.....  | 22 |
| 4.7.4.2 | Description .....   | 23 |
| 4.7.4.3 | Limits .....  | 23 |
| 4.7.4.4 | Conformance .....   | 23 |
| 4.7.5   | Shielding effects .....   | 23 |
| 4.7.5.1 | Applicability.....  | 23 |
| 4.7.5.2 | Description .....   | 23 |
| 4.7.5.3 | Limits .....  | 23 |
| 4.7.5.4 | Conformance .....   | 23 |
| 4.7.6   | Thermal radiation.....  | 23 |
| 4.7.7   | Site registration.....  | 23 |
| 4.7.8   | Equivalent mitigation techniques.....   | 23 |
| 4.7.8.1 | Applicability.....  | 23 |
| 4.7.8.2 | Description .....   | 24 |
| 4.7.8.3 | Limits .....  | 24 |
| 4.7.8.4 | Conformance .....   | 24 |
| 4.7.9   | Range of modulation parameters .....  | 24 |
| 4.7.9.1 | Applicability.....  | 24 |
| 4.7.9.2 | Description .....   | 24 |
| 4.7.9.3 | Limits .....  | 24 |
| 4.7.9.4 | Conformance .....   | 24 |
| 5       | Testing for compliance with technical requirements.....   | 24 |
| 5.1     | Environmental conditions for testing .....  | 24 |
| 5.2     | General conditions for testing .....  | 25 |
| 5.2.1   | Product information .....   | 25 |
| 5.2.2   | Product information useful to facilitate testing.....   | 25 |
| 5.2.3   | Requirements for the test modulation .....  | 25 |
| 5.2.4   | Test conditions, power supply and ambient temperatures .....                                    | 25 |
| 5.2.5   | Choice of equipment for test suites.....  | 25 |
| 5.2.6   | Multiple operating bandwidths and multiband equipment.....                                      | 26 |
| 5.2.7   | Testing of host connected equipment and plug-in radio devices .....                             | 26 |
| 5.2.8   | Radiated measurement arrangements.....  | 26 |
| 5.3     | Interpretation of the measurement results .....   | 26 |
| 5.3.1   | General.....  | 26 |
| 5.3.2   | Conversion loss data and measurement uncertainty .....  | 27 |
| 5.3.3   | Measurement uncertainty is equal to or less than maximum acceptable uncertainty.....            | 28 |
| 5.3.4   | Measurement uncertainty is greater than maximum acceptable uncertainty.....                     | 28 |
| 5.3.5   | Emissions .....   | 28 |
| 6       | Conformance test suite .....  | 28 |
| 6.1     | Introduction .....  | 28 |
| 6.2     | Initial measurement steps .....   | 28 |
| 6.3     | Radiated measurements .....   | 29 |
| 6.3.1   | General.....  | 29 |
| 6.3.2   | Test sites and general arrangements for measurements involving the use of radiated fields ..... | 29 |
| 6.3.3   | Guidance on the use of a radiation test site.....   | 29 |
| 6.3.4   | Coupling of signals .....   | 29 |
| 6.3.5   | Standard test methods .....   | 29 |
| 6.3.6   | Standard calibration method .....   | 29 |

|          |  |    |
|----------|--|----|
| 6.4      | Conducted measurements .....                                 | 29 |
| 6.4.1    | General Setup.....   | 29 |
| 6.4.2    | Specific Setup .....   | 29 |
| 6.5      | Conformance test suite for transmitter parameters .....      | 29 |
| 6.5.1    | General.....   | 29 |
| 6.5.2    | Method of measurements of the Ultra-Wideband emissions ..... | 30 |
| 6.5.3    | Permitted frequency range of operation.....                  | 30 |
| 6.5.4    | Operating bandwidth.....                                     | 30 |
| 6.5.5    | Mean power spectral density measurements.....                | 31 |
| 6.5.6    | Peak power measurements .....                                | 34 |
| 6.5.6.1  | Description .....  | 34 |
| 6.5.6.2  | Radiated test procedure .....                                | 35 |
| 6.5.6.3  | Conducted test procedure .....                               | 35 |
| 6.5.7    | Exterior limit measurement.....                              | 35 |
| 6.5.8    | Total Power.....   | 35 |
| 6.5.9    | Other Emissions .....  | 35 |
| 6.6      | Conformance test suite for receiver parameters .....         | 35 |
| 6.6.1    | Receiver spurious emissions .....                            | 35 |
| 6.6.2    | Receiver sensitivity.....                                    | 35 |
| 6.6.3    | Interferer signal handling.....                              | 35 |
| 6.6.3.1  | Description .....  | 35 |
| 6.6.3.2  | Interferer frequencies and power levels .....                | 35 |
| 6.6.3.3  | Real scenario .....  | 36 |
| 6.6.3.4  | Equivalent scenario .....                                    | 37 |
| 6.6.3.5  | Radiated test setup for the equivalent scenario .....        | 37 |
| 6.6.3.6  | Conducted test setup for the equivalent scenario .....       | 40 |
| 6.6.3.7  | Test procedure for the equivalent scenario.....              | 41 |
| 6.6.3.8  | Alternative scenario .....                                   | 42 |
| 6.6.3.9  | Radiated test setup for the alternative scenario .....       | 42 |
| 6.6.3.10 | Conducted test setup for the alternative scenario .....      | 43 |
| 6.6.3.11 | Test procedure for the alternative scenario .....            | 44 |
| 6.7      | Conformance test suites for spectrum access .....            | 45 |
| 6.7.1    | Detect and avoid mechanisms.....                             | 45 |
| 6.7.2    | Listen before talk .....                                     | 45 |
| 6.7.3    | Low duty cycle .....   | 45 |
| 6.8      | Conformance test suites for antenna requirements .....       | 45 |
| 6.9      | Other test suites .....                                      | 45 |
| 6.9.1    | Adaptive power control (APC) .....                           | 45 |
| 6.9.2    | Activity factor and duty cycle.....                          | 45 |
| 6.9.3    | Frequency domain mitigation .....                            | 45 |
| 6.9.4    | Shielding effects .....                                      | 45 |
| 6.9.5    | Thermal radiations .....                                     | 46 |
| 6.9.6    | Site registration.....                                       | 46 |

|                             |   |           |
|-----------------------------|---|-----------|
| <b>Annex A (normative):</b> | <b>Relationship between the present document and the essential requirements of Directive 2014/53/EU .....</b> | <b>47</b> |
|-----------------------------|---|-----------|

|                               |   |           |
|-------------------------------|---|-----------|
| <b>Annex B (informative):</b> | <b>Application form for testing.....</b>  | <b>48</b> |
| B.1                           | Introduction .....  | 48        |
| B.2                           | General information as required by ETSI EN 302 372, clause 5.2 .....  | 48        |
| B.2.1                         | Type of equipment (stand-alone, combined, plug-in radio device, etc.) .....   | 48        |
| B.2.2                         | The nominal voltages of the stand-alone radio equipment or the nominal voltages of the combined (host) equipment or test jig in case of plug-in devices ..... | 48        |
| B.3                           | Signal related information as required by ETSI EN 302 372, clause 4.3 .....   | 49        |
| B.3.1                         | Introduction .....  | 49        |
| B.3.2                         | Operational frequency range(s) of the equipment .....   | 49        |
| B.3.3                         | Nominal channel bandwidth(s).....   | 49        |
| B.3.4                         | The type of modulation used by the equipment.....   | 49        |
| B.3.5                         | The worst case mode for each of the following tests.....  | 49        |

|                               |   |           |
|-------------------------------|---|-----------|
| B.4                           | RX test information as required by ETSI EN 302 372, clause 4.4.....                             | 50        |
| B.4.1                         | Worst case mode for RX tests .....  | 50        |
| B.4.2                         | Performance criterion and level of performance .....  | 50        |
| B.4.3                         | RX test setup .....   | 50        |
| B.4.4                         | Definition of interfering signals .....   | 50        |
| B.5                           | Information on mitigation techniques as required by ETSI EN 302 372, clause 4.7 .....           | 51        |
| B.5.1                         | Mitigation techniques .....   | 51        |
| B.6                           | Additional information provided by the applicant .....  | 51        |
| B.6.1                         | About the equipment under test.....   | 51        |
| B.6.2                         | Additional items and/or supporting equipment provided .....                                     | 51        |
| <b>Annex C (normative):</b>   | <b>Radiated measurement.....</b>  | <b>53</b> |
| C.1                           | Test sites and general arrangements for measurements involving the use of radiated fields ..... | 53        |
| C.1.0                         | General .....   | 53        |
| C.1.1                         | Anechoic chamber.....   | 53        |
| C.1.2                         | Anechoic chamber with a conductive ground plane .....   | 54        |
| C.1.3                         | Open area test site (OATS).....   | 56        |
| C.1.4                         | Minimum requirements for test sites for measurements above 18 GHz.....                          | 57        |
| C.1.5                         | Test antenna.....   | 59        |
| C.1.6                         | Substitution antenna .....  | 59        |
| C.1.7                         | Measuring antenna .....   | 59        |
| C.2                           | Guidance on the use of radiation test sites .....   | 59        |
| C.2.0                         | General .....   | 59        |
| C.2.1                         | Verification of the test site .....   | 59        |
| C.2.2                         | Preparation of the EUT.....   | 60        |
| C.2.3                         | Power supplies to the EUT.....  | 60        |
| C.2.4                         | Range length.....   | 60        |
| C.2.5                         | Site preparation .....  | 61        |
| C.3                           | Coupling of signals.....  | 61        |
| C.4                           | Standard test methods.....  | 61        |
| C.4.0                         | General .....   | 61        |
| C.4.1                         | Calibrated setup.....   | 62        |
| C.4.2                         | Substitution method.....  | 62        |
| <b>Annex D (normative):</b>   | <b>Conducted measurements .....</b>   | <b>64</b> |
| <b>Annex E (normative):</b>   | <b>Installation requirements of Tank Level Probing Radar (TLPR) equipment .....</b>             | <b>65</b> |
| <b>Annex F (normative):</b>   | <b>Requirements on test tank .....</b>  | <b>66</b> |
| <b>Annex G (informative):</b> | <b>Electromagnetic leakage from a EUT .....</b>   | <b>67</b> |
| G.1                           | General .....   | 67        |
| G.2                           | Survey of sources of leakage.....   | 67        |
| <b>Annex H (informative):</b> | <b>Measurement antenna and preamplifier specifications .....</b>                                | <b>69</b> |
| <b>Annex I (informative):</b> | <b>Practical test distances for accurate measurements .....</b>                                 | <b>70</b> |
| I.1                           | Introduction .....  | 70        |
| I.2                           | Conventional near-field measurements distance limit .....                                       | 70        |
| <b>Annex J (informative):</b> | <b>Range of modulation parameters .....</b>   | <b>71</b> |
| J.1                           | Pulse modulation .....  | 71        |
| J.1.1                         | Definition .....  | 71        |
| J.2                           | Frequency modulated continuous wave .....   | 72        |

|                               |  |           |
|-------------------------------|--|-----------|
| J.2.1                         | Definition .....   | 72        |
| <b>Annex K (informative):</b> | <b>Void .....</b>  | <b>73</b> |
| <b>Annex L (informative):</b> | <b>General requirements for RF measurement equipment .....</b> | <b>74</b> |
| L.1                           | RF cables .....  | 74        |
| L.2                           | RF waveguides .....  | 74        |
| L.3                           | External harmonic mixers .....                                 | 75        |
| L.3.1                         | Introduction .....   | 75        |
| L.3.2                         | Signal identification .....                                    | 76        |
| L.3.3                         | Measurement hints .....  | 77        |
| L.4                           | Preamplifier .....   | 77        |
| L.5                           | Measuring receiver .....                                       | 77        |
| <b>Annex M (informative):</b> | <b>Radar targets for radiated measurements.....</b>            | <b>78</b> |
| M.1                           | Introduction .....   | 78        |
| M.2                           | Radar cross sections of suitable radar targets.....            | 78        |
| M.3                           | Boundary conditions of the RCS equations.....                  | 81        |
| <b>Annex N (informative):</b> | <b>Boundary conditions for the radar equation.....</b>         | <b>83</b> |
| N.1                           | Introduction .....   | 83        |
| N.2                           | Far-field condition.....                                       | 83        |
| N.3                           | Point target condition .....                                   | 84        |
| <b>Annex O (informative):</b> | <b>Bibliography.....</b>                                       | <b>86</b> |
| <b>Annex P (informative):</b> | <b>Change History .....</b>                                    | <b>87</b> |
| History .....                 | 88   |           |

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.8] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.6].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

| <b>National transposition dates</b>  |                   |
|--|-------------------|
| Date of adoption of this EN:   | 5 December 2016   |
| Date of latest announcement of this EN (doa):  | 31 March 2017     |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 30 September 2017 |
| Date of withdrawal of any conflicting National Standard (dow):                         | 30 September 2018 |

There have been no significant technical changes incorporated from the previous version of the present document.

---

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

Clauses 1 and 3 provide a general description on the types of equipment covered by the present document and the definitions and abbreviations above.

Clause 2 provides the information on normative and informative reference documentation.

Clause 4 lists all technical requirements specifications. This includes transmitter and receiver conformance requirements as well as requirements for spectrum access, antennas and mitigation techniques.

Clause 5 addresses the conditions for testing. This includes the environmental conditions and product information of the equipment to be tested. It also gives advice on the interpretation of the measurement results and gives the maximum measurement uncertainty values.

Clause 6 provides the information on conformance test suites. This includes test suites for transmitter and receiver parameters as well as test suites for spectrum access, antenna requirements and others.

Annex A explains the relationship between the present document and the essential requirements of Directive 2014/53/EU [i.6].

Annex B provides an application form for facilitating the test preparation.

Annex C lists general requirements on radiated test setups.

Annex D provides information about the requirements of conducted measurements.

Annex E lists the installation requirements of a Tank Level Probing Radar (TLPR) on a tank.

Annex F establishes the requirements on the test tank.

Annex G deals with electromagnetic leakage from a tank with an installed TLPR.

Annex H gives recommendations on measurement antennas and preamplifiers.

Annex I deals with practically useful approximations of the far field conditions for radiated measurements.

Annex J describes the range of modulation parameters for TLPR instruments.

Annex K gives information on the atmospheric absorption of electromagnetic waves as a function of frequency.

Annex L gives practical information on RF measurements, especially in higher frequency bands.

Annex M gives information on radar targets for radiated measurements.

Annex N describes the boundary conditions for the Radar equation.

Annex O (bibliography) lists further related documents.

Annex P contains the change history of the present document.

# 1 Scope

The present document applies to the following equipment types:

Tank Level Probing Radar (TLPR) applications are based on pulse RF, FMCW or similar wideband techniques. TLPR radio equipment types are capable of operating in all or part of the frequency bands as specified in table 1.

**Table 1: Tank Level Probing Radar (TLPR) permitted frequency bands [i.7]**

|                      | <b>TLPR assigned frequency bands (GHz)</b> |
|----------------------|--|
| Transmit and Receive | 4,5 to 7                                   |
| Transmit and Receive | 8,5 to 10,6                                |
| Transmit and Receive | 24,05 to 27                                |
| Transmit and Receive | 57 to 64                                   |
| Transmit and Receive | 75 to 85                                   |

The present document contains requirements to demonstrate that TLPR equipment both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

Table 1 shows a list of the frequency bands as assigned to Tank Level Probing Radars in the EC Decision 2013/752/EU [i.7] and CEPT/ERC Recommendation 70-03 [i.1] as known at the date of publication of the present document.

TLPRs are used for tank level measurement applications in many industries concerned with process control to measure the amount of various substances (mostly liquids or granulates). TLPRs are used for a wide range of applications such as process control, custody transfer measurement (government legal measurements), water and other liquid monitoring, spilling prevention and other industrial applications. The main purposes of using TLPRs are:

- to increase reliability by preventing accidents;
- to increase industrial efficiency, quality and process control;
- to improve environmental conditions in production processes.

The present document applies to TLPRs radiating RF signals towards the surface of a substance contained in a closed tank. Any radiation outside of the tank is caused by leakage and is considered as unintentional emission. The present document does not necessarily include all the characteristics, which may be required by a user, nor does it necessarily represent the optimum performance achievable, it applies only to TLPRs fitted with dedicated antennas.

TLPRs always consist of a combined transmitter and receiver and are used with an integral or dedicated antenna. The TLPR equipment is for professional applications where installation and maintenance are performed by professionally trained individuals only.

The scope is limited to TLPRs operating as Short Range Devices (SRD), in which the devices are installed in closed metallic tanks or reinforced concrete tanks, or similar enclosure structures made of comparable attenuating material, holding a substance, liquid or powder.

The TLPR applications in the present document are not intended for communication purposes. Their intended usage excludes any intended radiation into free space.

# 2 References

## 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TR 100 028 (all parts) (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [2] CISPR 16-1-1 (2015): "Specification for radio disturbance and immunity measuring apparatus and methods; Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus".
- [3] ETSI TR 102 273 (all parts) (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties".
- [4] ANSI C63.5 (2006): "American National Standard for Electromagnetic Compatibility - Radiated Emission Measurements in Electromagnetic Interference (EMI) Control - Calibration of Antennas (9 kHz to 40 GHz)".
- [5] ETSI EN 303 883 (V1.1.1) (09-2016): "Short Range Devices (SRD) using Ultra Wide Band (UWB); Measurement Techniques".
- [6] ETSI TS 103 361 (V1.1.1) (03-2016): "Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Receiver technical requirements, parameters and measurement procedures to fulfil the requirements of the Directive 2014/53/EU".

## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] CEPT/ERC/Recommendation 70-03: "Relating to the use of Short Range Devices (SRD)".
- [i.2] Recommendation ITU-R SM.1754: "Measurement techniques of Ultra-wideband transmissions".
- [i.3] ETSI TS 103 051: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Expanded measurement uncertainty for the measurement of radiated electromagnetic fields".
- [i.4] ETSI TS 103 052: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Radiated measurement methods and general arrangements for test sites up to 100 GHz".
- [i.5] Recommendation ITU-R P.676-10 (09-2013): "Attenuation by atmospheric gases".
- [i.6] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC, (OJ L153, 22.5.2014, p62).
- [i.7] European Commission Decision 2013/752/EU amending Decision 2006/771/EC on harmonisation of the radio spectrum for use by short-range devices and repealing Decision 2005/928/EC.
- [i.8] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.

- [i.9] European Commission Decision 2009/343/EC amending Decision 2007/131/EC on allowing the use of the radio spectrum for equipment using ultra-wideband technology in a harmonised manner in the Community.
- [i.10] ETSI TR 102 215: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Recommended approach, and possible limits for measurement uncertainty for the measurement of radiated electromagnetic fields above 1 GHz".
- [i.11] CEPT/ERC Recommendation 74-01: "Unwanted emissions in the spurious domain" (Siófok 98, Nice 99, Sesimbra 02, Hradec Kralove 05, Cardiff 11).

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**