

# Systémy nabíjania elektrických vozidiel vodivým prepojením Časť 21-1: Požiadavky na EMC vozidlových

nabíjacích zariadení pre elektrické vozidlá určených na vodivé prepojenie na napájanie striedavým/jednosmerným prúdom STN EN 61851-21-1

34 1590

Electric vehicle conductive charging system - Part 21-1: Electric vehicle on-board charger EMC requirements for conductive connection to an AC/DC supply

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/18

Obsahuje: EN 61851-21-1:2017, IEC 61851-21-1:2017

Oznámením tejto normy sa od 27.10.2020 ruší STN EN 61851-21 (34 1590) z októbra 2002

STN EN 61851-21-1: 2018

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 61851-21-1

October 2017

ICS 43.120

#### **English Version**

Electric vehicle conductive charging system Part 21-1: Electric vehicle on-board charger EMC requirements
for conductive connection to an AC/DC supply
(IEC 61851-21-1:2017)

Système de charge conductive pour véhicules électriques -Partie 21-1: Exigences relatives à la CEM concernant les chargeurs embarqués pour véhicules électriques pour la connexion conductive à une alimentation en courant alternatif ou continu (IEC 61851-21-1:2017) Konduktive Ladesysteme für Elektrofahrzeuge -Teil 21-1: EMV-Anforderungen an Bordladegeräte für Elektrofahrzeuge mit Wechselstrom/Gleichstrom-Versorgung (IEC 61851-21-1:2017)

This European Standard was approved by CENELEC on 2017-07-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### EN 61851-21-1:2017

#### **European foreword**

The text of document 69/507/FDIS, future edition 1 of IEC 61851-21-1, prepared by IEC/TC 69 "Electric road vehicles and electric industrial trucks" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61851-21-1:2017.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2018-04-27
•	latest date by which the national standards conflicting with the	(dow)	2020-10-27

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

#### **Endorsement notice**

The text of the International Standard IEC 61851-21-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61851-21-2:— <sup>1</sup>	NOTE	Harmonized as EN 61851-21-2:— <sup>2</sup> .
ISO 15118-3	NOTE	Harmonized as EN ISO 15118-3.
CISPR 16-1-4:2010	NOTE	Harmonized as EN 55016-1-4:2010 (not modified).
CISPR 16-1-4:2010/A1:2012	NOTE	Harmonized as EN 55016-1-4:2010/A1:2012 (not modified).
CISPR 16-1-4:2010/A2:2017	NOTE	Harmonized as EN 55016-1-4:2010/A2:2017 (not modified).

2

<sup>&</sup>lt;sup>1</sup> Under preparation. Stage at the time of publication: IEC PRVC 61851-21-2:2017.

<sup>&</sup>lt;sup>2</sup> Under preparation. Stage at the time of publication: FprEN 61851-21-2:2017.

# Annex ZA (normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60038 (mod)	2009	IEC standard voltages	EN 60038 <sup>3</sup>	2011
IEC 61000-3-2	2014	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	EN 61000-3-2	2014
IEC 61000-3-3	2013	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	EN 61000-3-3	2013
IEC 61000-3-11	2000	Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current ≤ 75 A and subject to conditional connection	EN 61000-3-11	2000
IEC 61000-3-12	2011	Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase		2011
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
IEC 61000-6-3	2006	Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light industrial environments	EN 61000-6-3	2007
+A1	2010		+A1	2011
IEC 61851-1	2010	Electric vehicle conductive charging system - Part 1: General requirements	EN 61851-1	2011

<sup>&</sup>lt;sup>3</sup> The title of EN 60038 is "CENELEC standard voltages".

3

#### EN 61851-21-1:2017

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
CISPR 12	2007	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of off-board receivers	EN 55012	2007
+A1	2009	protection of on-board receivers	+A1	2009
CISPR 16-1-2	2014	Specification for radio disturbance and immunity measuring apparatus and methods Part 1-2: Radio disturbance and immunity measuring apparatus - Coupling devices for conducted disturbance measurements	EN 55016-1-2 -	2014
CISPR 16-2-1	2014	Specification for radio disturbance and immunity measuring apparatus and methods Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements	EN 55016-2-1 -	2014
CISPR 22 (mod)	2008	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement	EN 55022 +AC	2010 <sup>4</sup> 2011 <sup>4</sup>
CISPR 25	2016	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	EN 55025	2017
ISO/TR 8713	2012	Electrically propelled road vehicles - Vocabulary	-	-
ISO 7637-2	2011	Road vehicles - Electrical disturbances from conduction and coupling - Part 2: Electrical transient conduction along supply lines only	-	-
ISO 11451-1	2015	Road vehicles - Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 1: General principles and terminology	-	-
ISO 11451-2	2015	Road vehicles - Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 2: Off-vehicle radiation sources	-	-
ISO 11452-1	2015	Road vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 1: General principles and terminology	-	-
ISO 11452-2	2004	Road vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part 2: Absorber-lined shielded enclosure	· -	-
ISO 11452-4	2011	Road vehicles - Component test methods for electrical disturbances from narrowband radiated electromagnetic energy - Part-4: Harness excitation methods	_	-

<sup>&</sup>lt;sup>4</sup> Superseded by EN 55032:2012 (CISPR 32:2012) and EN 50561-1:2013.



### IEC 61851-21-1

Edition 1.0 2017-06

# INTERNATIONAL STANDARD

Electric vehicle conductive charging system – Part 21-1: Electric vehicle on-board charger EMC requirements for conductive connection to an AC/DC supply





# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 61851-21-1

Edition 1.0 2017-06

# INTERNATIONAL STANDARD

Electric vehicle conductive charging system –
Part 21-1: Electric vehicle on-board charger EMC requirements for conductive connection to an AC/DC supply

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 43.120 ISBN 978-2-8322-4432-6

Warning! Make sure that you obtained this publication from an authorized distributor.

#### - 2 - IEC 61851-21-1:2017 © IEC 2017

#### **CONTENTS**

FOREWO	)RD	5
1 Scop	pe	7
2 Norn	native references	7
3 Term	ns and definitions	8
4 Gene	eral test conditions	9
5 Test	methods and requirements	10
5.1	General	
5.1.1		
5.1.2		
5.2	Immunity	10
5.2.1	General	10
5.2.2	Punction performance criteria	11
5.2.3	B Test severity level	11
5.2.4	Immunity of vehicles to electrical fast transient/burst disturbances conducted along AC and DC power lines	12
5.2.5	Immunity of vehicles to surges conducted along AC and DC power lines	12
5.2.6	Immunity to electromagnetic radiated RF-fields	15
5.2.7	Immunity to pulses on supply lines	20
5.2.8	,	
5.3	Emissions	
5.3.1		
5.3.2	- 1	23
5.3.3	B Emission of voltage changes, voltage fluctuations and flicker on AC power lines	26
5.3.4	•	
5.3.5		
5.3.6		
5.3.7		
	(normative) Artificial networks, asymmetric artificial networks and integration ng stations into the test setup	
A.1	Overview	38
A.2	Charging station and power mains connection	
A.3	Artificial networks (AN)	39
A.3.	1 General	39
A.3.2	Low voltage (LV) powered component	39
A.3.3	High voltage (HV) powered component	40
A.3.4	Components involved in charging mode connected to DC power supply	42
A.4	Artificial mains networks (AMN)	43
A.5	Asymmetric artificial networks (AAN)	43
A.5.	1 General	43
A.5.2	Symmetric communication lines (e.g. CAN)	43
A.5.3	PLC on power lines	44
A.5.4	PLC (technology) on control pilot	45
Bibliogra	ohy	47
Eigure 1	Electrical fact transient/burst test vehicle setus	40
rigule I.	<ul> <li>Electrical fast transient/burst test vehicle setup</li> </ul>	12

Figure 2 – Vehicle in configuration "REESS charging mode coupled to the power grid" – coupling between lines for AC (single phase) and DC power lines	13
Figure 3 – Vehicle in configuration "REESS charging mode coupled to the power grid" – coupling between each line and earth for AC (single phase) and DC power lines	13
Figure 4 – Vehicle in configuration "REESS charging mode coupled to the power grid" – coupling between lines for AC (three phases) power lines	14
Figure 5 – Vehicle in configuration "REESS charging mode coupled to the power grid" – coupling between each line and earth for AC (three phases) power lines	14
Figure 6 – Example of test setup for vehicle with inlet located on the vehicle side (AC/DC power charging without communication)	16
Figure 7 – Example of test setup for vehicle with inlet located at the front/rear of the vehicle (AC/DC power charging without communication)	17
Figure 8 – Example of test setup for vehicle with inlet located on vehicle side (AC or DC power charging with communication)	18
Figure 9 – Example of test setup for vehicle with inlet located at the front/rear of the vehicle (AC or DC power charging with communication)	19
Figure 10 – Vehicle in configuration "REESS charging mode coupled to the power grid" – Single-phase charger test setup	25
Figure 11 – Vehicle in configuration "REESS charging mode coupled to the power grid" – Three-phase charger test setup	25
Figure 12 – Vehicle in configuration "REESS charging mode coupled to the power grid"2	26
Figure 13 – Vehicle in configuration "REESS charging mode coupled to the power grid"2	29
Figure 14 - Vehicle in configuration "REESS charging mode coupled to the power grid"	31
Figure 15 – Example of vehicle in configuration "REESS charging mode coupled to the power grid"	34
Figure 16 – Test configuration for ESAs involved in REESS charging mode coupled to the power grid (example for horn antenna)	36
Figure A.1 – Example of 5 μH AN schematic	39
Figure A.2 – Characteristics of the AN impedance	40
Figure A.3 – Example of 5 μH HV AN schematic	41
Figure A.4 – Characteristics of the HV AN impedance	41
Figure A.5 – Example of 5 $\mu H$ HV AN combination in a single shielded box	42
Figure A.6 – Impedance matching network attached between HV ANs and EUT	42
Figure A.7 – Example of an impedance stabilization network for symmetric communication lines	44
Figure A.8 – Example of a circuit for emission tests of PLC on AC or DC powerlines	45
Figure A.9 – Example of a circuit for immunity tests of PLC on AC or DC powerlines	45
Figure A.10 – Example of a circuit for emission tests of PLC on control pilot line	46
Figure A.11 – Example of a circuit for immunity tests of PLC on control pilot line	46
Table 1 – Immunity tests	
Table 2 – Maximum allowed harmonics (input current ≤ 16 A per phase)	
Table 3 – Acceptable harmonics for $R_{sce}$ = 33 (16 A < $I_i \le 75$ A)	24
Table 4 – Maximum allowed radiofrequency conducted disturbances on AC power lines2	27
Table 5 – Maximum allowed radiofrequency conducted disturbances on DC power lines2	28
Table 6 – Maximum allowed radiofrequency conducted disturbances on network and	20

Úrad pre normalizáciu	, metrológiu a	skúšobníctvo	Slovenske	i republik
-----------------------	----------------	--------------	-----------	------------

STN EN 61851-21-1: 2018

– 4 –	IEC 61851-21-1:2017 © IEC 2	2017

Table 7 – Maximum allowed vehicle high-frequency radiated disturbances	.32
Table 8 – Maximum allowed ESA high-frequency radiated disturbances	.35
Table 9 – Maximum allowed ESA radiated disturbances on supply lines	.37

IEC 61851-21-1:2017 © IEC 2017

- 5 -

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

\_\_\_\_\_

#### **ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM -**

# Part 21-1: Electric vehicle on-board charger EMC requirements for conductive connection to an AC/DC supply

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61851-21-1 has been prepared by subcommittee 69: Electric road vehicles and electric industrial trucks.

This first edition, together with IEC 61851-21-2, cancels and replaces IEC 61851-21:2001. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 61851-21:2001:

- a) this document addresses now only EMC tests instead of other electrical tests;
- b) test setups are defined more precisely;
- c) Annex A "Artificial networks, asymmetric artificial networks and integration of charging stations into the test setup" was added.

- 6 - IEC 61851-21-1:2017 © IEC 2017

The text of this International Standard is based on the following documents:

FDIS	Report on voting
69/507/FDIS	69/516/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61851 series, under the general title: *Electric vehicle conductive charging system,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

IEC 61851-21-1:2017 © IEC 2017

**-7-**

#### **ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM -**

# Part 21-1: Electric vehicle on-board charger EMC requirements for conductive connection to an AC/DC supply

#### 1 Scope

This part of IEC 61851, together with IEC 61851-1:2010, gives requirements for conductive connection of an electric vehicle (EV) to an AC or DC supply. It applies only to on-board charging units either tested on the complete vehicle or tested on the charging system component level (ESA – electronic sub assembly).

This document covers the electromagnetic compatibility (EMC) requirements for electrically propelled vehicles in any charging mode while connected to the mains supply.

This document is not applicable to trolley buses, rail vehicles, industrial trucks and vehicles designed primarily to be used off-road, such as forestry and construction machines.

NOTE 1 Specific safety requirements that apply to equipment on the vehicle during charging are treated in separate documents as indicated in the corresponding clauses of this document.

NOTE 2 Electric vehicle (EV) includes pure electric vehicles as well as plug-in hybrid electric vehicles with additional combustion engine.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:2009, IEC standard voltages

IEC 61000-3-2:2014, Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current  $\leq$  16 A per phase)

IEC 61000-3-3:2013, Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current  $\leq$  16 A per phase and not subject to conditional connection

IEC 61000-3-11:2000, Electromagnetic compatibility (EMC) – Part 3-11 – Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current  $\leq$  75 A and subject to conditional connection

IEC 61000-3-12:2011, Electromagnetic compatibility (EMC) – Part 3-12 – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and  $\leq$  75 A per phase

IEC 61000-4-4:2012, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-5:2014, Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

- 8 - IEC 61851-21-1:2017 © IEC 2017

IEC 61000-6-3:2006, Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments IEC 61000-6-3:2006/AMD1:2010

IEC 61851-1:2010, Electric vehicle conductive charging system – Part 1: General requirements

CISPR 12:2007, Vehicles, boats and internal combustion engines – Radio disturbance characteristics – Limits and methods of measurement for the protection of off-board receivers CISPR 12:2007/AMD1:2009

CISPR 16-1-2:2014, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Coupling devices for conducted disturbance measurements

CISPR 16-2-1:2014, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements

CISPR 22:2008, Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement

CISPR 25:2016, Vehicles, boats and internal combustion engines – Radio disturbance characteristics – Limits and methods of measurement for the protection of on-board receivers

ISO/TR 8713:2012, Electrically propelled road vehicles – Vocabulary

ISO 7637-2:2011, Road vehicles – Electrical disturbances from conduction and coupling -- Part 2: Electrical transient conduction along supply lines only

ISO 11451-1:2015, Road vehicles – Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy – Part 1: General principles and terminology

ISO 11451-2:2015, Road vehicles – Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy – Part 2: Off-vehicle radiation sources

ISO 11452-1:2015, Road vehicles – Component test methods for electrical disturbances from narrowband radiated electromagnetic energy – Part 1: General principles and terminology

ISO 11452-2:2004, Road vehicles – Component test methods for electrical disturbances from narrowband radiated electromagnetic energy – Part 2: Absorber-lined shielded enclosure

ISO 11452-4:2011, Road vehicles – Component test methods for electrical disturbances from narrowband radiated electromagnetic energy – Part 4: Harness excitation methods

koniec náhľadu – text ďalej pokračuje v platenej verzii STN