STN	Ochranné odevy Funkčné požiadavky na ochranné odevy pre pracovníkov, pracujúcich s kvapalnými pesticídmi ako aj pre pracovníkov vykonávajúcich následné činnosti (ISO 27065: 2017)	STN EN ISO 27065
		83 2764

Protective clothing - Performance requirements for protective clothing worn by operators applying pesticides and for re-entry workers (ISO 27065:2017)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/18

Obsahuje: EN ISO 27065:2017, ISO 27065:2017

126247

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2018 Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii.

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 27065

November 2017

ICS 13.340.10

English Version

Protective clothing - Performance requirements for protective clothing worn by operators applying pesticides and for re-entry workers (ISO 27065:2017)

Habillement de protection - Exigences de performance pour les vêtements de protection portés par les opérateurs appliquant des pesticides et pour les travailleurs de rentrée (ISO 27065:2017) Schutzkleidung - Leistungsanforderungen an Schutzkleidung für die Anwender von Pflanzenschutzmitteln sowie Personen für Nachfolgearbeiten (ISO 27065:2017)

This European Standard was approved by CEN on 12 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2017 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 27065:2017 E

EN ISO 27065:2017 (E)

Contents	Page
European foreword	3
Endorsement notice	3
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment aimed to be covered	4

European foreword

This document (EN ISO 27065:2017) has been prepared by Technical Committee ISO/TC 94 "Personal safety - Protective clothing and equipment" in collaboration with Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and lifejackets" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2018, and conflicting national standards shall be withdrawn at the latest by May 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 27065:2017 has been approved by CEN as EN ISO 27065:2017 without any modification.

EN ISO 27065:2017 (E)

Annex ZA

(informative)

Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment aimed to be covered

This European Standard has been prepared under a Commission's standardization request to provide one voluntary means of conforming to essential requirements of Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment.

Once this standard is cited in the Official Journal of the European Union under that Regulation (EU) 2016/425, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Regulation (EU) 2016/425 and associated EFTA regulations.

Essential Requirements of Regulation (EU) 2016/425	Clause(s)/sub- clause(s) of this EN	Remarks/Notes
1.1.1. Ergonomics	8.1; 8.2	
1.1.2.1. Optimum level of protection	8.1, 8.2	
1.1.2.2. Classes of protection appropriate to different levels of risk	4	
1.2.1. Absence of inherent risks and other nuisance factors	6.7, 8.1	
1.2.1.1. Suitable constituent materials		verified in ISO 13688
1.2.1.2. Satisfactory surface condition of all PPE parts in contact with the user		verified in ISO 13688
1.2.1.3. Maximum permissible user impediment	8.1, 8.2	
1.3.1. Adaptation of PPE to user morphology	8.1, 8.2	
1.3.2. Lightness and strength	6.5, 6.6, 7.4	
2.4. PPE subject to ageing	5.1	
2.12. PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	9	
 3.10. Protection against substances and mixtures which are hazardous to health and against harmful biological agents 3.10.2. Protection against cutaneous and ocular contact 	6.2, 6.3, 6.4, 7.2, 7.3, 8.3.1, 8.3.2	

Table ZA.1 — Correspondence between this European Standard and Regulation (EU) 2016/425

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

INTERNATIONAL STANDARD

ISO 27065

Second edition 2017-09

Protective clothing — Performance requirements for protective clothing worn by operators applying pesticides and for re-entry workers

Habillement de protection — Exigences de performance pour les vêtements de protection portés par les opérateurs appliquant des pesticides et pour les travailleurs de rentrée



Reference number ISO 27065:2017(E)



© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

ISO 27065:2017(E)

Page

Contents

Introduction v 1 Scope 1 2 Normative references 1 3 Terms and definitions 2 4 Classification and testing requirements 3 5 Pre-treatment and conditioning 5 5.1 Pre-treatment by cleaning 5 5.2 Conditioning 5 6 Performance requirements of protective clothing materials 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material resistance to permeation 7 6.5 Material resistance 7 6.6 Material resistance 7 6.7 Material resistance 7 6.6 Material resistance 8 7 6.6 Material resistance 7 6.7 Material en resistance 7 7 6.6 Material en resistance 8 7.1 General 8 7.2 8.7 Seam tensile strength 9 8.7.3 Seam	Forev	vord		iv
2 Normative references 1 3 Terms and definitions 2 4 Classification and testing requirements 3 5 Pre-treatment and conditioning 5 5.1 Pre-treatment by cleaning 5 6.2 Conditioning 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material resistance to penetration 7 6.4 Material resistance to permeation 7 6.5 Material tessile strength 7 7 6.6 Material puncture resistance 7 6.7 Material puncture resistance 8 7.1 General 8 8 7.2 Seam resistance to permeation 8 7 7.2 Seam resistance to penetration 8 7 7.3 General 8 7.3 Seam resistance to permeation 8 7.3 Seam resistance to permeation 8 7.3 Seam resistance to permeation 8 7.4 Seam tensile strength 9	Intro	ductio	n	v
2 Normative references 1 3 Terms and definitions 2 4 Classification and testing requirements 3 5 Pre-treatment and conditioning 5 5.1 Pre-treatment by cleaning 5 6.2 Conditioning 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material resistance to penetration 7 6.4 Material resistance to permeation 7 6.5 Material tessile strength 7 7 6.6 Material puncture resistance 7 6.7 Material puncture resistance 8 7.1 General 8 8 7.2 Seam resistance to permeation 8 7 7.2 Seam resistance to penetration 8 7 7.3 General 8 7.3 Seam resistance to permeation 8 7.3 Seam resistance to permeation 8 7.3 Seam resistance to permeation 8 7.4 Seam tensile strength 9	1	Scon	<u>م</u>	1
3 Terms and definitions 2 4 Classification and testing requirements 3 5 Pre-treatment and conditioning 5 5.1 Pre-treatment by cleaning 5 5.2 Conditioning 5 6 Performance requirements of protective clothing materials 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material resistance to permeation 7 6.4 Material tensitiance. 7 6.5 Material tensistance. 7 6.6 Material puncture resistance. 7 6.7 Material puncture resistance. 7 7.1 General 8 7.2 Seam resistance to permeation 8 7.3 Seam resistance to permeation 8 7.4 Seam resistance to permeation 8 7.4 Seam tensile strength 9 8.5 Ergonomic tests (practical performance) 9 8.6 Reformance requirements of protective clothing 9 8.3.1 Low-level		-		
4 Classification and testing requirements 3 5 Pre-treatment and conditioning 5 5.1 Pre-treatment by cleaning 5 6.1 General 5 6.2 Conditioning 5 6.1 General 5 6.2 Material resistance to penteration (pipette test) 6 6.3 Material resistance to permeation 7 6.4 Material tensistance to permeation 7 6.5 Material tensistance 7 6.6 Material puncture resistance 7 6.6 Material puncture resistance 8 7.1 General 8 7.2 Seam resistance to permeation 8 7.3 Seam resistance to pentration 8 7.4 Seam tensile strength 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3 Low-level spray test 9 8.3.2 High-level spray test 9 9 8.3.2 High-level spray test 10	_			
5 Pre-treatment and conditioning 5 5.1 Pre-treatment by cleaning 5 5.2 Conditioning 5 6 Performance requirements of protective clothing materials 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material resistance to penetration 7 6.5 Material tensile strength 7 6.6 Material tensile strength 7 6.6 Material puncture resistance 7 7 Performance requirements of seams 8 7.1 General 8 7.2 Seam resistance to permeation 8 7.3 Seam resistance to penetration 8 7.4 Seam resistance to permeation 8 7.4 Seam resistance to permeation 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 9 9.3.2 Liquid penetration resistance	_			
5.1 Pre-treatment by cleaning 5 5.2 Conditioning 5 6 Performance requirements of protective clothing materials 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material resistance to permeation 7 6.5 Material resistance 7 6.6 Material resistance 7 6.7 Material test registance 7 6.6 Material test resistance 7 6.6 Material test resistance 7 6.7 Material puncture resistance 7 7.0 Atterial puncture resistance 8 7.1 General 8 7.2 Seam resistance to pentration 8 7.3 Seam resistance to pentration 8 7.4 Seam tensile strength 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 9	-			
5.2 Conditioning 5 6 Performance requirements of protective clothing materials 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material resistance to permeation 7 6.4 Material resistance to permeation 7 6.5 Material tensile strength 7 6.6 Material tensile strength 7 6.7 Material puncture resistance 8 7.1 General 8 7.2 Seam resistance to pentration 8 7.3 Seam resistance to permeation 8 7.4 Seam tensile strength 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 9 8.3.2 High-level spray test 10	5			
6 Performance requirements of protective clothing materials 5 6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material Repellency (pipette test) 6 6.4 Material Resplency (pipette test) 6 6.5 Material resistance to permeation 7 6.6 Material test resistance 7 6.6 Material test resistance 7 6.6 Material uncture resistance 7 6.6 Material puncture resistance 8 7.1 General 8 7.2 Seam resistance to permeation 8 7.3 Seam resistance to permeation 8 7.4 Seam tensile strength 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 9 8.3.2 High-level spray test 9 9.3 Seair (General 10 9.1 General 1				
6.1 General 5 6.2 Material resistance to penetration (pipette test) 6 6.3 Material Repellency (pipette test) 6 6.4 Material resistance to permeation 7 6.5 Material tear resistance 7 6.6 Material tear resistance 7 6.6 Material puncture resistance 7 6.7 Material puncture resistance 8 7 Performance requirements of seams 8 7.1 General 8 7.2 Seam resistance to penteration 8 7.3 Seam resistance to penteration 8 7.4 Seam tensile strength 9 8.7 Seam resistance to permeation 8 7.4 Seam tensile strength 9 8.1 General 9 9 8.1 General 9 9 8.2 Ergonomic tests (practical performance) 9 9 8.3.1 Low-level spray test 9 9 8.3.2 High-level spray test 10 9 Marking 10	6	Perfo		
6.2 Material resistance to penetration (pipette test) 6 6.3 Material Repellency (pipette test) 6 6.4 Material resistance to permeation 7 6.5 Material tensile strength 7 6.6 Material puncture resistance 7 6.7 Material puncture resistance 8 7 Performance requirements of seams 8 7.1 General 8 7.2 Seam resistance to penetration 8 7.3 Seam resistance to penetration 8 7.4 Seam resistance to permeation 8 7.4 Seam tensile strength 9 8 Performance requirements of protective clothing 9 8.1 General 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10	0		General	
6.3 Material Repellency (pipette test) 6 6.4 Material resistance to permeation 7 6.5 Material tesis le strength 7 6.6 Material tesi resistance 7 6.6 Material puncture resistance 7 6.7 Material puncture resistance 7 6.7 Material puncture resistance 8 7 Performance requirements of seams 8 7.1 General 8 7.2 Seam resistance to pentration 8 7.3 Seam resistance to permeation 8 7.4 Seam tensile strength 9 8 Performance requirements of protective clothing 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 9 8.3.2 High-level spray test 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10		6.2	Material resistance to penetration (pipette test)	6
6.5Material tensile strength76.6Material tear resistance76.7Material puncture resistance87Performance requirements of seams87.1General87.2Seam resistance to penetration87.3Seam resistance to permeation87.4Seam tensile strength98Performance requirements of protective clothing98.1General98.2Ergonomic tests (practical performance)98.3Liquid penetration resistance98.3.1Low-level spray test98.3.2High-level spray test109Marking109.1General109.2Specific1010Information supplied by the manufacturer1010Informative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17		6.3		
6.6 Material tear resistance 7 6.7 Material puncture resistance 8 7 Performance requirements of seams 8 7.1 General 8 7.2 Seam resistance to penetration 8 7.3 Seam resistance to penetation 8 7.4 Seam tensile strength 9 8 Performance requirements of protective clothing 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 9 9.3.3 Liquid penetration supplied by the manufacturer 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Informative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Selection of test chemical for penetration tests 14 Annex C (informative) Mat		6.4	Material resistance to permeation	7
6.7 Material puncture resistance 8 7 Performance requirements of seams. 8 7.1 General 8 7.2 Seam resistance to penetration. 8 7.3 Seam resistance to permeation. 8 7.4 Seam tensile strength. 9 8 Performance requirements of protective clothing 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Informative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16<		6.5		
7 Performance requirements of seams 8 7.1 General 8 7.2 Seam resistance to permeation 8 7.3 Seam resistance to permeation 8 7.4 Seam tensile strength 9 8 Performance requirements of protective clothing 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Informative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 1				
7.1General87.2Seam resistance to penetration87.3Seam resistance to permeation87.4Seam tensile strength98Performance requirements of protective clothing98.1General98.2Ergonomic tests (practical performance)98.3Liquid penetration resistance98.3.1Low-level spray test98.3.2High-level spray test98.3.2High-level spray test109Marking109.1General109.2Specific1010Information supplied by the manufacturer1010Informative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex D (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex F (informative) Risk assessment — PPE to mitigate risk17		6.7	Material puncture resistance	
7.2Seam resistance to penetration87.3Seam resistance to permeation87.4Seam tensile strength98Performance requirements of protective clothing98.1General98.2Ergonomic tests (practical performance)98.3Liquid penetration resistance98.3.1Low-level spray test98.3.2High-level spray test98.3.2Bigh-level spray test109Marking109.1General109.2Specific1010Information supplied by the manufacturer1010Information supplied by the manufacturer1010Annex A (normative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex D (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex F (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17	7	Perfo	ormance requirements of seams	
7.3Seam resistance to permeation87.4Seam tensile strength98Performance requirements of protective clothing98.1General98.2Ergonomic tests (practical performance)98.3Liquid penetration resistance98.3.1Low-level spray test98.3.2High-level spray test98.3.2High-level spray test109Marking109.1General109.2Specific1010Information supplied by the manufacturer1010Informative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex F (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17				-
7.4Seam tensile strength98Performance requirements of protective clothing98.1General98.2Ergonomic tests (practical performance)98.3Liquid penetration resistance98.3.1Low-level spray test98.3.2High-level spray test98.3.2High-level spray test109Marking109.1General109.2Specific1010Information supplied by the manufacturer1010Informative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex F (informative) Risk assessment — PPE to mitigate risk17				
8 Performance requirements of protective clothing 9 8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3 Liquid penetration resistance 9 8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 9 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Information supplied by the manufacturer 10 10 Informative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex D (informative) Material water-vapour resistance (optional) 15 Annex F (informative) Risk assessment — PPE to mitigate risk 17				
8.1 General 9 8.2 Ergonomic tests (practical performance) 9 8.3 Liquid penetration resistance 9 8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 9 8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Informative) Test subject exercises for practical performance evaluation 12 Annex A (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex D (informative) Material water-vapour resistance (optional) 15 Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16 Annex F (informative) Risk assessment — PPE to mitigate risk 17		7.4	Seam tensile strength	9
8.2 Ergonomic tests (practical performance) 9 8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Informative) Test subject exercises for practical performance evaluation 12 Annex A (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex D (informative) Material water-vapour resistance (optional) 15 Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16 Annex F (informative) Risk assessment — PPE to mitigate risk 17	8			
8.3 Liquid penetration resistance 9 8.3.1 Low-level spray test 9 8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Information supplied by the manufacturer 10 Annex A (normative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex D (informative) Material water-vapour resistance (optional) 15 Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16 Annex F (informative) Risk assessment — PPE to mitigate risk				
8.3.1 Low-level spray test 9 8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Information supplied by the manufacturer 10 Annex A (normative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex D (informative) Material water-vapour resistance (optional) 15 Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16 Annex F (informative) Risk assessment — PPE to mitigate risk			Ergonomic tests (practical performance)	9
8.3.2 High-level spray test 10 9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Information supplied by the manufacturer 10 Annex A (normative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex D (informative) Material water-vapour resistance (optional) 15 Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16 Annex F (informative) Risk assessment — PPE to mitigate risk		8.3		
9 Marking 10 9.1 General 10 9.2 Specific 10 10 Information supplied by the manufacturer 10 10 Information supplied by the manufacturer 10 Annex A (normative) Test subject exercises for practical performance evaluation 12 Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing 13 Annex C (informative) Selection of test chemical for penetration tests 14 Annex D (informative) Material water-vapour resistance (optional) 15 Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16 Annex F (informative) Risk assessment — PPE to mitigate risk				
9.1General109.2Specific1010Information supplied by the manufacturer10Annex A (normative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms1617			5 I J	
9.2Specific1010Information supplied by the manufacturer10Annex A (normative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms1617	9		8	
10Information supplied by the manufacturer10Annex A (normative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17				
Annex A (normative) Test subject exercises for practical performance evaluation12Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17		9.2	Specific	10
Annex B (normative) Testing requirements for Levels C1, C2 and C3 protective clothing13Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17	10	Infor	mation supplied by the manufacturer	
Annex C (informative) Selection of test chemical for penetration tests14Annex D (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17	Anne	x A (no	rmative) Test subject exercises for practical performance evaluation	
Annex D (informative) Material water-vapour resistance (optional)15Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17	Anne	x B (no	rmative) Testing requirements for Levels C1, C2 and C3 protective clothing	
Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17	Anne	x C (inf	formative) Selection of test chemical for penetration tests	
Annex E (informative) Food and Agricultural Organization (FAO) Pesticide Labelling Pictograms16Annex F (informative) Risk assessment — PPE to mitigate risk17	Anne	x D (in:	formative) Material water-vapour resistance (optional)	

ISO 27065:2017(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 94, *Personal safety* — *Protective clothing and equipment*, Subcommittee SC 13, *Protective clothing*.

This second edition cancels and replaces the first edition (ISO 27065:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- major changes have been made to Levels 1 and 3 requirements;
- protective clothing for re-entry workers has been included in the scope.

Introduction

This document addresses the performance requirements for protective clothing worn by operators handling liquid pesticide products as well as protective clothing worn by re-entry workers. It includes requirements for protective clothing (e.g. shirts, jackets, trousers, and coveralls) and partial-body protective clothing (e.g. aprons, smocks, protective sleeves, hoods/caps, and material placed below knapsack/backpack sprayers). Requirements for protective clothing, including partial-body, constructed with multiple layers or materials are also included in this document.

This document classifies protective clothing, including partial-body, into three performance levels. A brief description for the three levels is given below.

Level C1 protective clothing, including partial-body, is suitable when the potential risk is relatively low. Level C1 protective clothing provides the least protection and is not suitable for use with concentrated pesticide formulations. It can be used as the base protective clothing with additional items worn when the potential risk is relatively higher. See <u>Annex F</u> for additional information on risk assessment and use of PPE for risk mitigation.

Level C2 protective clothing, including partial-body, is suitable when it has been determined that the protection required is higher than that provided by Level C1 protective clothing. Level C2 protective clothing typically provides a balance between comfort and protection. This protective clothing is not suitable for use with concentrated pesticide formulations. It can be used as the base protective clothing with additional items worn when the potential risk is relatively higher.

Level C3 protective clothing, including partial-body, is suitable for use when it has been determined that the potential risk is high. Precautionary measures such as short duration for use are necessary for Level C3 suits/coveralls that may cause heat build-up resulting in heat exhaustion/stress. Level C3 protective clothing, including partial-body, is suitable for use with diluted as well as concentrated pesticides.

Personal Protective Equipment (PPE) is often used for risk mitigation. See <u>Annex F</u> for information on risk assessment and use of PPE for risk mitigation. Since protective clothing can be contaminated in various ways (e.g. fine spray, contact with wet surface, contact with pesticide product sprayed under pressure, contact between the protective clothing and a contaminated surface), laboratory test methods used in the standard rate materials and clothing rather than simulate the various field conditions.

ISO 16602 focuses on industrial chemicals, whereas this document focuses on protection against pesticides that are frequently applied in aqueous solutions. Penetration, permeation, and repellency tests in ISO 16602 are typically done with neat chemicals not used in pesticide application. In this document, penetration, permeation, and repellency tests are conducted with a mixture. The test chemical selected for testing is an emulsifiable concentrate that is representative of a worst case scenario for penetration and repellency. Testing for penetration is conducted with diluted formulation. For permeation, the standard provides a provision for testing with diluted formulation and concentrate. In additional, it allows for testing with additional pesticide products, if required, based on risk assessment conducted for the required pesticide product.

This document is intended for fabric and protective clothing manufacturers and pesticide product manufacturers, as well as trainers, regulators, and other individuals or organizations that make decisions regarding protective clothing for protection against pesticide products.

Protective clothing — Performance requirements for protective clothing worn by operators applying pesticides and for re-entry workers

1 Scope

This document establishes minimum performance, classification, and marking requirements for protective clothing worn by operators handling pesticide products as well as re-entry workers. For the purpose of this document, the term pesticide applies to insecticides, herbicides, fungicides, and other substances applied in liquid form that are intended to prevent, destroy, repel, or reduce any pest or weeds in agricultural settings, green spaces, roadsides, etc. It does not include biocidal products used for agricultural and non-agricultural settings.

Pesticide handling includes mixing and loading, application, and other activities such as cleaning contaminated equipment and containers. Concentrated pesticides are typically handled during mixing and loading. Protective clothing covered by this document includes, but is not limited to, shirts, jackets, trousers, coveralls, aprons, protective sleeves, caps/hats and other headwear (excluding hard hats made of rigid materials, e.g. hats worn by construction workers), and accessories used under knapsack/backpack sprayers.

This document does not address items used for the protection of the respiratory tract, hands, and feet. This document does not address protection against fumigants.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9073-4, Textiles — Test methods for nonwovens — Part 4: Determination of tear resistance

ISO 13688:2013, Protective clothing — General requirements

ISO 13934-1, *Textiles* — *Tensile properties of fabrics* — *Part 1: Determination of maximum force and elongation at maximum force using the strip method*

ISO 13935-2, Textiles — Seam tensile properties of fabrics and made-up textile articles — Part 2: Determination of maximum force to seam rupture using the grab method

ISO 13937-3, Textiles — Tear properties of fabrics — Part 3: Determination of tear force of wing-shaped test specimens (Single tear method)

ISO 13996, Protective clothing — Mechanical properties — Determination of resistance to puncture

ISO 17491-4:2008, Protective clothing — Test methods for clothing providing protection against chemicals — Part 4: Determination of resistance to penetration by a spray of liquid (spray test)

ISO 19918, Protection against chemicals — Measurement of cumulative permeation of chemicals with low vapour pressure through materials

ISO 22608, Protective clothing — Protection against liquid chemicals — Measurement of repellency, retention, and penetration of liquid pesticide formulations through protective clothing materials

koniec náhľadu – text ďalej pokračuje v platenej verzii STN