

<b>STN</b>	<b>Kvalita vody</b> <b>Celková objemová aktivita alfa v neslanej vode</b> <b>Skúšobná metóda na hrubej vrstve (ISO 9696:</b> <b>2017)</b>	<b>STN</b> <b>EN ISO 9696</b>  75 7610
------------	--	---

Water quality - Gross alpha activity - Test method using thick source (ISO 9696:2017)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/18

Obsahuje: EN ISO 9696:2017, ISO 9696:2017

**126263**

EUROPEAN STANDARD

**EN ISO 9696**

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2017

ICS 13.060.60

English Version

**Water quality - Gross alpha activity - Test method using  
thick source (ISO 9696:2017)**Qualité de l'eau - Activité alpha globale - Méthode  
d'essai par source concentrée (ISO 9696:2017)Wasserbeschaffenheit - Gesamt-Alpha-Aktivität -  
Dickschichtverfahren (ISO 9696:2017)

This European Standard was approved by CEN on 19 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**EN ISO 9696:2017 (E)**

<b>Contents</b>	<b>Page</b>
<b>European foreword.....</b>	<b>3</b>

## **European foreword**

This document (EN ISO 9696:2017) has been prepared by Technical Committee ISO/TC 147 "Water quality" in collaboration with Technical Committee CEN/TC 230 "Water analysis" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2018 and conflicting national standards shall be withdrawn at the latest by May 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 9696:2017 has been approved by CEN as EN ISO 9696:2017 without any modification.

# INTERNATIONAL STANDARD

# ISO 9696

Third edition  
2017-10

---

---

## Water quality — Gross alpha activity — Test method using thick source

*Qualité de l'eau — Activité alpha globale — Méthode d'essai par source concentrée*



Reference number  
ISO 9696:2017(E)

© ISO 2017

**ISO 9696:2017(E)****COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Symbols</b> .....	<b>2</b>
<b>5 Principle</b> .....	<b>2</b>
<b>6 Reagents and equipment</b> .....	<b>3</b>
6.1 Reagents.....	3
6.2 Equipment.....	4
<b>7 Procedure</b> .....	<b>4</b>
7.1 Sampling.....	5
7.2 Pretreatment.....	5
7.3 Concentration stage.....	5
7.4 Sulfation stage.....	5
7.5 Ignition stage.....	6
7.6 Source preparation.....	6
7.7 Measurement.....	6
7.8 Background determination.....	6
7.9 Preparation of the calibration source.....	6
7.10 Sensitivity and bias.....	7
7.11 Optimization of the determination.....	7
<b>8 Contamination check</b> .....	<b>8</b>
8.1 General.....	8
8.2 Radon isotopes losses.....	8
8.3 Polonium losses.....	8
<b>9 Expression of results</b> .....	<b>8</b>
9.1 Calculation of activity concentration.....	8
9.2 Standard uncertainty.....	9
9.3 Decision threshold.....	9
9.4 Detection limit.....	10
9.5 Confidence-interval limits.....	10
<b>10 Test report</b> .....	<b>10</b>
<b>Annex A (informative) Performance criteria</b> .....	<b>12</b>
<b>Bibliography</b> .....	<b>13</b>

## ISO 9696:2017(E)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 147, *Water quality*, Subcommittee SC 3, *Radioactivity measurements*.

This third edition cancels and replaces the second edition (ISO 9696:2007), which has been technically revised.



## Introduction

Radioactivity from several naturally occurring and anthropogenic sources is present throughout the environment. Thus, water bodies (e.g. surface waters, ground waters, sea waters) can contain radionuclides of natural, human-made or of both origins:

- natural radionuclides, including  $^{40}\text{K}$ ,  $^3\text{H}$ ,  $^{14}\text{C}$ , and those originating from the thorium and uranium decay series, in particular  $^{226}\text{Ra}$ ,  $^{228}\text{Ra}$ ,  $^{234}\text{U}$ ,  $^{238}\text{U}$ ,  $^{210}\text{Po}$  and  $^{210}\text{Pb}$ , can be found in water for natural reasons (e.g. desorption from the soil and runoff by rain water) or can be released from technological processes involving naturally occurring radioactive materials (e.g. the mining and processing of mineral sands or phosphate fertilizers production and use);
- anthropogenic radionuclides, such as the transuranium elements (e.g. americium, plutonium, neptunium and curium),  $^3\text{H}$ ,  $^{14}\text{C}$ ,  $^{90}\text{Sr}$ , and some gamma-emitting radionuclides can also be found in natural waters. Small quantities of these radionuclides may be discharged from nuclear fuel cycle facilities into the environment as the result of authorized routine releases. Some of these radionuclides used for medical and industrial applications may also be released into the environment after use. Anthropogenic radionuclides are also found in waters as the result of past fallout contamination resulting from the above ground detonation of nuclear devices and accidents such as those that occurred in Chernobyl and Fukushima.

Radionuclide activity concentration in water bodies can vary according to local geological characteristics and climatic conditions and can be locally and temporally enhanced by releases from nuclear installation during planned, existing and emergency exposure situations<sup>[1]</sup>. Drinking water may thus contain radionuclides at activity concentrations which could present a risk to human health.

The radionuclides present in liquid effluents are usually controlled before being discharged into the environment<sup>[2]</sup> and water bodies. Drinking water may be monitored for their radioactivity as recommended by the World Health Organization (WHO)<sup>[3]</sup>. Such control and monitoring can enable to take proper actions to ensure that there is no adverse health effects to the public. Following these international recommendations, radionuclide authorized concentration limits for liquid effluent discharged to the environment and radionuclide guidance levels for water bodies and drinking water are usually specified by national regulations for planned, existing and emergency exposure situations. Compliance with these limits can be assessed using measurement results with their associated uncertainties as requested by ISO/IEC Guide 98-3 and ISO 5667-20.

Depending on the exposure situation, the limits and guidance levels that would result in an action to reduce health risk differ. As an example, during planned or existing situation, the WHO guidance for screening levels in drinking water is  $0,5 \text{ Bq}\cdot\text{l}^{-1}$  for gross alpha activity and  $1 \text{ Bq}\cdot\text{l}^{-1}$  for gross beta activity.

**NOTE** The guidance level is the activity concentration with an intake of  $2 \text{ l}\cdot\text{d}^{-1}$  of drinking water for 1 year that results in an effective dose of  $0,1 \text{ mSv}\cdot\text{a}^{-1}$  for members of the public, an effective dose that represents a very low level of risk that is not expected to give rise to any detectable adverse health effect<sup>[3]</sup>.

Thus, the test method may need to be adjusted depending if it is applied for either a planned-existing or an emergency situation since during emergency situations, a large number of samples needs to be rapidly characterized. The test methods could be adapted so that its performance in term of characteristic limits, decision threshold and detection limit, and the uncertainties ensure that the gross activity concentration test results permit the verification that they are below the guidance levels required by national authority for either planned-existing situations or an emergency situation<sup>[5]</sup><sup>[6]</sup><sup>[7]</sup>.

Usually, the test methods can be adjusted to measure the gross activity concentration of the radionuclide(s) in either wastewaters before storage or in liquid effluents before being discharged to the environment. The test results will enable the plant/installation operator to comply with national regulations in verifying that before their discharge, wastewaters/liquid effluent radioactive activity concentrations are lower than the authorized limits.

**ISO 9696:2017(E)**

The test method(s) described in this document may be used during planned, existing and emergency exposure situations, as well as for wastewaters and liquid effluents with specific modifications that could increase the overall uncertainty, detection limit and threshold.

The test method(s) may be used for water samples after proper sampling, sample handling and test sample preparation (see the ad hoc part of ISO 5667).

An international standard on a test method of gross alpha and gross beta activity concentrations in water samples is justified for test laboratories carrying out these measurements and may be required by national authorities, as laboratories may have to obtain a specific accreditation for radionuclide measurement of drinking water samples.

This document is one of a set of International Standards on test methods dealing with the measurement of the activity concentration of radionuclides in water samples.

# Water quality — Gross alpha activity — Test method using thick source

**WARNING** — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

**IMPORTANT** — It is absolutely essential that tests conducted in accordance with this document be carried out by suitably trained staff.

## 1 Scope

This document specifies a method for the determination of gross alpha activity in non-saline waters for alpha-emitting radionuclides which are not volatile up to 350 °C.

The method is applicable to raw and potable waters.

The range of application depends on the amount of total soluble salts in the water and on the performance characteristics (background count rate and counting efficiency) of the counter.

It is the laboratory's responsibility to ensure the suitability of this method for the water samples tested.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods*

ISO 5667-1, *Water quality — Sampling — Part 1: Guidance on the design of sampling programmes and sampling techniques*

ISO 5667-3, *Water quality — Sampling — Part 3: Preservation and handling of water samples*

ISO 5667-14, *Water quality — Sampling — Part 14: Guidance on quality assurance and quality control of environmental water sampling and handling*

ISO 11929, *Determination of the characteristic limits (decision threshold, detection limit and limits of the confidence interval) for measurements of ionizing radiation — Fundamentals and application*

ISO 80000-10, *Quantities and units — Part 10: Atomic and nuclear physics*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC Guide 99, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**