

STN	Dráhové aplikácie Meranie energie na koľajových vozidlách Časť 4: Komunikácia	STN EN 50463-4
		34 1512

Railway applications - Energy measurement on board trains - Part 4: Communication

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/18

Obsahuje: EN 50463-4:2017

Oznámením tejto normy sa od 06.10.2020 ruší
STN EN 50463-4 (34 1512) z novembra 2013

126345

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2018

Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnrožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD

EN 50463-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2017

ICS 45.060.10

Supersedes EN 50463-4:2012

English Version

**Railway applications - Energy measurement on board trains -
Part 4: Communication**

Applications ferroviaires - Mesure d'énergie à bord des
trains - Partie 4 : Communication

Bahnanwendungen - Energiemessung auf Bahnfahrzeugen
- Teil 4: Kommunikation

This European Standard was approved by CENELEC on 2017-05-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
European foreword.....	9
Introduction.....	10
1 Scope	13
2 Normative references	13
3 Terms, definitions and abbreviations	14
3.1 Terms and definitions	14
3.2 Abbreviations	19
4 Requirements	20
4.1 General	20
4.2 Communication between functions of the EMS.....	20
4.2.1 General	20
4.2.2 Communication protocols stack.....	22
4.2.3 Communication security.....	23
4.2.4 VMF/CMF to ECF Interface (VEI)	24
4.2.5 EMF to DHS interface (EMDI)	24
4.2.6 Maintenance/testing interfaces (DSI and ESI).....	24
4.2.7 DHS to location function	25
4.2.8 DHS to UTC source	25
4.2.9 DHS to Consist Network digital interface (CNI)	25
4.3 Communication between the EMS and ground.....	25
4.3.1 General	25
4.3.2 EMS set-up	26
4.3.3 Application services (service layer)	28
4.3.4 Data structures (data layer)	30
4.3.5 Message mechanism (message layer).....	83
4.3.6 Application protocols for supporting the message mechanism	94
4.3.7 Communication architecture	100
4.3.8 XML schema version control	103
4.3.9 Security	104
4.4 Access security.....	104
5 Conformity assessment.....	104
5.1 General	104
5.1.1 Introduction	104
5.1.2 Applicability	104
5.1.3 Methodology	105
5.2 PICS and PIXIT	105
5.2.1 General	105
5.2.2 PICS.....	105
5.2.3 PIXIT	105
5.3 Design review	106
5.4 Type test procedure.....	106
5.4.1 General	106
5.4.2 Testing the communication	106
5.4.3 Testing the on board interfaces	106
5.4.4 Testing the on board to ground interface.....	107
Annex A (informative) VEI–VMF/CMF to ECF interface implementation example.....	109
A.1 General	109
A.2 Payload format	109
A.3 Encryption.....	110

Annex B (informative) PICS structure and instruction.....	111
B.1 Structure	111
B.2 Instructions for completing the PICS pro-forma	111
B.2.1 PICS table structure	111
B.2.2 Abbreviations used in PICS	111
B.2.3 Ref. column.....	112
B.2.4 Subclause column.....	112
B.2.5 Capability column.....	112
B.2.6 Requirement column.....	112
B.2.7 Implementation column.....	112
B.2.8 Parameter values column	113
B.3 PICS pro-forma examples	113
B.3.1 Identification of PICS	113
B.3.2 Identification of the implementation under assessment.....	113
B.3.3 Identification of the IUA supplier	114
B.3.4 Identification of the standards.....	115
B.3.5 Global statement of conformity	115
B.3.6 Level of conformity	115
Annex C (informative) Access rights	116
Annex D (normative) XML schemas of the message mechanism	117
D.1 General	117
D.2 Message.xsd	117
Annex E (normative) XML schemas of the mandatory data structures	119
E.1 General	119
E.2 50463_BaseType.xsd.....	119
E.3 CEBDBlock.xsd	119
E.4 EventSet.xsd	121
E.5 Heartbeat.xsd	122
Annex F (normative) XML schemas of the optional data structures	124
F.1 General	124
F.2 50463_BaseTypes_Extension.xsd	124
F.3 ReadingBlock.xsd.....	124
F.4 CommunicationConfig.xsd.....	125
F.5 ChangeCommunicationConfig.xsd	127
F.6 AssetData.xsd	132
F.7 State.xsd	137
Annex G (informative) On board to ground communication XML examples.....	142
G.1 General	142
G.2 Examples of data structures	142
G.2.1 CEBDBlock	142
G.2.2 EventSet	144
G.2.3 Heartbeat	145
G.2.4 ReadingBlock	146
G.2.5 CommunicationConfig.....	146
G.2.6 ChangeCommunicationConfig	150
G.2.7 AssetData	154
G.2.8 State.....	154
G.3 Examples of application services	158
G.3.1 AutomaticTransferCEBDBlocks.....	159
G.3.2 AutomaticTransferEvents	159
G.3.3 AutomaticTransferHeartbeat.....	159
G.3.4 PeriodicTransferState	160
G.3.5 RequestCEBDBlocks	160
G.3.6 RequestAssetData	160
G.3.7 RequestEvents	161

G.3.8	ChangeCommunicationConfig	162
Annex ZZ (informative) Relationship between this European Standard and the Essential Requirements of Directive 2008/57/EC	164	
Bibliography.....	165	

Figures

Figure 1 — EMS functional structure and dataflow diagram	12
Figure 2 — Example of energy index value	16
Figure 3 — EMS block diagram and interface	21
Figure 4 — Communication components (example)	27
Figure 5 — Consumption point operational states	27
Figure 6 — Maintenance Commissioning states	28
Figure 7 — CEBDBlock structure	31
Figure 8 — EventSet structure	34
Figure 9 — Heartbeat structure.....	41
Figure 10 — ReadingBlock structure	42
Figure 11 — CommunicationConfig structure.....	48
Figure 12 — ChangeCommunicationConfig structure	59
Figure 13 — AssetData structure.....	67
Figure 14 — State structure	76
Figure 15 — Case of request from DCS to EMS	84
Figure 16 — Case of events from EMS to DCS.....	84
Figure 17 — RequestMessage structure	85
Figure 18 — ResponseMessage structure	85
Figure 19 — EventMessage structure	85
Figure 20 — Header structure	85
Figure 21 — Request structure	87
Figure 22 — Reply structure	87
Figure 23 — Payload structure	88
Figure 24 — HTTP request.....	96
Figure 25 — Successful HTTP response	96
Figure 26 — Example of procedure for the transmission of a RequestMessage using FTP with mailbox	99
Figure 27 — Example of procedure for the transmission of a ResponseMessage using FTP with mailbox	99
Figure 28 — Example of procedure for the transmission of an EventMessage using FTP with mailbox	100
Figure 29 — Communication architecture options between the EMS and a user on ground	101
Figure 30 — Dedicated wireless connection	102
Figure 31 — Test bench for on board interface	106
Figure 32 — On board to ground test bench 1	108
Figure 33 — On board to ground test bench 2	108
Figure A.1 — Payload format	109

Tables

Table 1 — List of permitted protocol stacks.....	22
---	-----------

Table 2 — Types of user access rights	29
Table 3 — XML schema of each data structure.....	30
Table 4 — Definition of CEBDBlock elements.....	32
Table 5 — Definition of EMSType elements (CEBDBlock)	32
Table 6 — Definition of CEBDType elements (CEBDBlock).....	33
Table 7 — Definition of ChannelType elements (CEBDBlock).....	33
Table 8 — Definition of EnergyType elements (CEBDBlock).....	33
Table 9 — Definition of EventSet elements	34
Table 10 — Definition of EMSType elements (EventSet).....	34
Table 11 — Definition of EventType elements (EventSet).....	35
Table 12 — Definition of EventDescriptionType elements.....	35
Table 13 — Variables for defining events	35
Table 14 — Value of variables for defining events	36
Table 15 — Hardware and software alarms	36
Table 16 — User management events.....	37
Table 17 — Measurement alarms.....	38
Table 18 — Synchronization alarms and events.....	38
Table 19 — Communication events.....	39
Table 20 — Configuration events	40
Table 21 — Definition of Heartbeat elements	41
Table 22 — Definition of ReadingBlock elements.....	43
Table 23 — Definition of EMSType elements (ReadingBlock)	43
Table 24 — Definition of ReadingType elements (ReadingBlock).....	44
Table 25 — Definition of ChannelType elements (ReadingBlock).....	44
Table 26 — Definition of EnergyType elements (ReadingBlock).....	45
Table 27 — Definition of Reactive4QType elements (ReadingBlock)	45
Table 28 — Definition of IndexEnergy elements (ReadingBlock)	45
Table 29 — Definition of CurrentType elements (ReadingBlock).....	45
Table 30 — Definition of VoltageType elements (ReadingBlock).....	46
Table 31 — Definition of MinimumVoltageType elements (ReadingBlock).....	46
Table 32 — Definition of EnhancedLocationType elements (ReadingBlock)	46
Table 33 — Definition of SpeedType elements (ReadingBlock)	47
Table 34 — Definition of TemperatureType elements (ReadingBlock)	47
Table 35 — Definition of InternalLoadType elements (ReadingBlock)	47
Table 36 — Value examples for kind in InternalLoadType (ReadingBlock)	47
Table 37 — Definition of CommunicationConfig elements	49
Table 38 — Definition of UserType elements (CommunicationConfig)	50
Table 39 — Definition of UserMessageHeaderType elements (CommunicationConfig).....	50
Table 40 — Definition of ServiceType (CommunicationConfig)	51
Table 41 — Definition of RequestType elements (CommunicationConfig)	51
Table 42 — Definition of AutomaticTransferType elements (CommunicationConfig)	52
Table 43 — Definition of ChangeType elements (CommunicationConfig)	52
Table 44 — Definition of ProtocolType elements (CommunicationConfig)	52
Table 45 — Definition of FTPMailboxType elements (CommunicationConfig)	53
Table 46 — Definition of HTTPType elements (CommunicationConfig).....	53
Table 47 — Definition of DataGenerationType elements (CommunicationConfig)	54

Table 48 — Definition of CEBDBlockConfigType elements (CommunicationConfig).....	54
Table 49 — Definition of Heartbeat elements (CommunicationConfig)	54
Table 50 — Definition of ReadingBlockConfigType elements (CommunicationConfig).....	54
Table 51 — Definition of EventConfigType elements (CommunicationConfig)	55
Table 52 — Definition of LogType elements (CommunicationConfig)	55
Table 53 — Definition of EMSStateConfigType elements (CommunicationConfig)	55
Table 54 — Definition of SignatureParameterType elements (CommunicationConfig).....	55
Table 55 — Definition of MessageGenerationType elements (CommunicationConfig).....	56
Table 56 — Definition of EMSMessageHeaderType elements (CommunicationConfig).....	56
Table 57 — Definition of DedicatedWirelessConnection elements (CommunicationConfig)	56
Table 58 — Definition of MobileType elements (CommunicationConfig).....	57
Table 59 — Definition of IPv4Type elements (CommunicationConfig).....	57
Table 60 — Definition of IPv6Type elements (CommunicationConfig).....	57
Table 61 — Definition of APNTYPE elements (CommunicationConfig)	58
Table 62 — Definition of TelephoneNumberType elements (CommunicationConfig)	58
Table 63 — Definition of WIFIType elements (CommunicationConfig)	58
Table 64 — Definition of EN 61375DedicatedConnectionType elements (CommunicationConfig).....	58
Table 65 — Definition of EN 61375SharedConnectionType elements (CommunicationConfig).....	58
Table 66 — Definition of ChangeCommunicationConfig elements.....	60
Table 67 — Definition of UserType elements (ChangeCommunicationConfig).....	61
Table 68 — Definition of UserMessageHeaderType elements (ChangeCommunicationConfig).....	61
Table 69 — Definition of ServiceType (ChangeCommunicationConfig).....	61
Table 70 — Definition of RequestType elements (ChangeCommunicationConfig).....	62
Table 71 — Definition of AutomaticTransferType elements (ChangeCommunicationConfig).....	62
Table 72 — Definition of ChangeType elements (ChangeCommunicationConfig).....	62
Table 73 — Definition of ProtocolType elements (ChangeCommunicationConfig)	62
Table 74 — Definition of FTPMailboxType elements (ChangeCommunicationConfig).....	62
Table 75 — Definition of HTTPType elements (ChangeCommunicationConfig)	63
Table 76 — Definition of DataGenerationType elements (ChangeCommunicationConfig)	63
Table 77 — Definition of CEBDBlockConfigType elements (ChangeCommunicationConfig)	63
Table 78 — Definition of Heartbeat elements (CommunicationConfig)	63
Table 79 — Definition of ReadingBlockConfigType elements (ChangeCommunicationConfig).....	63
Table 80 — Definition of EventConfigType elements (ChangeCommunicationConfig).....	64
Table 81 — Definition of EMSStateConfigType elements (ChangeCommunicationConfig).....	64
Table 82 — Definition of SignatureParameterType elements (ChangeCommunicationConfig).....	64
Table 83 — Definition of MessageGenerationType elements (ChangeCommunicationConfig).....	64
Table 84 — Definition of EMSMessageHeaderType elements (ChangeCommunicationConfig).....	64
Table 85 — Definition of DedicatedWirelessConnection elements (ChangeCommunicationConfig).....	64
Table 86 — Definition of MobileType elements (ChangeCommunicationConfig)	65
Table 87 — Definition of IPv4Type elements (ChangeCommunicationConfig)	65

Table 88 — Definition of IPv6Type elements (ChangeCommunicationConfig)	65
Table 89 — Definition of APNTType elements (ChangeCommunicationConfig)	66
Table 90 — Definition of TelephoneNumberType elements (ChangeCommunicationConfig)	66
Table 91 — Definition of WIFIType elements (ChangeCommunicationConfig)	66
Table 92 — Definition of EN 61375DedicatedConnection elements (ChangeCommunicationConfig).....	66
Table 93 — Definition of EN 61375SharedConnectionType elements (ChangeCommunicationConfig).....	66
Table 94 — Definition of AssetData elements	68
Table 95 — Definition of EndDeviceInfoType elements (AssetData)	69
Table 96 — Definition of AssetModelType elements (AssetData).....	69
Table 97 — Definition of HardwareVersionType elements (AssetData)	69
Table 98 — Definition of SoftwareVersionType elements (AssetData).....	70
Table 99 — Definition of LifeCycleType elements (AssetData)	70
Table 100 — Definition of AcceptanceTestType elements (AssetData)	70
Table 101 — Definition of SensorType elements (AssetData)	71
Table 102 — Definition of MeterType elements (AssetData).....	71
Table 103 — Definition of DeviceType elements (AssetData).....	72
Table 104 — Definition of SealType elements (AssetData).....	72
Table 105 — Definition of TractionUnitType elements (AssetData)	72
Table 106 — Definition of TractionSystemDataType elements (AssetData)	73
Table 107 — Definition of VehicleType elements (AssetData).....	73
Table 108 — Definition of PhysicalPositionType elements (AssetData)	73
Table 109 — Definition of EMFType elements (AssetData).....	73
Table 110 — Definition of ECFType elements (AssetData)	74
Table 111 — Definition of CMFType elements (AssetData)	74
Table 112 — Definition of VMFType elements (AssetData).....	75
Table 113 — Definition of FunctionType elements (AssetData)	75
Table 114 — Definition of State elements	77
Table 115 — Definition of SensorType elements (State).....	77
Table 116 — Definition of MeterType elements (State)	77
Table 117 — Definition of DeviceType elements (State)	78
Table 118 — Definition of EMFType elements (State)	78
Table 119 — Definition of ECFType elements (State)	78
Table 120 — Definition of CMFType elements (State)	79
Table 121 — Definition of VMFType elements (State)	79
Table 122 — Definition of FunctionType elements (State)	79
Table 123 — Definition of ActiveType elements	80
Table 124 — Definition of ReactiveType elements	80
Table 125 — Definition of CPIDType	80
Table 126 — Definition of DateTimeIntervalType	80
Table 127 — Definition of LocationType elements	80
Table 128 — Definition of simple types.....	81
Table 129 — Definition of BasicTemperatureType elements	82
Table 130 — Definition of BasicSpeedType elements.....	82
Table 131 — Definition of ActivePowerType elements.....	82
Table 132 — Additional simple types	82

Table 133 — Digital signature parameters	83
Table 134 — Definition of Header elements.....	86
Table 135 — Definition of User elements	87
Table 136 — Definition of Request elements.....	87
Table 137 — Definition of Reply elements	88
Table 138 — Definition of ErrorType elements	88
Table 139 — Definition of Payload elements	89
Table 140 — Mapping of the service RequestCEBDBlocks	89
Table 141 — Mapping of the service AutomaticTransferCEBDBlocks	90
Table 142 — Mapping of the service RequestEvents	90
Table 143 — Mapping of the service AutomaticTransferEvents	91
Table 144 — Mapping of the service AutomaticTransferHeartbeat	91
Table 145 — Mapping of the service ReaquestReadingBlocks	91
Table 146 — Mapping of the service AutomaticTransferReadingBlocks	92
Table 147 — Mapping of the service RequestCommunicationConfig	92
Table 148 — Mapping of the service AutomaticTransferCommunicationConfig	92
Table 149 — Mapping of the service RequestAssetData	93
Table 150 — Mapping of the service AutomaticTransferCommunicationConfig	93
Table 151 — Mapping of the service RequestState	93
Table 152 — Mapping of the service PeriodicTransferState.....	94
Table 153 — Mapping of the service ChangeCommunicationConfig	94
Table 154 — HTTP parameters.....	97
Table B.1 — PICS table format.....	111
Table B.2 — PICS identification table.....	113
Table B.3 — IUA identification table.....	114
Table B.4 — IUA supplier identification table.....	114
Table B.5 — Applicable standards identification table	115
Table B.6 — Global statement table	115
Table B.7 — Level of conformity.....	115
Table ZZ.1 — Correspondence between this European Standard, the TSI “Locomotives and Passenger Rolling Stock” (REGULATION (EU) No 1302/2014 of 18 November 2014) and Directive 2008/57/EC amended by Directive 2011/18/EU	164
Table ZZ.2 — Correspondence between this European Standard, the TSI “Energy” (REGULATION (EU) No 1301/2014 of 18 November 2014) and Directive 2008/57/EC amended by Directive 2011/18/EU	164

European foreword

This document (EN 50463-4:2017) has been prepared by CLC/TC 9X “Electrical and electronic applications for railways”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-04-06
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-10-06

This document supersedes EN 50463-4:2012.

EN 50463-4 includes the following significant technical changes with respect to EN 50463-4:2012:

- general replacement of the text of 4.3 with new complete protocols for data transfer between EMS and DCS to make it interoperable (Clause 4);
- introduction of link to the EN 61375 Communication standard series (Clause 4);
- introduction of the normative Annexes D to F containing the XML schemas to detail the requirements of Clause 4.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

This document is Part 4 of the EN 50463 series which consists of the following parts, under the common title *Railway applications — Energy measurement on board trains*:

- *Part 1: General;*
- *Part 2: Energy measuring;*
- *Part 3: Data handling;*
- *Part 4: Communication;*
- *Part 5: Conformity assessment.*

This series of European Standards follows the functional guidelines description in EN ISO/IEC 17000:2004, Annex A “Principles of conformity assessment”, tailored to the Energy Measurement System (EMS).

The requirements for Energy Measurement Systems in the relevant Technical Specifications for Interoperability are supported by this series of European Standards.

Introduction

The Energy Measurement System provides measurement and data suitable for billing and may also be used for energy management, e.g. energy saving.

This series of European Standards uses the functional approach to describe the Energy Measurement System and on-ground Data Collecting System. These functions are implemented in one or more physical devices. The user of this series of standards is free to choose the physical implementation arrangements.

a) Structure and main contents of the EN 50463 series:

This series of European Standards is divided into five parts. The titles and brief descriptions of each part are given below:

1) EN 50463-1 — General:

The scope of EN 50463-1 is the Energy Measurement System (EMS).

EN 50463-1 provides system level requirements for the complete EMS and common requirements for all devices implementing one or more functions of the EMS.

2) EN 50463-2 — Energy measuring:

The scope of EN 50463-2 is the Energy Measurement Function (EMF).

The EMF provides measurement of the consumed and regenerated active energy of a railway traction unit. If the traction unit is designed for use on AC traction systems the EMF also provides measurement of reactive energy. The EMF provides the measured quantities via an interface to the Data Handling System.

The EMF consists of the three functions: Voltage Measurement Function, Current Measurement Function and Energy Calculation Function. For each of these functions, accuracy classes are specified and associated reference conditions are defined. EN 50463-2 also defines all specific requirements for all functions of the EMF.

The Voltage Measurement Function measures the voltage of the Contact Line system and the Current Measurement Function measures the current taken from and returned to the Contact Line system. These functions provide signal inputs to the Energy Calculation Function.

The Energy Calculation Function inputs the signals from the Current and Voltage Measurement Functions and calculates a set of values representing the consumed and regenerated energies. These values are transferred to the Data Handling System and are used in the creation of Compiled Energy Billing Data (CEBD).

The standard has been developed taking into account that in some applications the EMF may be subjected to legal metrological control. All relevant metrological aspects are covered in EN 50463-2.

EN 50463-2 also defines the conformity assessment of the EMF.

3) EN 50463-3 — Data handling:

The scope of EN 50463-3 is the Data Handling System (DHS) and the associated requirements of Data Collecting System (DCS).

The on board DHS receives, produces and stores data, ready for transmission to any authorized receiver of data on board or on ground. The main goal of the DHS is to produce Compiled Energy Billing Data and transfer it on an interoperable basis to an on-ground Data Collecting System (DCS). The DHS can support other functionality on board or on-ground with data, as long as this does not conflict with the main goal.

The DCS on-ground receives Compiled Energy Billing Data and transfer it to settlement system.

EN 50463-3 also defines the conformity assessment of the DHS and for the transfer of CEBD to an on-ground Data Collecting System (DCS).

4) EN 50463-4 — Communication:

The scope of EN 50463-4 is the communication services.

This part of EN 50463 gives requirements and guidance regarding the data communication between the functions implemented within EMS as well as between such functions and other on board units where data are exchanged using a communications protocol stack over a dedicated physical interface or a shared network.

It includes the on board to ground communication service and covers the requirements necessary to support data transfer between DHS and DCS including the transfer of CEBD on an interoperable basis.

EN 50463-4 also defines the conformity assessment of the communications services.

5) EN 50463-5 — Conformity assessment:

The scope of EN 50463-5 is the conformity assessment procedures for the EMS.

EN 50463-5 also covers re-verification procedures and conformity assessment in the event of the replacement of a device of the EMS.

b) EMS functional structure and dataflow:

Figure 1 illustrates the functional structure of the EMS, the main sub-functions and the structure of the dataflow and is informative only. Only the main interfaces required by this standard are displayed by arrows.

Since the communication function is distributed throughout the EMS, it has been widely omitted for clarity, except for the train to ground communication. Not all interfaces are shown.




Figure 1 — EMS functional structure and dataflow diagram

1 Scope

This European Standard applies to the on board and on board to ground communication services, i.e. it covers the data communication using digital interfaces:

- a) between functions implemented within the EMS;
- b) between EMS function and other on board subsystems;
- c) between EMS and ground communication services.

The on board data communication services of the EMS cover the data exchange between functions of the EMS and the data exchange between EMS and other on board units, where data are exchanged using a communications protocol stack over a dedicated physical interface or a shared communication network.

The on board to ground communication services cover the wireless data communication between the DHS and the on ground server.

Furthermore, this document includes conformity assessment requirements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50463-1:2017, *Railway applications — Energy measurement on board trains — Part 1: General*

EN 50463-2:2017, *Railway applications — Energy measurement on board trains — Part 2: Energy measuring*

EN 50463-3:2017, *Railway applications — Energy measurement on board trains — Part 3: Data handling*

EN 50463-5:2017, *Railway applications — Energy measurement on board trains — Part 5: Conformity assessment*

EN 60870-5 (all parts), *Telecontrol equipment and systems — Part 5: Transmission protocols (IEC 60870-5 series)*

EN 61158-2:2014, *Industrial communication networks — Fieldbus specifications — Part 2: Physical layer specification and service definition (IEC 61158-2:2014)*

EN 61375-1:2012, *Electronic railway equipment — Train communication network (TCN) — Part 1: General architecture (IEC 61375-1:2012)*

prEN 61375-2-6:2016, *Electronic railway equipment — Train communication network — Part 2-6: On-board to ground communication (IEC 61375-2-6:201X)*

EN 61375-3-1:2012, *Electronic railway equipment — Train communication network (TCN) — Part 3-1: Multifunction Vehicle Bus (MVB) (IEC 61375-3-1:2012)*

EN 61375-3-3:2012, *Electronic railway equipment — Train communication network (TCN) — Part 3-3: CANopen Consist Network (CCN) (IEC 61375-3-3:2012)*

EN 61375-3-4:2014, *Electronic railway equipment — Train communication network (TCN) — Part 3-4: Ethernet Consist Network (ECN) (IEC 61375-3-4:2014)*

EN ISO 3166-1:2014, *Codes for the representation of names of countries and their subdivisions — Part 1: Country codes (ISO 3166-1:2013)*

EN ISO/IEC 9646-1:1996¹⁾, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 1: General concepts (ISO/IEC 9646-1:1994)*

ISO 8601:2004, *Data elements and interchange formats — Information interchange — Representation of dates and times*

ISO 11898-1:2015, *Road vehicles — Controller area network (CAN) — Part 1: Data link layer and physical signalling*

ISO 11898-2:2016, *Road vehicles — Controller area network (CAN) — Part 2: High-speed medium access unit*

ISO/IEC 8482:1993, *Information technology — Telecommunications and information exchange between systems — Twisted pair multipoint interconnections*

ISO/IEC/IEEE 8802-3:2017, *Information technology — Telecommunications and information exchange between systems — Local and metropolitan area networks — Specific requirements — Part 3: Standard for Ethernet*

ITU-T/Recommendation V.24:2000, List of definitions for interchange circuits between data terminal equipment (DTE) and data circuit-terminating equipment (DCE)

RFC 1321:1992, The MD5 Message-Digest Algorithm

RFC 1952:1996, GZIP file format specification

RFC 2616:1999, Hypertext Transfer Protocol – HTTP/1.1

RFC 3275:2002, XML-Signature Syntax and Processing

RFC 3986:2005, Uniform Resource Identifier (URI): Generic Syntax

RFC 4001:2005, Textual Conventions for Internet Network Addresses

RFC 4051:2005, Additional XML Security Uniform Resource Identifiers (URIs)

RFC 4648:2006, The Base16, Base32, and Base64 Data Encodings

TIA/EIA-422-B, May 1994, Electrical Characteristics of Balanced Voltage Digital Interface Circuits

koniec náhľadu – text d'alej pokračuje v platenej verzii STN

1) Also available as ITU-T/Recommendation X.290 (04/95), *OSI conformance testing methodology and framework for protocol Recommendations for ITU-T applications — General concepts*.