

Ropný, petrochemický a plynárenský priemysel Katódová ochrana potrubných prepravných systémov

Časť 1: Potrubia uložené v pôde (ISO 15589-1: 2015)

STN EN ISO 15589-1

03 8358

Petroleum, petrochemical and natural gas industries - Cathodic protection of pipeline systems - Part 1: On-land pipelines (ISO 15589-1:2015)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/18

Obsahuje: EN ISO 15589-1:2017, ISO 15589-1:2015

126362

STN EN ISO 15589-1: 2018

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 15589-1

September 2017

ICS 75.200

English Version

Petroleum, petrochemical and natural gas industries - Cathodic protection of pipeline systems - Part 1: On-land pipelines (ISO 15589-1:2015)

Industries du pétrole, de la pétrochimie et du gaz naturel - Protection cathodique des systèmes de transport par conduites - Partie 1: Conduites terrestres (ISO 15589-1:2015) Erdöl- und Erdgasindustrie - Kathodischer Schutz für Transportleitungsysteme - Teil 1: On-land pipelines (ISO 15589-1:2015)

This European Standard was approved by CEN on 23 August 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CEN All rights of exploitation in any form and by any means reserved

Ref. No. EN ISO 15589-1:2017 E

EN ISO 15589-1:2017 (E)

	Contents	Page
European foreword	Furancan foroward	3

European foreword

The text of ISO 15589-1:2015 has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 15589-1:2017 by Technical Committee CEN/TC 219 "Cathodic protection" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2018, and conflicting national standards shall be withdrawn at the latest by March 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 15589-1:2015 has been approved by CEN as EN ISO 15589-1:2017 without any modification.

INTERNATIONAL STANDARD

ISO 15589-1

Second edition 2015-03-01

Petroleum, petrochemical and natural gas industries — Cathodic protection of pipeline systems —

Part 1: **On-land pipelines**

Industries du pétrole, de la pétrochimie et du gaz naturel — Protection cathodique des systèmes de transport par conduites —

Partie 1: Conduites terrestres



ISO 15589-1:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Co	Contents				
For	eword		vi		
Intr	oductio	n	vii		
1		e			
	-				
2	Norr	native references	1		
3	Tern	ns and definitions	2		
4	Svm	bols and abbreviations	5		
	4.1	Symbols			
	4.2	Abbreviations	7		
5	CP p	ersonnel competence	7		
6	Cath	odic protection criteria	8		
	6.1	General			
	6.2	Protection potentials	8		
	6.3	Alternative methods			
		6.3.1 100 mV cathodic potential shift			
		6.3.2 Other methods			
	6.4	Criteria in the presence of a.c.	10		
7	Pre-	requisites for the application of cathodic protection	10		
	7.1	General			
	7.2	Electrical continuity			
	7.3	Electrical isolation			
		7.3.1 General			
		7.3.2 Locations			
		7.3.3 Isolating joints			
		7.3.4 Internal corrosion risks at isolating joints			
		7.3.5 Contacts between metallic structures			
	7.4	Lightning and overvoltage protection			
	7.5	Coating			
	7.0	7.5.1 General			
		7.5.2 Factory-applied coatings			
		7.5.3 Field joint coatings			
		7.5.4 Coating for trenchless pipelines			
		7.5.5 Air to electrolyte interface			
		7.5.6 Compatibility of coatings and wraps with cathodic protection			
		7.5.7 Thermal insulation			
		7.5.8 Reinforced concrete weight coating			
	7.6	Selection of pipe trench backfill material			
	7.7	Buried casings for pipelines			
		7.7.1 General			
		7.7.2 Casings that shield cathodic protection current			
	7.8	7.7.3 Casings that pass cathodic protection current			
	7.0 7.9	Equipment for the mitigation of d.c. interference			
	7.7	Equipment for the infugation of the interference	10		

ISO 15589-1:2015(E)

Ø	Basic	requirements for cathodic protection design	
	8.1	General	
	8.2	Basic information for cathodic protection design	
	8.3	Contents of cathodic protection design report	
	8.4	Cathodic protection current demand	20
		8.4.1 Calculation of the theoretical total current demand	
		8.4.2 Current demand based on coating breakdown factors	
		8.4.3 Current demand based on current density values for coated pipelines	22
	8.5	Cathodic protection equipment	23
		8.5.1 Cathodic protection cables	
		8.5.2 Cable connection	
		8.5.3 Precautions to respect for distribution boxes and test stations	
	8.6	Temporary protection	
	8.7	Specific case of existing pipelines	
		8.7.1 General	
		8.7.2 Parallel pipelines	
		8.7.3 Parallelism or crossing with a.c. power systems	
	8.8	Trenchless installation methods	27
9	Impre	essed current stations	2Ω
7	9.1	General	
	9.1	Power supply	
	9.3	Groundbeds	
	7.3	9.3.1 General	
		9.3.2 Deep-well groundbeds	
		9.3.3 Shallow groundbeds	
		9.3.4 Impressed-current anodes and conductive backfill	
	9.4	Output control	
	7.4	9.4.1 General	
		9.4.2 Current distribution for multiple pipelines	
		9.4.3 Potential control	
10	Galva	nic anode systems	
	10.1	General	
	10.2	Design requirements	34
	10.3	Zinc anodes	
	10.4	Magnesium anodes	
	10.5	Design of the anode system	
	10.6	Anode backfill	
	10.7	Cables and cable connections.	39
	10.8	Anode installation	39
11	Monit	oring facilities	30
11	11.1	General	
	11.1	Locations of test stations	
	11.2	Description of test stations	
	11.3	Use of probes and coupons	
	11.4	Bonding to other pipelines	
	11.5		
		Test facilities at cased crossings	
	11.7 11.8	Test facilities at isolating joints	
	11.0	Line current monitoring test stations Drain-point test facilities	
	11.10	Miscellaneous monitoring facilities	41

12	Comr	nissioning	41
	12.1	General	
	12.2	Preliminary tests	
	12.3	Start up	
		12.3.1 Impressed current stations	
		12.3.2 Galvanic anodes	
		12.3.3 Drainage stations	
		12.3.4 Test stations	
	12.4	Verification of cathodic protection effectiveness	
		12.4.1 General	
		12.4.2 Measurements of d.c. potential and a.c. voltage	
		12.4.3 Current measurements	
	10 5	12.4.4 Adjustments	
	12.5	Commissioning report	
		12.5.1 Installation documentation	
		12.5.2 Commissioning measurements	
13	Moni	toring, inspection, and maintenance	
	13.1	General	
	13.2	Implementation of inspection	
	13.3	Periodicities of inspection	
	13.4	Remote monitoring	
	13.5	Specialized surveys	
	13.6	Monitoring plan	
	13.7	Monitoring equipment	
	13.8	Maintenance and repair	51
14	Documentation		51
	14.1	Design documentation	51
		14.1.1 General	
		14.1.2 Construction details and installation procedures	52
	14.2	Commissioning documentation	
	14.3	Operating and maintenance documentation	
		14.3.1 General	
		14.3.2 Inspection and monitoring data	
		14.3.3 Maintenance records	54
Anne	ex A (no	rmative) Cathodic protection measurements	55
Anne	ex B (no	rmative) Electrical interference	63
Anne	ex C (inf	ormative) Fault detection of impressed-current systems during operation	67
	-	ormative) Description of specialized surveys	
Anne	ex E (inf	ormative) Attenuation of protection	76
Anne	ex F (inf	ormative) Electrical tests for isolating joints before installation	79
Bibli	ograph	y	80

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 2, *Pipeline transportation systems*.

This second edition cancels and replaces the first edition (ISO 15589-1:2003), which has been technically revised with the following changes:

- cathodic protection criteria have been extended with further clarification on the application of the criteria;
- requirements for design have been more detailed and periodicities for inspection of cathodic equipment have been enlarged, and the option for remote monitoring added;
- requirements for measurements and testing during commissioning have been further detailed.

ISO 15589 consists of the following parts, under the general title *Petroleum, petrochemical and natural gas industries* — *Cathodic protection of pipeline systems*:

- Part 1: On-land pipelines
- Part 2: Offshore pipelines

Introduction

Pipeline cathodic protection is achieved by the supply of sufficient direct current to the external pipe surface, so that the steel-to-electrolyte potential is lowered to values at which external corrosion is reduced to an insignificant rate.

Cathodic protection is normally used in combination with a suitable protective coating system to protect the external surfaces of steel pipelines from corrosion.

It is necessary that users of this part of ISO 15589 be aware that further or differing requirements can be needed for individual applications. This part of ISO 15589 is not intended to inhibit the use of alternative equipment or engineering solutions for the individual application. This can be particularly applicable where there is innovative or developing technology. It is necessary that, where an alternative is offered, any variations from this part of ISO 15589 be identified and documented.

Petroleum, petrochemical and natural gas industries — Cathodic protection of pipeline systems —

Part 1:

On-land pipelines

1 Scope

This part of ISO 15589 specifies requirements and gives recommendations for the pre-installation surveys, design, materials, equipment, installation, commissioning, operation, inspection, and maintenance of cathodic protection systems for on-land pipelines, as defined in ISO 13623 or EN 14161 for the petroleum, petrochemical, and natural gas industries, and in EN 1594 or EN 12007-1 and EN 12007-3 used by gas supply industries in Europe.

All contents of this part of ISO 15589 are applicable to on-land pipelines and piping systems used in other industries and transporting other media such as industrial gases, waters, or slurries.

This part of ISO 15589 applies to buried pipelines, landfalls of offshore pipeline sections protected by on-shore based cathodic protection installations, and to immersed sections of on-land pipelines such as river or lake crossings.

This part of ISO 15589 specifies requirements for pipelines of carbon steel, stainless steel, cast iron, galvanized steel, or copper. If other pipeline materials are used, the criteria to apply are defined under the responsibility of the pipeline operator.

This part of ISO 15589 does not apply to pipelines made of reinforced concrete for which EN 12696 can be applied.

Special conditions sometimes exist where cathodic protection is ineffective or only partially effective. Such conditions can include shielding (e.g. disbonded coatings, thermal-insulating coatings, rocky soil, etc.) and unusual contaminants in the electrolyte.

2 **Normative references**

© ISO 2015 - All rights reserved

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8044, Corrosion of metals and alloys — Basic terms and definitions

ISO 10012, Measurement management systems — Requirements for measurement processes and measuring equipment

ISO 13623, Petroleum and natural gas industries — Pipeline transportation systems

ISO 13847, Petroleum and natural gas industries — Pipeline transportation systems — Welding of pipelines

ISO 21809 (all parts), Petroleum and natural gas industries — External coatings for buried or submerged pipelines used in pipeline transportation systems

IEC 60079-10-1, Explosive atmospheres — Part 10-1: Classification of areas — Explosive gas atmospheres

IEC 60529, Degrees of protection provided by enclosures (IP Code)

EN 1594, Gas infrastructure — Pipelines for maximum operating pressure over 16 bar — Functional requirements

ISO 15589-1:2015(E)

EN 12007-3, Gas supply systems — Pipelines for maximum operating pressure up to and including 16 bar – Part 3: Specific functional recommendations for steel

EN 12496, Galvanic anodes for cathodic protection in seawater and saline mud

EN 14161 Petroleum and natural gas industries — Pipeline transportation systems (ISO 13623:2009 modified)

EN 50164-3, Lightning Protection Components (LPC) — Part 3: Requirements for isolating spark gaps

koniec náhľadu – text ďalej pokračuje v platenej verzii STN