Kvapalné ropné výrobky Stanovenie vznietivosti motorových náft Metóda s motorom BASF STN EN 16906 65 6178

Liquid petroleum products - Determination of the ignition quality of diesel fuels - BASF engine method

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/18

Obsahuje: EN 16906:2017

126367

STN EN 16906: 2018

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN 16906

August 2017

ICS 75.160.20

English Version

Liquid petroleum products - Determination of the ignition quality of diesel fuels - BASF engine method

Produits pétroliers liquides - Détermination de la qualité d'allumage des combustibles Diesel - Méthode avec le BASF-moteur

Flüssige Mineralölerzeugnisse - Bestimmung der Zündwilligkeit von Dieselkraftstoffen - Verfahren mit **BASF-Prüfmotor**

This European Standard was approved by CEN on 12 June 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Conto	ents	Page
Europ	ean foreword	3
Introd	ntroduction	
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Principle	
5	Reagents and materials	
6	Apparatus	
6.1	General	
7	Sampling	10
8	Standard operating and test conditions	10
9	Calibration, verification and quality control	11
10	Procedure	11
10.1	Engine check and warm-up	
10.2	Bracketing procedure	
	Unknown sample	
	First primary reference fuel	
	Second primary reference fuel	
	Repeat readings	
10.3	Procedure using a calibration graph	
10.4	Shut-down of the engine	
11	Calculation	
11.1	Calculation for the bracketing procedure	
11.2	Calculation for the calibration graph	14
12	Expression of results	14
13	Precision	14
13.1	General	14
13.2	Repeatability	14
13.3	Reproducibility	14
Annex	A (informative) Evaluation example of the cetane number using a calibration graph	16
Annex	B (normative) Auxiliary digital equipment	17
B.1	General	
B.2	Apparatus	
B.3	Set-up	
B.4	Calibration	18
Biblio	graphy	19

European foreword

This document (EN 16906:2017) has been prepared by Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2018, and conflicting national standards shall be withdrawn at the latest by February 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The test method is based on DIN 51773 [1], which has been developed in DIN NA 062-06-43 AA "Engine testing of liquid fuels" and which is being used very successfully since more than 30 years. The described method is an alternative quantitative determination of the cetane number of middle distillate fuels intended for use in compression ignition engines. A correlation study between this method and EN ISO 5165:1998 [2] has been done and the results of this are incorporated in the precision report issued in 2014 [3].

The testing of pure FAME (which is in the scope of EN ISO 5165) has been excluded from the scope for the time being as there seem to be sample specific biases for such product. CEN will initiate appropriate causal studies.

1 Scope

This European Standard specifies a test method for the determination of cetane numbers ("CN") in diesel fuel in the range from CN 45 to CN 63, using a standard single cylinder, four-stroke cycle, indirect injection engine. The cetane number provides a measure of the ignition characteristics of diesel fuels in compression ignition engines. The cetane number is determined at constant speed in a compression ignition test engine equipped with a swirl chamber.

This European Standard is applicable to distillate as well as paraffinic diesel fuels intended for use in diesel engines, including those containing fatty-acid methyl esters (FAME), ignition-improvers or other additives. The cetane number scale comprises a range from zero to 100, but typical testing is currently performed in the range from about 40 *CN* to about 75 *CN*.

This engine test procedure may be used for other fuels such as synthetics and vegetable oils. However, samples with fuel properties that interfere with the gravity-based pre-supply pressure to the fuel pump e.g. due to high viscosity can only be used to a limited extent. Precision data for such fuels are not available at this stage. Precision data for paraffinic diesel fuels are currently under development.

NOTE 1 For the purpose of this European Standard the expressions "(m/m)" and "(V/V)" are used to represent the mass faction and volume fraction respectively of a material.

NOTE 2 The test method is also suitable for determining cetane numbers outside the range of the scope, however, the precision statement only applies for fuels in the specified range.

WARNING — The use of this standard can involve hazardous materials, operations and equipment. This standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this standard to take appropriate measures to ensure the safety and health of personnel prior to application of the standard, and fulfil statutory and regulatory requirements for this purpose.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3170, Petroleum liquids - Manual sampling (ISO 3170)

EN ISO 3171, Petroleum liquids - Automatic pipeline sampling (ISO 3171)

koniec náhľadu – text ďalej pokračuje v platenej verzii STN