

STN	Asfalty a asfaltové spojivá Stanovenie straty hmotnosti pri myselných asfaltov zohrievaním	STN EN 13303
		65 7051

Bitumen and bituminous binders - Determination of the loss in mass after heating of industrial bitumen

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 02/18

Obsahuje: EN 13303:2017

Oznámením tejto normy sa ruší
STN EN 13303 (65 7051) z augusta 2009

126375

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2018

Podľa zákona č. 264/1999 Z. z. o technických požiadavkách na výrobky a o posudzovaní zhody a o zmene a doplnení niektorých zákonov v znení neskorších predpisov sa slovenská technická norma a časti slovenskej technickej normy môžu rozmnrožovať alebo rozširovať len so súhlasom slovenského národného normalizačného orgánu.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 13303

September 2017

ICS 75.140; 91.100.50

Supersedes EN 13303:2009

English Version

**Bitumen and bituminous binders - Determination of the
loss in mass after heating of industrial bitumen**

Bitumes et liants bitumineux - Détermination de la
perte de masse au chauffage des bitumes industriels

Bitumen und bitumenhaltige Bindemittel -
Bestimmung des Masseverlustes von Industriebitumen
nach Erwärmung

This European Standard was approved by CEN on 1 May 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
 COMITÉ EUROPÉEN DE NORMALISATION
 EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	4
4 Principle	4
5 Apparatus.....	4
6 Sampling.....	7
7 Procedure.....	8
8 Calculation.....	8
9 Expression of results.....	9
10 Precision.....	9
10.1 Repeatability.....	9
10.2 Reproducibility	9
11 Test report.....	9
Annex A (informative) Characteristics of thermometer for the reference temperature (163 °C)	10
Bibliography.....	11

European foreword

This document (EN 13303:2017) has been prepared by Technical Committee CEN/TC 336 "Bituminous binders", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2018, and conflicting national standards shall be withdrawn at the latest by March 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13303:2009.

The primary objective of this revision has been to delete the mercury containing thermometer as reference. Other changes are:

- The method can be performed at various test temperatures, but 163 °C is the reference temperature.
- Clause 9 Expression of results has been made more precise.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies a method for the determination of the loss in mass of industrial bitumen after heating. The method is used to detect volatile components. The method can be performed at various test temperatures, but 163 °C is the reference temperature.

NOTE The users of the method are encouraged to gather comparative information on binders using this standard, EN 13303 and EN 12607-2 [1] at 163 °C to facilitate the transition to the use of only one standard.

WARNING — The use of this standard may involve hazardous materials, operations and equipment. This standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations prior to use.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 58, *Bitumen and bituminous binders - Sampling bituminous binders*

EN 1426, *Bitumen and bituminous binders - Determination of needle penetration*

EN 12594, *Bitumen and bituminous binders - Preparation of test samples*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN