

Drevárske stroje Bezpečnosť Časť 6: Jednovretenové zvislé profilovacie frézovačky (ISO 19085-6: 2017)

STN EN ISO 19085-6

49 6115

Woodworking machines - Safety - Part 6: Single spindle vertical moulding machines ("toupies") (ISO 19085-6:2017)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/18

Obsahuje: EN ISO 19085-6:2017, ISO 19085-6:2017

Oznámením tejto normy sa ruší STN EN 848-1+A2 (49 6113) z februára 2013

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 19085-6

December 2017

ICS 79.120.10

English Version

Woodworking machines - Safety - Part 6: Single spindle vertical moulding machines ("toupies") (ISO 19085-6:2017)

Machines à bois - Sécurité - Partie 6: Toupies monobroches à arbre vertical (ISO 19085-6:2017)

Holzbearbeitungsmaschinen - Sicherheit - Teil 6: Einspindelige senkrechte Tischfräsmaschinen (ISO 19085-6:2017)

This European Standard was approved by CEN on 11 October 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Annex ZA (informative) Relationship between this European Standard and the essential	
requirements of Directive 2006/42/EC	4

European foreword

This document (EN ISO 19085-6:2017) has been prepared by Technical Committee ISO/TC 39 "Machine tools" in collaboration with Technical Committee CEN/TC 142 "Woodworking machines - Safety" the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2018 and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 848-1:2007+A2:20012.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19085-6:2017 has been approved by CEN as EN ISO 19085-6:2017 without any modification.

Annex ZA (informative)

Relationship between this European Standard and the essential requirements of Directive 2006/42/EC

This European standard has been prepared under a Commission's standardization request "M/396" to provide one voluntary means of conforming to essential requirements of the new approach Machinery Directive 2006/42/EC.

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Directive 2006/42/EC

Essential Requirements (ERs) of Directive 2006/42/EC	Clauses/subclauses of this EN	Remarks/ Notes
1.1.2 Principles of safety integration		
a) fitted for its function	Clauses 5, 6, 7, 8	
b) eliminate or reduce the risks, give measures, inform	Clause 5, 6, 7, 8	
c) intended use and reasonably foreseeable misuse	Clause 5, 6, 7, 8	
d) constraints in use	7.5, 8.3	
e) equipment	6.1, 8.3	
1.1.3 Materials and products	6.2, 7.3	
1.1.4 Lighting	8.3	
1.1.5 Design of machinery to facilitate its handling	7.5	
1.1.6 Ergonomics	7.5	
1.1.7 Operating position	5.2	
1.2.1 Safety and reliability of control systems	5.1, 5.6, 5.7, 5.8, 5.11, 5.12, 5.13, 6.3.6, 6.5, 6.6, 7.7, 7.8	
1.2.2 Control devices	5.2, 5.3, 5.4, 5.7	
1.2.3 Starting	5.3	
1.2.4 Stopping	5.4, 5.5, 6.4	
1.2.4.1 Normal stop	5.4.2	
1.2.4.3 Emergency stop	5.4.4	
1.2.5 Selection of control or operating mode	5.6	
1.2.6 Failure of the power supply	5.8, 7.7, 7.8	

1.3.1 Risk of loss of stability 6.1, 8.3 1.3.2 Risk of break-up during operation 6.2, 8.3 1.3.3 Risks due to falling or ejected objects 6.2, 6.3, 6.5, 6.8, 6.9, 8.3 1.3.4 Risk due to surfaces, edges or angles 5.7, 6.6 1.3.5 Risks relating to variations in the operating conditions 5.7, 6.6 1.3.7 Risks related to moving parts 6.5, 6.6, 7.8.3 1.3.8 Choice of protection against risks related to moving parts 6.6.3, 6.4 1.3.8.1 Moving transmission parts 6.6.2 1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1 1.4.1 General requirements 6.9 1.4.2.2 Interlocking movable guards 6.5.1 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.2.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.1 1.5.4 Fire 7.1 1.5.5 Fire 7.1 1.5.1 External radiation 7.9 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances <			
1.3.3 Risks due to falling or ejected objects 6.2, 6.3, 6.5, 6.8, 6.9, 8.3 1.3.4 Risk due to surfaces, edges or angles Not significant, see ISO 12100:2010 1.3.6 Risks relating to variations in the operating conditions 5.7, 6.6 1.3.7 Risks related to moving parts 6.5, 6.6, 6.7, 8.3 1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 1.3.8.1 Moving transmission parts 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.4 Operator interven	1.3.1 Risk of loss of stability	6.1, 8.3	
1.3.4 Risk due to surfaces, edges or angles Not significant, see ISO 12100:2010 1.3.6 Risks relating to variations in the operating conditions 5.7, 6.6 1.3.7 Risks related to moving parts 6.5, 6.6, 6.7, 8.3 1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 1.3.8.1 Moving transmission parts 6.6.3, 6.6.4 1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.2 Interlocking movable guards 6.5.1 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Estatic electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.5 Fire 7.1 1.5.1 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3	1.3.2 Risk of break-up during operation	6.2, 8.3	
Language see ISO 12100:2010 1.3.6 Risks relating to variations in the operating conditions 5.7, 6.6 1.3.7 Risks related to moving parts 6.5, 6.6, 6.7, 8.3 1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 1.3.8.1 Moving transmission parts 6.6.3, 6.6.4 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.1 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.5 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 <tr< td=""><td>1.3.3 Risks due to falling or ejected objects</td><td>6.2, 6.3, 6.5, 6.8, 6.9, 8.3</td><td></td></tr<>	1.3.3 Risks due to falling or ejected objects	6.2, 6.3, 6.5, 6.8, 6.9, 8.3	
conditions 5.7, 6.6 1.3.7 Risks related to moving parts 6.5, 6.6, 6.7, 8.3 1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 1.3.8.1 Moving transmission parts 6.6.3, 6.6.4 1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cl	1.3.4 Risk due to surfaces, edges or angles		see
1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 1.3.8.1 Moving transmission parts 6.6.3, 6.6.4 1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.10, 8.1, 8.2 1.7.1 Information and warnings on the machinery 7.10, 8.1 <td></td> <td>5.7, 6.6</td> <td></td>		5.7, 6.6	
1.3.8.1 Moving transmission parts 6.6.3, 6.6.4 1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.10, 8.1, 8.2 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1 1.7.2 Warning devices 7.10, 8.1, 8.2 1.7.	1.3.7 Risks related to moving parts	6.5, 6.6, 6.7, 8.3	
1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.10, 8.1, 8.2 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices		6.6, 6.7, 6.8	
1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.3.8.1 Moving transmission parts	6.6.3, 6.6.4	
1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.10, 8.1, 8.2 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.3.8.2 Moving parts involved in the process	6.6.2	
1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.3.9 Risk of uncontrolled movements	6.1.1	
1.4.2.2 Interlocking movable guards 6.5.2 1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.4.1 General requirements	6.9	
1.4.2.3 Adjustable guards restricting access 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.4.2.1 Fixed guards	6.5.1	
1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.4.2.2 Interlocking movable guards	6.5.2	
1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.4.2.3 Adjustable guards restricting access	6.5.2	
1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.4.3 Special requirements for protective devices	6.5.3, 6.5.6	
1.5.3 Energy supply other than electricity 7.7,7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14,8.3 1.6.2 Access to operating position and servicing points 7.14,8.3 1.6.3 Isolation of energy sources 7.13,8.3 1.6.4 Operator intervention 7.14,8.3 1.6.5 Cleaning of internal parts 7.14,8.3 1.7.1 Information and warnings on the machinery 7.10,8.1,8.2 1.7.2 Warning devices 7.10,8.1	1.5.1 Electricity supply	7.4, 7.13	
1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.5.2 Static electricity	7.11	
1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.5.3 Energy supply other than electricity	7.7, 7.8	
1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.5.4 Errors of fitting	7.12	
1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.5.6 Fire	7.1	
1.5.12 Laser equipment7.101.5.13 Emission of hazardous materials and substances7.31.6.1 Machinery maintenance7.14, 8.31.6.2 Access to operating position and servicing points7.14, 8.31.6.3 Isolation of energy sources7.13, 8.31.6.4 Operator intervention7.14, 8.31.6.5 Cleaning of internal parts7.14, 8.31.7.1 Information and warnings on the machinery7.10, 8.1, 8.21.7.2 Warning devices7.10, 8.1	1.5.8 Noise	7.2	
1.5.13 Emission of hazardous materials and substances7.31.6.1 Machinery maintenance7.14, 8.31.6.2 Access to operating position and servicing points7.14, 8.31.6.3 Isolation of energy sources7.13, 8.31.6.4 Operator intervention7.14, 8.31.6.5 Cleaning of internal parts7.14, 8.31.7.1 Information and warnings on the machinery7.10, 8.1, 8.21.7.2 Warning devices7.10, 8.1	1.5.11 External radiation	7.9	
1.6.1 Machinery maintenance7.14, 8.31.6.2 Access to operating position and servicing points7.14, 8.31.6.3 Isolation of energy sources7.13, 8.31.6.4 Operator intervention7.14, 8.31.6.5 Cleaning of internal parts7.14, 8.31.7.1 Information and warnings on the machinery7.10, 8.1, 8.21.7.2 Warning devices7.10, 8.1	1.5.12 Laser equipment	7.10	
1.6.2 Access to operating position and servicing points7.14, 8.31.6.3 Isolation of energy sources7.13, 8.31.6.4 Operator intervention7.14, 8.31.6.5 Cleaning of internal parts7.14, 8.31.7.1 Information and warnings on the machinery7.10, 8.1, 8.21.7.2 Warning devices7.10, 8.1	1.5.13 Emission of hazardous materials and substances	7.3	
1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.6.1 Machinery maintenance	7.14, 8.3	
1.6.4 Operator intervention7.14, 8.31.6.5 Cleaning of internal parts7.14, 8.31.7.1 Information and warnings on the machinery7.10, 8.1, 8.21.7.2 Warning devices7.10, 8.1	1.6.2 Access to operating position and servicing points	7.14, 8.3	
1.6.5 Cleaning of internal parts7.14, 8.31.7.1 Information and warnings on the machinery7.10, 8.1, 8.21.7.2 Warning devices7.10, 8.1	1.6.3 Isolation of energy sources	7.13, 8.3	
1.7.1 Information and warnings on the machinery 7.10, 8.1, 8.2 1.7.2 Warning devices 7.10, 8.1	1.6.4 Operator intervention	7.14, 8.3	
1.7.2 Warning devices 7.10, 8.1	1.6.5 Cleaning of internal parts	7.14, 8.3	
	1.7.1 Information and warnings on the machinery	7.10, 8.1, 8.2	
1.7.3 Marking of machinery 8.2	1.7.2 Warning devices	7.10, 8.1	
2 o g or machiner j	1.7.3 Marking of machinery	8.2	

1.7.4 Instructions	7.10, 8.3	
2.3 Machinery for working wood and analogous materials		
a) guiding	6.10, 6.11	
b) ejection	6.2, 6.3, 6.5, 6.6, 6.8, 6.9, 8.3	
c) brake	5.5, 6.4	
d) accidental tool contact	6.6.2, 8.3	

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

INTERNATIONAL STANDARD

ISO 19085-6

First edition 2017-11

Woodworking machines — Safety —

Part 6: Single spindle vertical moulding machines ("toupies")

Machines à bois — Sécurité —

Partie 6: Toupies monobroches à arbre vertical





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Coı	ntents		Page
Fore	word		vi
Intro	oduction		vii
1	Scope		1
2	Norm	ative references	2
3		s and definitions	
4		f significant hazards	
5		requirements and measures for controls	
	5.1	Safety and reliability of control systems	
	5.2 5.3	Start	
	5.3 5.4	Safe stops	
	Э.Т	5.4.1 General	
		5.4.2 Normal stop	
		5.4.3 Operational stop	
		5.4.4 Emergency stop	
	5.5	Braking function of tool spindles	
	5.6	Mode selection	
	5.7	Spindle speed changing	
		5.7.1 Spindle speed changing by changing belts on the pulleys	
		5.7.2 Spindle speed changing by incremental speed change motor	
		5.7.3 Infinitely variable speed by frequency inverter	12
		5.7.4 Spindle speed limiting device for tenoning	
		5.7.5 Changing of the direction of spindle rotation	
	5.8	Failure of any power supply	
	5.9	Manual reset control	
	5.10	Enabling control	
	5.11	Machine moving parts speed monitoring	
	5.12	Time delay	14
	5.13	Power driven adjustment of arbor, demountable power feed unit, fences and	1.4
		table insert	14
6		requirements and measures for protection against mechanical hazards	
	6.1	Stability	
		6.1.1 Stationary machines	
		6.1.2 Displaceable machines	
	6.2	Risk of break-up during operation	
	6.3	Tool holder and tool design	
		6.3.1 General	
		6.3.2 Spindle locking	
		6.3.3 Circular saw blade fixing device	
		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		6.3.5 Arbor rings Quick tool/arbor change system	
		6.3.7 Manual adjustment of arbor height	
		6.3.8 Manual adjustment of arbor inclination	
	6.4	Braking	
	5.1	6.4.1 Braking of tool spindles	
		6.4.2 Maximum run-down time	
		6.4.3 Brake release	
	6.5	Safeguards	
		6.5.1 Fixed guards	
		6.5.2 Interlocking movable guards	20
		6.5.3 Hold-to-run control	20

		6.5.4 Two-hand control	
		6.5.5 Electro-sensitive protective equipment (ESPE)	
		6.5.6 Pressure-sensitive protective equipment (PSPE)	
	6.6	Prevention of access to moving parts	
		6.6.1 General	
		6.6.2 Guarding of tools	
		6.6.3 Guarding of drives	
	<i>.</i> .	6.6.4 Guarding of shearing and/or crushing zones	
	6.7	Impact hazard	
	6.8	Clamping devices	
	6.9	Measures against ejection 6.9.1 General	
		6.9.2 Guards materials and characteristics	
		6.9.3 Anti-kickback devices	
	6.10	Work-piece supports and guides	
	0.10	6.10.1 Table	
		6.10.2 Work-piece guiding for straight work	
		6.10.3 Work-piece guiding for curved work	
	6.11	Safety appliances	
7		requirements and measures for protection against other hazards	
	7.1	Fire	
	7.2	Noise	32
		7.2.1 Noise reduction at the design stage	32
	7.0	7.2.2 Noise emission measurement	
	7.3	Emission of chips and dust	
	7.4	Electricity	33
		7.4.1 General7.4.2 Displaceable machines	33 22
	7.5	Ergonomics and handling	3 : 2 :
	7.5 7.6	Lighting	
	7.7	Pneumatics	
	7.7	Hydraulics	
	7.9	Electromagnetic compatibility	3:
	7.10	Laser	
	7.11	Static electricity	
	7.12	Errors of fitting	
	7.13	Isolation	
	7.14	Maintenance	
0	Inform	nation for use	24
8	8.1	Warning devices	
	8.2	Marking	
	0.2	8.2.1 General	
		8.2.2 Additional markings	
	8.3	Instruction handbook	
	0.0	8.3.1 General	
		8.3.2 Additional information	
	A (: (
Annex	A (info	ormative) Performance level required	3
Annex	B (nor	mative) Test for braking function	40
Annex	C (nor	mative) Stability test for displaceable machines	41
Annex	D (nor	mative) Impact test for guards	42
		mative) Noise emission measurement for machines not in ISO 7960:1995	
Annex	F (info	rmative) Determination of maximum spindle speeds for single piece arbors	4 4
Annex	G (nor	mative) Rigidity test for pressure pads, hand protectors and guiding steadies	48

Bibliography 53

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 39, *Machine tools*, Subcommittee SC 4 *Woodworking machines*.

This document is intended to be used in conjunction with ISO 19085-1:2017, which gives requirements common to different machine types.

A list of all parts in the ISO 19085 series can be found on the ISO website.

Introduction

The ISO 19085 series of International Standards provides technical safety requirements for the design and construction of woodworking machinery. It concerns designers, manufacturers, suppliers and importers of the machines specified in the Scope. It also includes a list of informative items that the manufacturer will need to give to the user.

This document is a type-C standard as stated in ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

The full set of requirements for a particular type of woodworking machine are those given in the part of ISO 19085 applicable to that type, together with the relevant requirements from ISO 19085-1:2017, to the extent specified in the Scope of the applicable part of ISO 19085.

As far as possible, in parts of ISO 19085 other than ISO 19085-1:2017, safety requirements are referenced to the relevant sections of ISO 19085-1:2017, to avoid repetition and reduce their length. The other parts contain replacements and additions to the common requirements given in ISO 19085-1:2017.

Thus, Clauses 5, 6, 7 and 8, with their subclauses and the annexes of this document, can either

- confirm as a whole.
- confirm with additions,
- exclude in total, or
- replace with specific text

the corresponding subclauses or annexes of ISO 19085-1:2017.

This interrelation is indicated in the first paragraph of each subclause or annex right after the title by one of the following statements:

- "This subclause of ISO 19085-1:2017 applies.";
- "This subclause of ISO 19085-1:2017 applies with the following additions.", or "This subclause of ISO 19085-1:2017 applies with the following additions, subdivided into further specific subclauses.";
- "This subclause of ISO 19085-1:2017 does not apply.";
- "This subclause of ISO 19085-1:2017 is replaced by the following text.", or "This subclause of ISO 19085-1:2017 is replaced by the following text, subdivided into further specific subclauses.".

Specific subclauses and annexes in this part of ISO 19085 without correspondent in ISO 19085-1:2017 are indicated by the introductory sentence: "Subclause (or annex) specific to this part of ISO 19085."

<u>Clauses 1</u>, <u>2</u>, <u>4</u> replace the correspondent clauses of ISO 19085-1:2017, with no need for indication since they are specific to each part of the series.

NOTE Requirements for tools are given in EN 847-1:2013 and EN 847-2:2013.

Woodworking machines — Safety —

Part 6:

Single spindle vertical moulding machines ("toupies")

1 Scope

This document gives the safety requirements and measures for stationary and displaceable hand-fed single spindle vertical moulding machines, hereinafter referred to as "machines", designed to cut wood and materials with similar physical characteristics to wood.

NOTE 1 For the definitions of stationary and displaceable machines, see ISO 19085-1:2017, 3.4 and 3.5.

It deals with all significant hazards, hazardous situations and events as listed in <u>Clause 4</u>, relevant to the machines when they are operated, adjusted and maintained as intended and under the conditions foreseen by the manufacturer including reasonably foreseeable misuse. Also, transport, assembly, dismantling, disabling and scrapping phases are taken into account.

NOTE 2 For relevant but not significant hazards, e.g. sharp edges of the machine frame, see ISO 12100:2010.

It is also applicable to machines fitted with one or more of the following devices/additional working units, whose hazards have been dealt with:

- a) device for the arbor to be vertically adjustable relative to the table;
- b) device to tilt the arbor;
- c) device to fit a manually operated tenoning sliding table;
- d) glass bead saw unit;
- e) adjustable table insert;
- f) device for changing the direction of rotation of the spindle;
- g) device for fixing shank mounted tools on the arbor;
- h) interchangeable arbor;
- i) quick tool/arbor change system;
- j) demountable power feed unit;
- k) support for the demountable power feed unit with power driven adjustments.

This document does not apply to

- 1) machines equipped with outboard bearings,
- 2) machines equipped with powered movements of a front extension table and/or a tenoning sliding table, and
- 3) machines with an intended maximum tool diameter of less than or equal to 180 mm.
- NOTE 3 Hand-held motor-operated electric tools are dealt with in IEC 60745-1 together with IEC 60745-2-17.

NOTE 4 Transportable motor-operated electric tools are dealt with in IEC 61029-1:1990, IEC 61029-2-8:1995/AMD1:1999 and IEC 61029-2-8:1995/AMD2:2001

This document is not applicable to machines intended for use in potentially explosive atmospheres or to machines manufactured prior to the date of its publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7960:1995, Airborne noise emitted by machine tools — Operating conditions for woodworking machines

ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction

ISO 13849-1:2015, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design

ISO 19085-1:2017, Woodworking machines — Safety — Part 1: common requirements

EN 847-1:2013, Tools for woodworking — Safety requirements — Part 1: Milling tools, circular saw blades

EN 847-2:2013, Tools for woodworking — Safety requirements — Part 2: Requirements for shanks of shank mounted milling tools

EN 847-3:2013, Tools for woodworking — Safety requirements — Part 3: Clamping devices

IEC 60204-1:2005, Safety of machinery — Electrical equipment of machines — Part 1: General requirements

IEC 61800-5-2:2007, Adjustable speed electrical power drive systems — Part 5-2: Safety requirements — Functional

koniec náhľadu – text ďalej pokračuje v platenej verzii STN