

STN	Anodická oxidácia hliníka a jeho zliatin Stanovenie kvality utesnených anodických oxidových povlakov meraním úbytku hmotnosti po ponorení do roztokov kyselín (ISO 3210: 2017)	STN EN ISO 3210 42 4304
------------	---	---

Anodizing of aluminium and its alloys - Assessment of quality of sealed anodic oxidation coatings by measurement of the loss of mass after immersion in acid solution(s) (ISO 3210:2017)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/18

Obsahuje: EN ISO 3210:2017, ISO 3210:2017

Oznámením tejto normy sa ruší
STN EN ISO 3210 (42 4304) z januára 2011

126721

EUROPEAN STANDARD

EN ISO 3210

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2017

ICS 25.220.20

Supersedes EN ISO 3210:2010

English Version

Anodizing of aluminium and its alloys - Assessment of
quality of sealed anodic oxidation coatings by
measurement of the loss of mass after immersion in acid
solution(s) (ISO 3210:2017)

Anodisation de l'aluminium et de ses alliages -
Évaluation de la qualité des couches anodiques
colmatées par mesurage de la perte de masse après
immersion en solution(s) acide(s) (ISO 3210:2017)

Anodisieren von Aluminium und
Aluminiumlegierungen - Prüfung der Qualität von
verdichteten, anodisch erzeugten Oxidschichten durch
Bestimmung des Masseverlustes nach Eintauchen in
Säure-Lösung(en) (ISO 3210:2017)

This European Standard was approved by CEN on 22 October 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 3210:2017 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 3210:2017) has been prepared by Technical Committee ISO/TC 79 “Light metals and their alloys” in collaboration with Technical Committee CEN/TC 132 “Aluminium and aluminium alloys” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2018, and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 3210:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 3210:2017 has been approved by CEN as EN ISO 3210:2017 without any modification.

INTERNATIONAL STANDARD

ISO 3210

Fourth edition
2017-10

Anodizing of aluminium and its alloys — Assessment of quality of sealed anodic oxidation coatings by measurement of the loss of mass after immersion in acid solution(s)

*Anodisation de l'aluminium et de ses alliages — Évaluation de la
qualité des couches anodiques colmatées par mesurage de la perte de
masse après immersion en solution(s) acide(s)*



Reference number
ISO 3210:2017(E)

© ISO 2017

ISO 3210:2017(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Reagents	2
5.1 General.....	2
5.2 Predip solution, used only for Method 2.....	2
5.3 Test solution.....	2
5.3.1 Test solution A.....	2
5.3.2 Test solution B.....	2
6 Apparatus	2
7 Preparation of test specimen	2
8 Procedure	3
8.1 Test solutions.....	3
8.2 Method 1.....	3
8.3 Method 2.....	4
9 Expression of results	5
10 Test report	5
Annex A (normative) Method for the degreasing and drying of test specimens	6
Bibliography	7

ISO 3210:2017(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 79, *Light metals and their alloys*, Subcommittee SC 2, *Organic and anodic oxidation coatings on aluminium*.

This fourth edition cancels and replaces the third edition (ISO 3210:2010), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the option of using a test solution that does not contain hexavalent chromium ions (test solution B) has been added;
- a new subclause pertaining to the use of test solution B has been included in the procedure.

Anodizing of aluminium and its alloys — Assessment of quality of sealed anodic oxidation coatings by measurement of the loss of mass after immersion in acid solution(s)

1 Scope

This document specifies methods of assessing the quality of sealed anodic oxidation coatings on aluminium and its alloys by measurement of the loss of mass after immersion in acid solution(s).

It consists of the following two methods.

- Method 1: Assessment of quality of sealed anodic oxidation coatings by measurement of the loss of mass after immersion in a phosphoric acid based solution without prior acid treatment.
- Method 2: Assessment of quality of sealed anodic oxidation coatings by measurement of the loss of mass after immersion in a phosphoric acid based solution with prior acid treatment.

Method 1 is applicable to anodic oxidation coatings intended for decorative or protective purposes or where resistance to staining is important.

Method 2 is applicable to anodic oxidation coatings intended for outdoor architectural purposes. For less severe applications, Method 1 can be more suitable.

The methods are not applicable to the following:

- hard-type anodic oxidation coatings which normally are not sealed;
- anodic oxidation coatings that have been sealed only in dichromate solutions;
- anodic oxidation coatings produced in chromic acid solutions;
- anodic oxidation coatings that have undergone treatment to render them hydrophobic.

NOTE 1 The methods assess the quality of hydrothermal sealing applied to anodized aluminium. They can be appropriate for other sealing methods.

NOTE 2 The methods are destructive and can serve as reference methods in case of doubt or dispute regarding the results of the test for loss of absorptive power (see ISO 2143) or the measurement of admittance (see ISO 2931).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7583, *Anodizing of aluminium and its alloys — Terms and definitions*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN