аты	Optické vlákna Časť 1-48: Metódy merania a skúšobné postupy Rozptyl polarizačných vidov	STN EN 60793-1-48
SIN		35 9213

Optical fibres - Part 1-48: Measurement methods and test procedures - Polarization mode Dispersion

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/18

Obsahuje: EN 60793-1-48:2017, IEC 60793-1-48:2017

Oznámením tejto normy sa od 27.09.2020 ruší STN EN 60793-1-48 (35 9213) z júna 2008

126745

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2018 Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii.

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 60793-1-48

December 2017

ICS 33.180.10

Supersedes EN 60793-1-48:2007

English Version

Optical fibres - Part 1-48: Measurement methods and test procedures - Polarization mode Dispersion (IEC 60793-1-48:2017)

Fibres optiques - Partie 1-48: Méthodes de mesure et procédures d'essai - Dispersion de mode de polarisation (IEC 60793-1-48:2017) Lichtwellenleiter - Teil 1-48: Messmethoden und Prüfverfahren - Polarisationsmodendispersion (IEC 60793-1-48:2017)

This European Standard was approved by CENELEC on 2017-09-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2017 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

EN 60793-1-48:2017

European foreword

The text of document 86A/1678/CDV, future edition 3 of IEC 60793-1-48, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60793-1-48:2017.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2018-06-27
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2020-09-27

This document supersedes EN 60793-1-48:2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60793-1-48:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60793-1-44	NOTE	Harmonized as EN 60793-1-44.
IEC 60793-1-50	NOTE	Harmonized as EN 60793-1-50.
IEC 60793-2-50	NOTE	Harmonized as EN 60793-2-50.
IEC 60794-3	NOTE	Harmonized as EN 60794-3.
IEC 61280-4-4	NOTE	Harmonized as EN 61280-4-4.
IEC 61290-11-1	NOTE	Harmonized as EN 61290-11-1.
IEC 61290-11-2	NOTE	Harmonized as EN 61290-11-2.
IEC 61300-3-32	NOTE	Harmonized as EN 61300-3-32.

EN 60793-1-48:2017

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	<u>Year</u>
IEC 60793-1-1	-	Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance	EN 60793-1-1	-
IEC/TR 61292-5	-	Optical amplifiers - Part 5: Polarization mode dispersion parameter - General information	-	-
ITU-T Recommendation G.650.2	-	Definitions and test methods for statistical and non-linear related attributes of single- mode fibre and cable	-	-





Edition 3.0 2017-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Optical fibres – Part 1-48: Measurement methods and test procedures – Polarization mode dispersion

Fibres optiques – Partie 1-48: Méthodes de mesure et procédures d'essai – Dispersion de mode de polarisation





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office	Tel.: +41 22 919 02 11
3, rue de Varembé	Fax: +41 22 919 03 00
CH-1211 Geneva 20	info@iec.ch
Switzerland	www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.







INTERNATIONAL STANDARD

NORME INTERNATIONALE



Optical fibres – Part 1-48: Measurement methods and test procedures – Polarization mode dispersion

Fibres optiques – Partie 1-48: Méthodes de mesure et procédures d'essai – Dispersion de mode de polarisation

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.180.10

ISBN 978-2-8322-4686-3

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale
 - 2 -

IEC 60793-1-48:2017 © IEC 2017

CONTENTS

FC	FOREWORD				
IN	INTRODUCTION				
1	Scop	e	8		
2	Norm	ative references	8		
3	Term	s. definitions. symbols and abbreviated terms	8		
-	3.1	Terms and definitions	8		
	3.2	Symbols and abbreviated terms	0		
4	Gene	ral	10		
	4 1	Methods for measuring PMD	10		
	4.1	Reference test method	13		
	4.3	Applicability	13		
5	Арра	ratus	14		
	5 1	General	14		
	5.2	Light source and polarizers	14		
	5.3	Input optics	14		
	5.4	Input positioner	14		
	5.5	Cladding mode stripper	14		
	5.6	High-order mode filter	15		
	5.7	Output positioner	15		
	5.8	Output optics	15		
	5.9	Detector	15		
	5.10	Computer	15		
6	Sam	bling and specimens	15		
	6.1	General	15		
	6.2	Specimen length	16		
	6.3	Deployment	16		
	6.3.1	General	16		
	6.3.2	Uncabled fibre	16		
	6.3.3	Optical fibre cable	16		
7	Proce	edure	17		
8	Calcu	ulation or interpretation of results	17		
9	Docu	mentation	17		
	9.1	Information required for each measurement	17		
	9.2	Information to be available	17		
10) Spec	ification information	18		
Ar	nnex A (meas	normative) Requirements specific to method A (FA) – Fixed analyser surement method	19		
	A 1	Apparatus	19		
	A.1.1	Block diagrams	19		
	A.1.2	Light source	19		
	A.1.3	Analyser	20		
	A.2	Procedure	20		
	A.2.1	Wavelength range and increment	20		
	A.2.2	Complete the scans	20		

IEC 60793-1-48:2017 © IEC 2017

A.3	Calculations	23	
A.3.1	Approaches of calculating PMD	23	
A.3.2	Extrema counting	23	
A.3.3	Fourier transform	23	
A.3.4	Cosine Fourier analysis	25	
Annex B (r	normative) Requirements specific to method B (SPE) – Stokes parameter		
evalua	ation method		
B.1	Apparatus		
B.1.1	Block diagram		
B.1.2	Light source		
B.1.3	Polarimeter		
B.2	Procedure		
B.3	Calculations		
B.3.1			
B.3.2	Jones matrix eigenanalysis (JME)		
B.3.3	Poincaré sphere analysis (PSA)		
B.3.4	State of polarization (SOP)	35	
Annex C (r	normative) Requirements specific to method C (INTY) – Interferometry	36	
C 1	Annaratus	36	
C 1 1	Block diagram		
C 1 2	Light source		
C 1 3	Beam solitter		
C 1 4	Analyser		
C 1 5	Interferometer		
C 1 6			
C 1 7	Polarization beam solitter	30 ۸۱	
C 2		40 40	
C 2 1	Calibration	40 40	
C 2 2	Routine operation	0+ ۱۸	
C 3	Calculations	40 <i>AA</i>	
C 3 1	General		
C 3 2		++ ۸۸	
C 3 3	GINTY calculations		
Annex D (i	nformative) Determination of RMS width from a fringe envelope	40 47	
ו.ם סים	DVEIVIEW	47	
D.2 D.3	RMS calculation for GINTV	۲44 ۸۵	
Bibliograph			
Dibilograpi	·y		
Eiguro A 1	Plack diagrams for mothed A	10	
	- Diock diagrams for method A		
Figure A.2 – Typical results from method A			
Figure A.3 – PMD by Fourier analysis			
Figure A.4 – Cross-correlation and autocorrelation functions			
Figure B.1 – Block diagram for method B			
Figure B.2 – Typical random mode coupling results from method B32			
Figure B.3 – Typical histogram of DGD values			
Figure C.1 – Schematic diagram for method C (generic implementation)			

_	IEC 60793-1-48:2017 © IEC 2017
---	--------------------------------

Figure C.2 – Other schematic diagrams for method C	38
Figure C.3 – Fringe envelopes for negligible and random polarization mode coupling of TINTY-based measurement system	41
Figure C.4 – Fringe envelopes for mixed, negligible and random polarization mode coupling of GINTY-based measurement system	43
Figure D.1 – Parameters for interferogram analysis	47
Table A.1 – Cosine transform calculations	28

- 4

IEC 60793-1-48:2017 © IEC 2017

- 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRES –

Part 1-48: Measurement methods and test procedures – Polarization mode dispersion

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-1-48 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This third edition cancels and replaces the second edition published in 2007. It constitutes a technical revision. This edition includes the following significant technical change with respect to the previous edition:

a) removal of the SOP approach.

- 6 -

IEC 60793-1-48:2017 © IEC 2017

The text of this standard is based on the following documents:

CDV	Report on voting
86A/1678/CDV	86A/1766/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be read in conjunction with IEC 60793-1-1:2008. A list of all parts in the IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

IEC 60793-1-48:2017 © IEC 2017

-7-

INTRODUCTION

Polarization mode dispersion (PMD) causes an optical pulse to spread in the time domain. This dispersion could impair the performance of a telecommunications system. The effect can be related to differential phase and group velocities and corresponding arrival times $\delta \tau$ of different polarization components of the signal. For a sufficiently narrow band source, the effect can be related to a differential group delay (DGD), $\Delta \tau$, between pairs of orthogonally polarized principal states of polarization (PSP) at a given wavelength. For broadband transmission, the delays bifurcate and result in an output pulse that is spread out in the time domain. In this case, the spreading can be related to the average of DGD values.

In long fibre spans, DGD is random in both time and wavelength since it depends on the details of the birefringence along the entire fibre length. It is also sensitive to time-dependent temperature and mechanical perturbations on the fibre. For this reason, a useful way to characterize PMD in long fibres is in terms of an average DGD value over an appropriately large optical frequency range, either RMS $<\Delta \tau >$, the rms DGD over this frequency range, or MEAN $<\Delta \tau >$, the (linear) mean of the DGD over this same frequency range. In principle, the average DGD value (RMS $<\Delta \tau >$ or MEAN $<\Delta \tau >$) does not undergo large changes for a given fibre from day to day or from source to source, unlike the parameters $\delta \tau$ or $\Delta \tau$. In addition, the average DGD value is a useful predictor of lightwave system performance.

The term "PMD" is used both in the general sense of two polarization modes having different group velocities, and in the specific sense of the average DGD value (RMS < $\Delta\tau$ > or MEAN < $\Delta\tau$ >). Although the DGD $\Delta\tau$ or pulse broadening $\Delta\delta$ is preferably averaged over frequency, for certain situations it may be averaged over time, or temperature.

The coupling length l_c is the length of fibre or cable at which appreciable coupling between the two polarization states begins to occur. If the fibre length *L* satisfies the condition $L \ll l_c$, mode coupling is negligible, and $\Delta \tau \gg$ scales with fibre length. The corresponding PMD coefficient is

short-length PMD coefficient = $<\Delta \tau > /L$.

Fibres in practical systems nearly always have fibre lengths much greater than the coupling length and random mode coupling. When mode coupling is random, $<\Delta \tau >$ scales with the square root of fibre length, and

long-length PMD coefficient = $<\Delta \tau > /\sqrt{L}$.

- 8 -

IEC 60793-1-48:2017 © IEC 2017

OPTICAL FIBRES –

Part 1-48: Measurement methods and test procedures – Polarization mode dispersion

1 Scope

This part of IEC 60793 applies to three methods of measuring polarization mode dispersion (PMD), which are described in Clause 4. It establishes uniform requirements for measuring the PMD of single-mode optical fibre, thereby assisting in the inspection of fibres and cables for commercial purposes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-1-1, Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance

IEC TR 61292-5, Optical amplifiers - Part 5: Polarization mode dispersion parameter - General information

ITU-T Recommendation G.650.2, *Definitions and test methods for statistical and non-linear related attributes of single-mode fibre and cable*

koniec náhľadu - text ďalej pokračuje v platenej verzii STN