

<b>STN</b>	<b>Optické vlákna</b> <b>Časť 1-47: Metódy merania a skúšobné postupy</b> <b>Makroohybová strata</b>	<b>STN</b> <b>EN IEC</b> <b>60793-1-47</b>  35 9213
------------	--	---

Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/18

Obsahuje: EN IEC 60793-1-47:2018, IEC 60793-1-47:2017

Oznámením tejto normy sa od 15.11.2020 ruší  
STN EN 60793-1-47 (35 9213) z decembra 2009

**126752**

EUROPEAN STANDARD

**EN IEC 60793-1-47**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2018

ICS 33.180.10

Supersedes EN 60793-1-47:2009

English Version

**Optical fibres - Part 1-47: Measurement methods and test procedures - Macrobending loss (IEC 60793-1-47:2017)**

Fibres optiques - Partie 1-47: Méthodes de mesure et procédures d'essai - Pertes par macrocourbures (IEC 60793-1-47:2017)

Lichtwellenleiter - Teil 1-47: Messmethoden und Prüfverfahren - Makrobiegeverlust (IEC 60793-1-47:2017)

This European Standard was approved by CENELEC on 2017-11-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 60793-1-47:2018 (E)****European foreword**

The text of document 86A/1823/FDIS, future edition 2 of IEC 60793-1-47, prepared by IEC/SC 86A "Fibres and cables", of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60793-1-47:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-08-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-11-15

This document supersedes EN 60793-1-47:2009.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 60793-1-47:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60793-1-40	NOTE	Harmonized as EN 60793-1-40.
IEC 60793-1-46	NOTE	Harmonized as EN 60793-1-46.
IEC 60793-2-50	NOTE	Harmonized as EN 60793-2-50.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year series</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year series</u>
IEC 60793		Optical fibres	-	
IEC 60793-1-1	2017	Optical fibres - Part 1-1: Measurement methods and test procedures - General and guidance	EN 60793-1-1	2017
IEC 60793-2	-	Optical fibres - Part 2: Product specifications - General	EN 60793-2	-
IEC 60793-2-10	-		EN 60793-2-10	-
IEC 61280-1-4	-	Fibre optic communication subsystem test procedures -- Part 1-4: General communication subsystems - Light source encircled flux measurement method	EN 61280-1-4	-
IEC 61280-4-1	-	Fibre optic communication subsystem test procedures -- Part 4-1: Installed cable plant - Multimode attenuation measurement	EN 61280-4-1	-



IEC 60793-1-47

Edition 4.0 2017-10

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Optical fibres –  
Part 1-47: Measurement methods and test procedures – Macrobending loss**

**Fibres optiques –  
Partie 1-47: Méthodes de mesure et procédures d'essai – Pertes par  
macrocourbures**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2017 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
 3, rue de Varembe  
 CH-1211 Geneva 20  
 Switzerland

Tel.: +41 22 919 02 11  
 Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



IEC 60793-1-47

Edition 4.0 2017-10

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Optical fibres –  
Part 1-47: Measurement methods and test procedures – Macrobending loss**

**Fibres optiques –  
Partie 1-47: Méthodes de mesure et procédures d'essai – Pertes par  
macrocourbures**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 33.180.10

ISBN 978-2-8322-4865-2

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	5
INTRODUCTION .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	9
4 Apparatus .....	9
4.1 Method A – Fibre winding .....	9
4.2 Method B – Quarter circle bends .....	9
4.3 Input system .....	10
4.3.1 Optical source .....	10
4.3.2 Optical launch arrangement .....	10
4.4 Output system and detection .....	12
4.4.1 Optical divider .....	12
4.4.2 Optical detector .....	12
4.4.3 Optical detection assembly .....	13
4.4.4 Signal processing .....	13
5 Specimen .....	13
5.1 Specimen length .....	13
5.1.1 Method A – Fibre winding .....	13
5.1.2 Method B – Quarter circle bends .....	13
5.2 Specimen end face .....	13
6 Procedure .....	13
6.1 Method A – Fibre winding .....	13
6.1.1 General consideration .....	13
6.1.2 Single-mode fibres .....	14
6.1.3 Multimode (A1) fibres .....	15
6.2 Method B – Quarter circle bends .....	15
7 Calculations .....	17
8 Results .....	17
8.1 Information available with each measurement .....	17
8.2 Information available upon request .....	17
9 Specification information .....	17
Annex A (normative) Change in transmittance by transmitted power technique .....	19
A.1 Apparatus .....	19
A.1.1 General .....	19
A.2 Procedure .....	20
A.3 Calculations .....	20
Annex B (normative) Cut-back technique .....	22
B.1 General .....	22
B.2 Apparatus .....	22
B.2.1 General apparatus for all fibres .....	22
B.3 Procedure .....	22
B.4 Calculations .....	23
Annex C (normative) Requirements for the optical source characteristics for A1 multimode measurement .....	24



C.1	Encircled flux (EF) .....	24
C.2	Limits on encircled flux .....	24
Annex D	(informative) Small bend radius phenomena .....	27
D.1	General.....	27
D.2	Interference between propagating and radiating modes .....	27
D.3	Polarization effects .....	29
D.4	High power damage .....	29
Annex E	(informative) Parallel plate (2-point) macrobend loss approximation.....	30
E.1	General.....	30
E.2	Specimen.....	30
E.3	Apparatus .....	30
E.3.1	General .....	30
E.3.2	Stepper motor control .....	31
E.3.3	Movable plate .....	31
E.3.4	Fixed plate.....	31
E.4	Procedure .....	32
E.5	Calculation.....	32
E.6	Results .....	32
E.7	Comparison of results with normative test.....	33
Bibliography	.....	35
Figure 1	– Quarter circle guide groove in plate.....	9
Figure 2	– General launch arrangement.....	10
Figure 3	– Lens system.....	11
Figure 4	– Launch fibre.....	11
Figure 5	– Mode scrambler (for A4 fibre).....	12
Figure 6	– Multiple bends using stacked plates .....	16
Figure A.1	– Measurement of change in optical transmittance using reference specimen .....	19
Figure A.2	– Measurement of change in optical transmittance using stabilized source .....	20
Figure B.1	– Arrangement of equipment to perform loss measurement at one specified wavelength .....	22
Figure B.2	– Arrangement of equipment used to obtain a loss spectrum .....	22
Figure C.1	– Encircled flux template example .....	25
Figure D.1	– Loss curves versus curve fits.....	28
Figure E.1	– Schematic of possible (two-point bend) apparatus .....	31
Figure E.2	– Example of applying an exponential fit to the spectral data of a B6_a2 fibre .....	33
Figure E.3	– Example of 2-point bend test data for a B6_a2 fibre.....	33
Table 1	– Launch conditions for A2 to A4 fibres .....	12
Table C.1	– Threshold tolerance .....	25
Table C.2	– EF requirements for 50 µm core fibre cabling at 850 nm .....	26
Table C.3	– EF requirements for 50 µm core fibre cabling at 1 300 nm .....	26
Table C.4	– EF requirements for 62,5 µm core fibre cabling at 850 nm .....	26
Table C.5	– EF requirements for 62,5 µm core fibre cabling at 1 300 nm .....	26

Table E.1 – Comparison of parallel plate (2-point) versus method A macrobend loss measurement for a B6_b3 fibre at 10 mm diameter (ratio of mandrel / 2-point).....	34
---	----

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### OPTICAL FIBRES –

### Part 1-47: Measurement methods and test procedures – Macrobending loss

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-1-47 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This fourth edition cancels and replaces the third edition published in 2009. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) former Annex A has been renumbered to Annex D;
- b) introduction of new Annex A on the transmitted power monitoring technique;
- c) introduction of Annex B on the cut-back technique;
- d) introduction of Annex C on the requirements for the optical source characteristics of A1 multimode measurement;
- e) introduction of Annex E on parallel plate (2-point) macrobend loss approximation.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1823/FDIS	86A/1828/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with IEC 60793-1-1:2017.

A list of all parts of IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Publications in the IEC 60793-1 series concern measurement methods and test procedures as they apply to optical fibres.

Within the same series, several different areas are grouped, but all numbers are possibly not used, as follows:

Parts 1-10 to 1-19:	General
Parts 1-20 to 1-29:	Measurement methods and test procedures for dimensions
Parts 1-30 to 1-39:	Measurement methods and test procedures for mechanical characteristics
Parts 1-40 to 1-49:	Measurement methods and test procedures for transmission and optical characteristics
Parts 1-50 to 1-59:	Measurement methods and test procedures for environmental characteristics

## OPTICAL FIBRES –

### Part 1-47: Measurement methods and test procedures – Macrobending loss

#### 1 Scope

This part of IEC 60793 establishes uniform requirements for measuring the macrobending loss of single-mode fibres (class B) at 1 550 nm or 1 625 nm, category A1 multimode fibres at 850 nm or 1 300 nm, and category A3 and A4 multimode fibres at 650 nm, 850 nm or 1 300 nm, thereby assisting in the inspection of fibres and cables for commercial purposes.

This document gives two methods for measuring macrobending sensitivity:

- Method A – Fibre winding, pertains to class B single-mode fibres and category A1 multimode fibres.
- Method B – Quarter circle bends, pertains to category A3 and A4 multimode fibres.

For both of these methods, the macrobending loss can be measured utilizing general fibre attenuation techniques, for example the power monitoring technique (see Annex A) or the cut-back technique (see Annex B). Methods A and B are expected to produce different results if they are applied to the same fibre. This is because the key difference between the two methods is the deployment, including the bend radius and length of fibre that is bent. The reason for the difference is that A3 and A4 multimode fibres are expected to be deployed in short lengths with a smaller number of bends per unit fiber length compared to single-mode and category A1 multimode fibres.

In this document, the "curvature radius" is defined as the radius of the suitable circular shaped support (e.g. mandrel or guiding groove on a flat surface) on which the fibre can be bent.

In addition, informative Annex E has been added to approximate bend loss for class B single-mode fibres across a broad wavelength range at various effective bends.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-1 (all parts), *Optical fibres – Measurement methods and test procedures*

IEC 60793-1-1:2017, *Optical fibres – Part 1-1: Measurement methods and test procedures – General and guidance*

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 60793-2-10, *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

IEC 61280-1-4, *Fibre optic communication subsystem test procedures – Part 1-4: General communication subsystems – Light source encircled flux measurement method*

IEC 61280-4-1, *Fibre-optic communication subsystem test procedures – Part 4-1: Installed cable plant– Multimode attenuation measurement*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**