## STN

Potrubné systémy z plastov na renováciu kanalizačných potrubí a stôk pod tlakom uložených v zemi - Časť 2: Výstelkovanie súvislým potrubím (ISO 11297-2:2018)

STN EN ISO 11297-2

75 6131

Plastics piping systems for renovation of underground drainage and sewerage networks under pressure - Part 2: Lining with continuous pipes (ISO 11297-2:2018)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/18

Obsahuje: EN ISO 11297-2:2018, ISO 11297-2:2018

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN ISO 11297-2** 

February 2018

ICS 23.040.45; 23.040.20; 91.140.80; 93.030

#### **English Version**

# Plastics piping systems for renovation of underground drainage and sewerage networks under pressure - Part 2: Lining with continuous pipes (ISO 11297-2:2018)

Systèmes de canalisations en plastique pour la rénovation des réseaux de branchements et de collecteurs d'assainissement enterrés sous pression -Partie 2: Tubage par tuyau continu avec espace annulaire (ISO 11297-2:2018) Kunststoff-Rohrleitungssysteme zur Renovierung von erdverlegten Abwasserdruckleitungen -Teil 2: Rohrstrang-Lining (ISO 11297-2:2018)

This European Standard was approved by CEN on 14 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Pa	
European foreword		

#### **European foreword**

This document (EN ISO 11297-2:2018) has been prepared by Technical Committee ISO/TC 138 "Rehabilitation of pipeline systems" in collaboration with Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2018, and conflicting national standards shall be withdrawn at the latest by August 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 11297-2:2018 has been approved by CEN as EN ISO 11297-2:2018 without any modification.

# INTERNATIONAL STANDARD

ISO 11297-2

First edition 2018-02

# Plastics piping systems for renovation of underground drainage and sewerage networks under pressure —

## Part 2: **Lining with continuous pipes**

Systèmes de canalisations en plastique pour la rénovation des réseaux de branchements et de collecteurs d'assainissement enterrés sous pression —

Partie 2: Tubage par tuyau continu avec espace annulaire





#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2018, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents		Page	
Fore	eword		iv
Introduction			V
1		D <b>e</b>	
2	-	native references	
		ns and definitions	
3			
4		bols and abbreviated terms	
	4.1 4.2	SymbolsAbbreviated terms	
5	Pine	s at the "M" stage	3
U	5.1	Material	
	5.2	General characteristics	
	5.3	Material characteristics	3
	5.4	Geometrical characteristics	3
	5.5	Mechanical characteristics	
	5.6	Physical characteristics	
	5.7	Jointing	
	5.8	Marking	
	5.9	Regional requirements for pipes	4
6	Fitti	ngs at the "M" stage	4
	6.1	Requirements	
	6.2	Marking	
	6.3	Regional requirements for fittings	4
7	Anci	llary components	4
8	Fitne	ess for purpose of the system for pipes and fittings at the "I" stage	4
9	Insta	allation practice	4
	9.1	Preparatory work	4
	9.2	Storage, handling and transport	
	9.3	Equipment	
		9.3.1 Butt fusion equipment and de-beading equipment	
		9.3.2 Pipe rollers	
		9.3.3 Winching and rod-pulling equipment	
		9.3.4 Pipe entry guides	
		9.3.5 Electrofusion equipment 9.3.6 Inspection equipment	
		9.3.6 Inspection equipment 9.3.7 Lifting equipment	
	9.4	Installation	
	9.5	Process-related inspection and testing	
	9.6	Lining termination	
	9.7	Reconnection to the existing pipeline system	
	9.8	Final inspection and testing	
	9.9	Documentation	
Δnn		ormative) <b>Layered pipes</b>	
	iogranl		0 Q
KIN	unurant	137	u

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 8, *Rehabilitation of pipeline systems*.

A list of all parts in the ISO 11297 series, can be found on the ISO website.

#### Introduction

This document is part of a system standard for plastics piping systems of various materials used for renovation of existing pipelines in a specified application area. System standards for renovation dealing with the following applications are either available or in preparation:

- ISO 11296, Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks;
- ISO 11297, Plastics piping systems for renovation of underground drainage and sewerage networks under pressure (this application);
- ISO 11298, Plastics piping systems for renovation of underground water supply networks;
- ISO 11299, Plastics piping systems for renovation of underground gas supply networks.

These system standards are distinguished from system standards for conventionally installed plastics piping systems by the requirement to verify certain characteristics in the "as installed" condition, after site processing. This is in addition to verification of characteristics of plastics piping systems "as manufactured".

Each of the system standards comprises a:

— Part 1: General

and all applicable renovation technique family-related parts, which for drainage and sewerage networks under pressure include or potentially include the following:

- *Part 2: Lining with continuous pipes* (this document)
- Part 3: Lining with close-fit pipes
- Part 4: Lining with cured-in-place pipes
- Part 5: Lining with discrete pipes
- Part 6: Lining with adhesive-backed hoses

The requirements for any given renovation technique family are specified in Part 1, applied in conjunction with the relevant other part. For example, both ISO 11297-1 and this document, together specify the requirements relating to lining with continuous pipes. For complementary information, see ISO 11295. Not all technique families are pertinent to every area of application and this is reflected in the part numbers included in each system standard.

A consistent structure of clause headings has been adopted for all parts to facilitate direct comparisons across renovation technique families.

Figure 1 shows the common part and clause structure and the relationship between ISO 11297 and system standards for other applications.

Annex A of this document is normative.




Figure 1 — Format of the renovation system standards

#### INTERNATIONAL STANDARD

## Plastics piping systems for renovation of underground drainage and sewerage networks under pressure —

#### Part 2:

### Lining with continuous pipes

#### 1 Scope

This document, in conjunction with ISO 11297-1, specifies requirements and test methods for pipes and fittings which are part of plastics piping systems installed as continuous pipes in the renovation of underground drainage and sewerage networks under pressure. It is applicable to polyethylene (PE) pipes of three different types:

- PE solid wall single layered pipes (nominal outside diameter,  $d_n$ ), including any identification stripes;
- PE pipes with co-extruded layers on either or both the outside and inside of the pipe (total outside diameter,  $d_n$ ), as specified in Annex A, where all layers have the same MRS rating;
- PE coated pipes (outside diameter,  $d_n$ ) having a peelable, contiguous, thermoplastics additional layer on the outside of the pipe ("coated pipe"), see Annex A.

#### In addition it covers:

- jointing of pipe lengths by means of butt fusion;
- fabricated and injection-moulded fittings made of PE.

It is applicable to PE pipes, fittings and assemblies intended to be used at an operating temperature of  $20\,^{\circ}\text{C}$  as the reference temperature.

NOTE For applications operating at constant temperatures greater than 20  $^{\circ}$ C and up to 40  $^{\circ}$ C, see ISO 4427-1:2007, Annex A.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4427-1, Plastics piping systems — Polyethylene (PE) pipes and fittings for water supply — Part 1: General

ISO 4427-2, Plastics piping systems — Polyethylene (PE) pipes and fittings for water supply — Part 2: Pipes

ISO 4427-3, Plastics piping systems — Polyethylene (PE) pipes and fittings for water supply — Part 3: Fittings

ISO 4427-5, Plastics piping systems — Polyethylene (PE) pipes and fittings for water supply — Part 5: Fitness for purpose of the system

ISO 11297-1:2018, Plastics piping systems for renovation of underground drainage and sewerage networks under pressure — Part 1: General

ISO 12176-1, Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems — Part 1: Butt fusion

ISO 12176-2, Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems — Part 2: Electrofusion

EN 12201-1, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 1: General

EN 12201-2, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 2: Pipes

EN 12201-3, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 3: Fittings

EN 12201-5, Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 5: Fitness for purpose of the system

### koniec náhľadu – text ďalej pokračuje v platenej verzii STN