

STN	Stabilné hasiace zariadenia Plynové hasiace zariadenia Časť 8: Fyzikálne vlastnosti a návrh systému plynových hasiacich zariadení pre hasiacu látku IG-100 (ISO 14520-13: 2015, mod.)	STN EN 15004-8 92 0430
------------	--	--

Fixed firefighting systems - Gas extinguishing systems - Part 8: Physical properties and system design of gas extinguishing systems for IG-100 extinguishant (ISO 14520-13:2015, modified)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/18

Obsahuje: EN 15004-8:2017

Oznámením tejto normy sa ruší
STN EN 15004-8 (92 0430) z decembra 2008

126794

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 15004-8

December 2017

ICS 13.220.20

Supersedes EN 15004-8:2008

English Version

**Fixed firefighting systems - Gas extinguishing systems -
Part 8: Physical properties and system design of gas
extinguishing systems for IG-100 extinguishant (ISO
14520-13:2015, modified)**

Installations fixes de lutte contre l'incendie -
Installations d'extinction à gaz - Partie 8 : Propriétés
physiques et conception des systèmes pour agent
extincteur IG-100 (ISO 14520-13:2015, modifiée)

Ortsfeste Brandbekämpfungsanlagen - Löschanlagen
mit gasförmigen Löschmitteln - Teil 8: Physikalische
Eigenschaften und Anlagenauslegung für Löschmittel
IG-100 (ISO 14520-13:2015, modifiziert)

This European Standard was approved by CEN on 25 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 15004-8:2017 (E)

Contents	Page
European foreword	3
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Characteristics and uses.....	5
4.1 General.....	5
4.2 Use of IG-100 systems.....	6
5 Safety of personnel.....	9
6 System design	10
6.1 Fill pressure	10
6.2 Superpressurization	11
6.3 Extinguishant quantity.....	11
7 Environmental Properties.....	11

European foreword

This document (EN 15004-8:2017) has been prepared by Technical Committee CEN/TC 191 “Fixed firefighting systems”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2018, and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15004-8:2008.

The text of the International Standard ISO 14520-13:2015 from Technical Committee ISO/TC 21 “Equipment for fire protection and firefighting” of the International Organization for Standardization (ISO) has been taken over as a European Standard by Technical Committee CEN/TC 191 “Fixed firefighting systems”, the secretariat of which is held by BSI, with common modifications which are indicated by a straight line in the margin of the text.

This European Standard will consist of the following parts, under the general title *Fixed firefighting systems – Gas extinguishing systems*:

- Part 1: Design, installation and maintenance;
- Part 2: Physical properties and system design of gas extinguishing systems for FK-5-1-12 extinguishant;
- Part 3: Physical properties and system design of gas extinguishing systems for HCFC Blend A extinguishant;
- Part 4: Physical properties and system design of gas extinguishing systems for HFC 125 extinguishant;
- Part 5: Physical properties and system design of gas extinguishing systems for HFC 227ea extinguishant;
- Part 6: Physical properties and system design of gas extinguishing systems for HFC 23 extinguishant;
- Part 7: Physical properties and system design of gas extinguishing systems for IG-01 extinguishant;
- Part 8: Physical properties and system design of gas extinguishing systems for IG-100 extinguishant;
- Part 9: Physical properties and system design of gas extinguishing systems for IG-55 extinguishant;
- Part 10: Physical properties and system design of gas extinguishing systems for IG-541 extinguishant.

EN 15004-8:2017 (E)

The International Standards ISO 14520-2 and ISO 14520-11, which dealt with CF₃I and HFC 236fa extinguishants, respectively, have not been implemented by CEN, as CF₃I is only valid for local application and HFC 236fa extinguishant is only applicable for portable fire extinguishers and local application, respectively, which is not covered by the scope.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

1.1 This document specifies requirements for gaseous fire-extinguishing systems, with respect to the IG-100 extinguishant. It includes details of physical properties, specification, usage and safety aspects.

1.2 This document is applicable for systems operating at nominal pressures of 200 bar at 15 °C and 300 bar at 15 °C. This does not preclude the use of other systems, although design data for other pressures are not available at this time.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15004-1:2017, *Fixed firefighting systems - Gas extinguishing systems - Part 1: Design, installation and maintenance*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN