

<b>STN</b>	<b>Žeriavy Všeobecný návrh Časť 3-6: Medzné stavy a overovanie spôsobilosti častí strojov Hydraulické valce</b>	<b>STN EN 13001-3-6</b>
		27 0043

Cranes - General design - Part 3-6: Limit states and proof of competence of machinery - Hydraulic cylinders

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/18

Obsahuje: EN 13001-3-6:2018

**126799**

**EUROPEAN STANDARD**  
**NORME EUROPÉENNE**  
**EUROPÄISCHE NORM**

**EN 13001-3-6**

February 2018

ICS 23.100.20; 53.020.20

English Version

**Cranes - General design - Part 3-6: Limit states and proof  
of competence of machinery - Hydraulic cylinders**

Appareils de levage à charge suspendue - Conception  
générale - Partie 3-6 : États limites et vérification  
d'aptitude des éléments de mécanismes - Vérins  
hydrauliques

Krane - Konstruktion allgemein - Teil 3-6:  
Grenzzustände und Sicherheitsnachweis von  
Maschinenbauteilen - Hydraulikzylinder

This European Standard was approved by CEN on 13 November 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
 COMITÉ EUROPÉEN DE NORMALISATION  
 EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## Contents

	Page
<b>European foreword.....</b>	<b>4</b>
<b>Introduction .....</b>	<b>5</b>
<b>1 Scope.....</b>	<b>6</b>
<b>2 Normative references.....</b>	<b>6</b>
<b>3 Terms, definitions and symbols.....</b>	<b>7</b>
<b>3.1 Terms and definitions .....</b>	<b>7</b>
<b>3.2 Symbols an abbreviations.....</b>	<b>7</b>
<b>3.3 Terminology.....</b>	<b>10</b>
<b>4 General.....</b>	<b>12</b>
<b>4.1 Documentation.....</b>	<b>12</b>
<b>4.2 Materials for hydraulic cylinders.....</b>	<b>12</b>
<b>4.2.1 General requirements .....</b>	<b>12</b>
<b>4.2.2 Grades and qualities .....</b>	<b>13</b>
<b>5 Proof of static strength.....</b>	<b>13</b>
<b>5.1 General.....</b>	<b>13</b>
<b>5.2 Limit design stresses.....</b>	<b>15</b>
<b>5.2.1 General.....</b>	<b>15</b>
<b>5.2.2 Limit design stress in structural members.....</b>	<b>15</b>
<b>5.2.3 Limit design stresses in welded connections.....</b>	<b>16</b>
<b>5.3 Linear stress analysis .....</b>	<b>16</b>
<b>5.3.1 General.....</b>	<b>16</b>
<b>5.3.2 Typical load cases and boundary conditions .....</b>	<b>16</b>
<b>5.3.3 Cylinder tube .....</b>	<b>18</b>
<b>5.3.4 Cylinder bottom.....</b>	<b>19</b>
<b>5.3.5 Piston rod welds .....</b>	<b>20</b>
<b>5.3.6 Cylinder head.....</b>	<b>21</b>
<b>5.3.7 Cylinder tube and piston rod threads.....</b>	<b>21</b>
<b>5.3.8 Thread undercuts and locking wire grooves .....</b>	<b>21</b>
<b>5.3.9 Oil connector welds .....</b>	<b>22</b>
<b>5.3.10 Connecting interfaces to crane structure .....</b>	<b>22</b>
<b>5.4 Nonlinear stress analysis .....</b>	<b>23</b>
<b>5.4.1 General.....</b>	<b>23</b>
<b>5.4.2 Standard cylinder with end moments .....</b>	<b>23</b>
<b>5.4.3 Support leg.....</b>	<b>23</b>
<b>5.5 Execution of the proof .....</b>	<b>24</b>
<b>5.5.1 Proof for load bearing components.....</b>	<b>24</b>
<b>5.5.2 Proof for bolted connections.....</b>	<b>24</b>
<b>5.5.3 Proof for welded connections .....</b>	<b>25</b>
<b>6 Proof of fatigue strength.....</b>	<b>25</b>
<b>6.1 General.....</b>	<b>25</b>
<b>6.2 Stress histories.....</b>	<b>25</b>
<b>6.3 Execution of the proof .....</b>	<b>27</b>
<b>6.4 Limit design stress range .....</b>	<b>27</b>
<b>6.5 Details for consideration .....</b>	<b>27</b>

<b>6.5.1</b>	<b>General .....</b>	<b>27</b>
<b>6.5.2</b>	<b>Bottom weld.....</b>	<b>28</b>
<b>6.5.3</b>	<b>Notch stress at oil connectors .....</b>	<b>30</b>
<b>6.5.4</b>	<b>Cylinder head .....</b>	<b>31</b>
<b>6.5.5</b>	<b>Piston rod .....</b>	<b>33</b>
<b>6.5.6</b>	<b>Cylinder head bolts .....</b>	<b>35</b>
<b>6.5.7</b>	<b>Cylinder head flange weld .....</b>	<b>35</b>
<b>6.5.8</b>	<b>Mechanical interfaces .....</b>	<b>37</b>
<b>7</b>	<b>Proof of elastic stability.....</b>	<b>37</b>
<b>7.1</b>	<b>General .....</b>	<b>37</b>
<b>7.2</b>	<b>Critical buckling load .....</b>	<b>37</b>
<b>7.3</b>	<b>Limit compressive design force.....</b>	<b>39</b>
<b>7.4</b>	<b>Execution of the proof.....</b>	<b>40</b>
<b>Annex A (informative) Critical buckling load for common buckling cases.....</b>		<b>41</b>
<b>A.1</b>	<b>General .....</b>	<b>41</b>
<b>A.2</b>	<b>Buckling case A .....</b>	<b>42</b>
<b>A.3</b>	<b>Buckling case B .....</b>	<b>42</b>
<b>A.4</b>	<b>Buckling case C .....</b>	<b>43</b>
<b>A.5</b>	<b>Buckling case D.....</b>	<b>43</b>
<b>A.6</b>	<b>Buckling case E .....</b>	<b>43</b>
<b>A.7</b>	<b>Buckling case F .....</b>	<b>43</b>
<b>A.8</b>	<b>Buckling case G.....</b>	<b>44</b>
<b>Annex B (informative) Second order analysis of two important cases .....</b>		<b>45</b>
<b>B.1</b>	<b>Compressed cylinder with end moments and angular misalignment.....</b>	<b>45</b>
<b>B.2</b>	<b>Compressed cylinder with lateral end force and angular misalignment .....</b>	<b>46</b>
<b>B.3</b>	<b>Axial stresses for cases in B.1 and B.2.....</b>	<b>47</b>
<b>Annex C (informative) Shell section forces and moments for cylinder bottom .....</b>		<b>48</b>
<b>Annex D (informative) Fatigue analysis of bottom weld for more complex cases .....</b>		<b>51</b>
<b>Annex E (informative) Selection of a suitable set of crane standards for a given application.....</b>		<b>54</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered.....</b>		<b>56</b>
<b>Bibliography .....</b>		<b>57</b>

**EN 13001-3-6:2018 (E)****European foreword**

This document (EN 13001-3-6:2018) has been prepared by Technical Committee CEN/TC 147 "Cranes — Safety", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2018, and conflicting national standards shall be withdrawn at the latest by August 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

This European Standard has been prepared to be a harmonized standard to provide one means for the mechanical design and theoretical verification of cranes to conform with the essential health and safety requirements of the Machinery Directive, as amended. This standard also establishes interfaces between the user (purchaser) and the designer, as well as between the designer and the component manufacturer, in order to form a basis for selecting cranes and components.

This European Standard is a type C standard as stated in EN ISO 12100:2010.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

**EN 13001-3-6:2018 (E)**

## 1 Scope

This European Standard is to be used together with EN 13001-1, EN 13001-2 and EN 13001-3-1 as well as pertinent crane type product EN standards, and as such they specify general conditions, requirements and methods to, by design and theoretical verification, prevent mechanical hazards of hydraulic cylinders that are part of the load carrying structures of cranes. Hydraulic piping, hoses and connectors used with the cylinders, as well as cylinders made from other material than carbon steel, are not within the scope of this standard.

The following are significant hazardous situations and hazardous events that could result in risks to persons during intended use and reasonably foreseeable misuse. Clauses 4 to 7 of this standard are necessary to reduce or eliminate risks associated with the following hazards:

- a) exceeding the limits of strength (yield, ultimate, fatigue);
- b) elastic instability (column buckling).

NOTE EN 13001-3-6 deals only with the limit state method in accordance with EN 13001-1.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10083-2:2006, *Steels for quenching and tempering — Part 2: Technical delivery conditions for non alloy steels*

EN 10210-2:2006, *Hot finished structural hollow sections of non-alloy and fine grain steels — Part 2: Tolerances, dimensions and sectional properties*

EN 10216-3:2013, *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 3: Alloy fine grain steel tubes*

EN 10277-2:2008, *Bright steel products — Technical delivery conditions — Part 2: Steels for general engineering purposes*

EN 10305-1:2016, *Steel tubes for precision applications — Technical delivery conditions — Part 1: Seamless cold drawn tubes*

EN 10305-2:2016, *Steel tubes for precision applications — Technical delivery conditions — Part 2: Welded cold drawn tubes*

EN 13001-1, *Cranes — General design — Part 1: General principles and requirements*

EN 13001-2, *Crane safety — General design — Part 2: Load actions*

EN 13001-3-1, *Cranes — General Design — Part 3-1: Limit States and proof competence of steel structure*

EN 13445-2:2014, *Unfired pressure vessels — Part 2: Materials*

EN ISO 148-1:2016, *Metallic materials — Charpy pendulum impact test — Part 1: Test method (ISO 148-1:2016)*

EN ISO 5817:2014, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections (ISO 5817:2014)*

EN ISO 8492:2013, *Metallic materials — Tube — Flattening test (ISO 8492:2013)*

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

ISO 724:1993, *ISO general-purpose metric screw threads — Basic dimensions*

**koniec náhľadu – text d'alej pokračuje v platenej verzii STN**