

STN	Prepravné plošiny	STN EN 16719 27 5006
------------	--------------------------	--

Transport platforms

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/18

Obsahuje: EN 16719:2018

126800

EUROPEAN STANDARD**EN 16719****NORME EUROPÉENNE****EUROPÄISCHE NORM**

February 2018

ICS 91.220

English Version

Transport platforms

Plate-formes de transport

Transportbühnen

This European Standard was approved by CEN on 7 August 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 16719:2018 (E)

Contents	Page
European foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	7
3 Terms and definitions	9
4 List of hazards	11
5 Safety requirements and/or measures	16
5.1 General.....	16
5.2 Load combinations and calculations.....	16
5.3 Base Frame	25
5.4 Mast, ties and buffers.....	26
5.4.1 Guide structures and masts.....	26
5.4.2 Mast ties.....	26
5.4.3 Buffers.....	26
5.5 Hoistway protection and landing access	26
5.5.1 General.....	26
5.5.2 Transport platform base enclosure.....	27
5.5.3 Landing access.....	31
5.5.4 Materials for enclosure and guarding	35
5.5.5 Landing gate locking devices	36
5.5.6 Clearances.....	37
5.6 Platform.....	38
5.6.1 General requirements	38
5.6.2 Safety devices against falling of the platform	42
5.6.3 Overload detection device	45
5.7 Drive unit	46
5.7.1 General provisions.....	46
5.7.2 Protection and accessibility	46
5.7.3 Suspension system.....	46
5.7.4 Braking system	49
5.8 Electric installations and appliances	50
5.8.1 General.....	50
5.8.2 Protection against electric faults.....	50
5.8.3 Protection against the effects of external influences.....	51
5.8.4 Electric wiring	51
5.8.5 Contactors, relay-contactors	52
5.8.6 Electric safety devices	52
5.8.7 Safety contacts.....	52
5.9 Control and limiting devices	53
5.9.1 General.....	53
5.9.2 Travel limit switches.....	53
5.9.3 Erection accessories.....	53
5.9.4 Stopping devices.....	54
5.9.5 Stopping the machine	54

5.9.6	Control modes	54
5.10	Safety Devices	55
5.11	Breakdown conditions	55
5.12	Noise	55
5.12.1	General	55
5.12.2	Noise reduction at the design stage	55
5.12.3	Noise emission measurement	55
6	Verification	56
6.1	Verification of design	56
6.2	Verification tests of overspeed safety device	58
6.2.1	Overspeed safety device and overspeed governors	58
6.2.2	Locking devices for platform and landing gates	60
6.2.3	Emergency manual lowering	61
6.3	Verification tests on each machine before first use	61
7	User information	62
7.1	Instruction handbook	62
7.1.1	Comprehensive information	62
7.1.2	Contents of the instruction handbook	62
7.2	Markings	69
7.2.1	General	69
7.2.2	Rating plate	69
7.2.3	Mast or guide section identification label	69
7.2.4	Falling object protection guard label	69
7.2.5	Basic user information label	70
7.2.6	Label at the platform	70
7.2.7	Labels at transport platform access points	70
7.2.8	Overspeed device label	70
7.2.9	Drive motor label	71
7.3	Marking of control elements	71
	Annex A (normative) European storm wind map	72
	Annex B (normative) Performance levels for safety devices	73
	Annex C (informative) Limit state proof of static strength	74
C.1	General	74
C.2	Limit design stresses for steel and aluminium	74
C.3	Load cases	74
	Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered	78
	Bibliography	79

EN 16719:2018 (E)**European foreword**

This document (EN 16719:2018) has been prepared by Technical Committee CEN/TC 10 “Lifts, escalators and moving walks”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2018, and conflicting national standards shall be withdrawn at the latest by August 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive 2006/42/EC, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard is one of a series of standards produced by CEN/TC 10/SC 1 “Building hoists” as part of the CEN programme of work to produce machinery safety standards. The standard is a Type C standard relating to safety for transport platforms.

The extent to which hazards are covered is indicated in the scope of this European Standard. In addition, machinery shall comply as appropriate with EN ISO 12100:2010 for hazards which are not covered by this European Standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this European Standard.

EN 16719:2018 (E)**1 Scope**

1.1 Temporarily-installed, guided powered platforms with rack and pinion drive, which have an open platform and hold-to-run controls operated by authorized, trained operators on the platform.

Used for transporting authorized passengers and materials vertically (or along the path 15° maximum of the vertical), at limited speed, with a minimum safety offset distance and serving fixed levels on a building or structure for construction related activities including renovation and maintenance.

This European Standard does not include

- a) hydraulic drives for transport platforms;
- b) wire rope drives for transport platforms;
- c) chain drives for transport platforms;
- d) use as a Mast Climbing Work Platform (see EN 1495);
- e) use as a Goods Hoist (see EN 12158-1);
- f) use as a Passenger/Goods Hoist (see EN 12159).

1.2 This European Standard identifies hazards as listed in Clause 4 which arise during the various phases in the life of such equipment and describes methods for the elimination or reduction of these hazards when used as intended by the manufacturer.

1.3 This European Standard does not specify the additional requirements for

- a) operation in severe conditions (e.g. extreme climates, strong magnetic fields);
- b) lightning protection;
- c) operation subject to special rules (e.g. potentially explosive atmospheres);
- d) electromagnetic compatibility (emission, immunity);
- e) handling of loads the nature of which could lead to dangerous situations (e.g. molten metal, acids/bases);
- f) radiating materials, fragile loads);
- g) the use of combustion engines;
- h) the use of remote controls;
- i) hazards occurring during manufacture;
- j) hazards occurring as a result of mobility;
- k) hazards occurring as a result of being erected over a public road;
- l) earthquakes;

m) noise.

1.4 This European Standard is not applicable to

- a) builders hoists for materials (see EN 12158-1);
- b) builders hoists for persons and materials (see EN 12159);
- c) lifts (see EN 81-3 and EN 81-20);
- d) inclined hoists (see EN 12158-2);
- e) inclined lifts (see EN 81-22);
- f) lifting tables (see EN 1570-1);
- g) mast climbing work platforms (see EN 1495);
- h) work cages suspended from lifting appliances;
- i) work platforms carried on the forks of fork trucks;
- j) work platforms;
- k) funiculars;
- l) lifts specially designed for military purposes;
- m) mine lifts;
- n) theatre elevators;
- o) special purpose lifts.

1.5 This European Standard deals with the transport platform installation. It includes the base frame and base enclosure but excludes the design of any concrete, hard core, timber or other foundation arrangement. It includes the design of mast ties but excludes the design of anchorage bolts to the supporting structure. It includes the landing gates and their frames but excludes the design of any anchorage fixing bolts to the supporting structure.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 81-20:2014, *Safety rules for the construction and installation of lifts - Lifts for the transport of persons and goods - Part 20: Passenger and goods passenger lifts*

EN 349:1993+A1:2008, *Safety of machinery - Minimum gaps to avoid crushing of parts of the human body*

EN 1037:1995+A1:2008, *Safety of machinery - Prevention of unexpected start-up*

EN 60204-1:2006, *Safety of machinery - Electrical equipment of machines - Part 1: General requirements*

EN 16719:2018 (E)

EN 60204-32:2008, *Safety of machinery - Electrical equipment of machines - Part 32: Requirements for hoisting machines*

EN 60529:1991, *Degrees of protection provided by enclosures (IP Code)*

EN 60947-5-1:2004, *Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices*

EN ISO 4871:2009, *Acoustics - Declaration and verification of noise emission values of machinery and equipment (ISO 4871:1996)*

EN ISO 7731:2008, *Ergonomics - Danger signals for public and work areas - Auditory danger signals (ISO 7731:2003)*

EN ISO 11688-1:2009, *Acoustics - Recommended practice for the design of low-noise machinery and equipment - Part 1: Planning (ISO/TR 11688-1:1995)*

EN ISO 11688-2:2000, *Acoustics. Recommended practice for the design of low-noise machinery and equipment. Part 2: Introduction to the physics of low-noise design (ISO/TR 11688-2:1998)*

EN ISO 12100:2010, *Safety of machinery - General principles for design - Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 13849-1:2015, *Safety of machinery- Safety-related parts of control systems - Part 1: General principles for design (ISO 13849-1:2015)*

EN ISO 13849-2:2012, *Safety of machinery - Safety-related parts of control systems - Part 2: Validation (ISO 13849-2:2012)*

EN ISO 13850:2015, *Safety of machinery — Emergency stop — Principles for design (ISO 13850:2015)*

EN ISO 13857:2008, *Safety of machinery - Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2008)*

EN ISO 14119:2013, *Safety of machinery - Interlocking devices associated with guards - Principles for design and selection (ISO 14119:2013)*

ISO 4302:2016, *Cranes — Wind load assessment*

ISO 6336-1:2006, *Calculation of load capacity of spur and helical gears — Part 1: Basic principles, introduction and general influence factors*

ISO 6336-2:2006, *Calculation of load capacity of spur and helical gears — Part 2: Calculation of surface durability (pitting)*

ISO 6336-3:2006, *Calculation of load capacity of spur and helical gears — Part 3: Calculation of tooth bending strength*

ISO 6336-5:2016, *Calculation of load capacity of spur and helical gears — Part 5: Strength and quality of materials*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN