

| | | |
|------------|---|-----------------------------|
| STN | Špecifikácia rozhrania softvérových nástrojov na prácu s prevádzkovými prístrojmi (FDT) Časť 309: Integrácia komunikačného profilu - IEC 61784 CPF 9 | STN EN 62453-309 |
| | | 18 4012 |

Field device tool (FDT) interface specification - Part 309: Communication profile integration - IEC 61784 CPF 9

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 07/18

Obsahuje: EN 62453-309:2017, IEC 62453-309:2016

Oznámením tejto normy sa od 08.12.2020 ruší
STN EN 62453-309 (18 4012) z mája 2010

126833

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62453-309

December 2017

ICS 25.040.40; 35.100.05; 35.110

Supersedes EN 62453-309:2009

English Version

**Field device tool (FDT) interface specification - Part 309:
Communication profile integration - IEC 61784 CPF 9
(IEC 62453-309:2016)**

Spécification des interfaces des outils des dispositifs de
terrain (FDT) - Partie 309: Intégration des profils de
communication - CPF 9 de l'IEC 61784
(IEC 62453-309:2016)

Field Device Tool (FDT)-Schnittstellenspezifikation - Teil
309: Integration von Kommunikationsprofilen -
Kommunikationsprofilfamilie (CPF) 9 nach IEC 61784
(IEC 62453-309:2016)

This European Standard was approved by CENELEC on 2016-07-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 65E/336/CDV, future edition 1 of IEC 62453-309:2016, prepared by SC 65E "Devices and integration in enterprise systems", of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62453-309:2017.

The following dates are fixed:

- latest date by which this document has (dop) 2018-06-08
to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-12-08

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62453-309:2016 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|---------------|-------------|
| IEC 61158-5-20 | - | Industrial communication networks - Fieldbus specifications - Part 5-20: Application layer service definition - Type 20 elements | EN 61158-5-20 | - |
| IEC 61158-6-20 | - | Industrial communication networks - Fieldbus specifications - Part 6-20: Application layer protocol specification - Type 20 elements | EN 61158-6-20 | - |
| IEC 61784-1 | - | Industrial communication networks - Profiles -- Part 1: Fieldbus profiles | EN 61784-1 | - |
| IEC 62453-1 | - | Field Device Tool (FDT) interface specification -- Part 1: Overview and guidance | EN 62453-1 | - |
| IEC 62453-2 | - | Field Device Tool (FDT) Interface Specification - Part 2: Concepts and detailed Description | EN 62453-2 | - |



IEC 62453-309

Edition 2.0 2016-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field device tool (FDT) interface specification –
Part 309: Communication profile integration – IEC 61784 CPF 9**

**Spécification des interfaces des outils des dispositifs de terrain (FDT) –
Partie 309: Intégration des profils de communication – CPF 9 de l'IEC 61784**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62453-309

Edition 2.0 2016-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Field device tool (FDT) interface specification –
Part 309: Communication profile integration – IEC 61784 CPF 9**

**Spécification des interfaces des outils des dispositifs de terrain (FDT) –
Partie 309: Intégration des profils de communication – CPF 9 de l'IEC 61784**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8322-3464-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|---|----|
| FOREWORD..... | 5 |
| INTRODUCTION..... | 7 |
| 1 Scope..... | 8 |
| 2 Normative references..... | 8 |
| 3 Terms, definitions, symbols, abbreviated terms and conventions..... | 8 |
| 3.1 Terms and definitions | 8 |
| 3.2 Abbreviated terms | 9 |
| 3.3 Conventions | 9 |
| 3.3.1 Data type names and references to data types | 9 |
| 3.3.2 Vocabulary for requirements..... | 9 |
| 3.3.3 Use of UML..... | 9 |
| 4 Bus category | 9 |
| 5 Access to instance and device data..... | 11 |
| 5.1 General..... | 11 |
| 5.2 Process Channel objects provided by DTM | 11 |
| 5.3 DTM services to access instance and device data..... | 12 |
| 6 Protocol-specific behavior..... | 12 |
| 6.1 Overview..... | 12 |
| 6.2 Burst mode subscription | 12 |
| 6.3 Usage of device addressing information..... | 13 |
| 6.4 Extended Command Numbers | 14 |
| 6.5 Handling of communication failures and time-outs..... | 14 |
| 6.6 Handling of Delayed Responses | 14 |
| 6.7 Topologies with mixed HART protocols | 16 |
| 6.7.1 General | 16 |
| 6.7.2 Behavior of DTMs supporting ‘Extended_HART’ only | 16 |
| 6.7.3 Behavior of DTMs supporting ‘Extended_HART’ and ‘HART’ | 16 |
| 6.7.4 Behavior of DTMs that requires ‘Extended_HART’ or ‘HART’ | 17 |
| 6.8 Nested communication with multiple gateways | 18 |
| 6.9 Communication- and network structures in WirelessHART..... | 18 |
| 6.9.1 General | 18 |
| 6.9.2 Network topology | 19 |
| 7 Protocol-specific usage of general data types..... | 21 |
| 8 Protocol-specific common data types | 22 |
| 9 Network management data types | 22 |
| 9.1 General..... | 22 |
| 9.2 Addressing modes..... | 22 |
| 9.3 Address information | 23 |
| 9.4 Additional address information for ‘Extended HART’ protocols..... | 23 |
| 10 Communication data types | 25 |
| 10.1 General..... | 25 |
| 10.2 Protocol-specific Addressing Information | 26 |
| 10.3 Datatype definitions | 26 |
| 11 Channel parameter data types | 30 |
| 12 Device identification | 33 |

| | | |
|------|---|----|
| 12.1 | Protocol-specific handling of data type STRING | 33 |
| 12.2 | Address Range for Scan..... | 33 |
| 12.3 | Support for Extended Manufacturer and Device Type Code..... | 33 |
| 12.4 | Device type identification data types for protocol ‘HART’ | 33 |
| 12.5 | Common device type identification data types for ‘Extended_HART’ protocols..... | 37 |
| 12.6 | Topology scan data types..... | 42 |
| 12.7 | Scan identification data types for protocol ‘HART’ | 43 |
| 12.8 | Scan identification data types for ‘Extended_HART’ protocols | 45 |
| 12.9 | Device type identification data types – provided by DTM | 47 |
| | Bibliography | 49 |
| | Figure 1 – Part 309 of the IEC 62453 series | 7 |
| | Figure 2 – Burst mode subscription | 13 |
| | Figure 3 – Handling of Delayed Reponses (scenario 1)..... | 15 |
| | Figure 4 – Handling of Delayed Reponses (scenario 2)..... | 15 |
| | Figure 5 – Behavior of DTMs supporting ‘Extended_HART’ and ‘HART’ | 17 |
| | Figure 6 – Behavior of DTMs requires ‘Extended_HART’ or ‘HART’ | 18 |
| | Figure 7 – Host connected to a WirelessHART gateway device | 19 |
| | Figure 8 – FDT Topology of a WirelessHART network..... | 20 |
| | Figure 9 – Host connected to HART FSK..... | 20 |
| | Figure 10 – FDT Topology when directly connected to a WirelessHART adapter device..... | 21 |
| | Table 1 – Protocol identifiers..... | 9 |
| | Table 2 – Definition of PhysicalLayer..... | 10 |
| | Table 3 – Protocol specific usage of general data types..... | 22 |
| | Table 4 – Relation of ProtocolId and supported features | 23 |
| | Table 5 – Simple address information data types | 24 |
| | Table 6 – Structured address information data types | 25 |
| | Table 7 – Simple communication data types | 26 |
| | Table 8 – Structured communication data types..... | 28 |
| | Table 9 – Simple channel parameter data types | 31 |
| | Table 10 – Structured channel parameter data types | 31 |
| | Table 11 – Address range for device identification | 33 |
| | Table 12 – Identification data types with protocol-specific mapping for protocol ‘HART’ | 34 |
| | Table 13 – Identification data types with semantics for protocol ‘HART’..... | 36 |
| | Table 14 – Simple identification data types for protocol ‘HART’ with protocol independent semantics | 37 |
| | Table 15 – Structured identification data types for protocol ‘HART’ with protocol independent semantics | 37 |
| | Table 16 – Identification data types for ‘Extended_HART’ protocols with protocol-specific mapping..... | 38 |
| | Table 17 – Identification data types for ‘Extended_HART’ protocols without protocol independent semantics | 41 |
| | Table 18 – Simple identification data types for ‘Extended_HART’ protocols with protocol independent semantics | 42 |

| | |
|---|----|
| Table 19 – Structured identification data types for ‘Extended_HART’ protocols with protocol independent semantics | 42 |
| Table 20 – Structured device type identification data types | 43 |
| Table 21 – Simple scan identification data types for protocol ‘HART’ | 43 |
| Table 22 – Structured scan identification data types for protocol ‘HART’ | 43 |
| Table 23 – Simple scan identification data types for ‘Extended_HART’ protocols | 45 |
| Table 24 – Structured scan identification data types for ‘Extended_HART’ protocols | 45 |
| Table 25 – Structured device type identification data types | 47 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION**FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –****Part 309: Communication profile integration –
IEC 61784 CPF 9****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62453-309 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2009, and constitutes a technical revision. The main changes are provided in order to provide improved support for updates of the HART protocol (see 6.7 and the updated datatypes in Clauses 9, 10, and 12) and to support introduction of the technology according to IEC 62453-42 [1] (see Clause 4).

Each part of the IEC 62453-3xy series is intended to be read in conjunction with IEC 62453-2.

The text of this standard is based on the following documents:

| CDV | Report on voting |
|-------------|------------------|
| 65E/336/CDV | 65E/395A/RVC |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62453 series, under the general title *Field Device Tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.


INTRODUCTION

This part of IEC 62453 is an interface specification for developers of FDT (Field Device Tool) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called DTM (Device Type Manager), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how IEC 62453-309 is aligned in the structure of the IEC 62453 series.



IEC

Figure 1 – Part 309 of the IEC 62453 series

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –**Part 309: Communication profile integration –
IEC 61784 CPF 9****1 Scope**

Communication Profile Family 9 (commonly known as HART®¹) defines communication profiles based on IEC 61158-5-20 and IEC 61158-6-20. The basic profile CP 9/1 is defined in IEC 61784-1.

This part of IEC 62453 provides information for integrating the HART® technology into the FDT standard (IEC 62453-2).

This part of the IEC 62453 specifies communication and other services.

This standard neither contains the FDT specification nor modifies it.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-5-20, *Industrial communication networks – Fieldbus specifications – Part 5-20: Application layer service definition – Type 20 elements*

IEC 61158-6-20, *Industrial communication networks – Fieldbus specifications – Part 6-20: Application layer protocol specification – Type 20 elements*

IEC 61784-1, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

IEC 62453-1:-2, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:-², *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN

¹ HART ® is the trade name of the product supplied by HART Communication Foundation. This information is