

STN	Priemyselné komunikačné siete Siete s vysokou pohotovosťou pre automatizáciu Časť 5: Protokol BRP (Beacon Redundancy Protocol)	STN EN IEC 62439-5 18 4020
------------	---	--

Industrial communication networks - High availability automation networks - Part 5: Beacon Redundancy Protocol (BRP)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/18

Obsahuje: EN IEC 62439-5:2018, IEC 62439-5:2016

Oznámením tejto normy sa ruší
STN EN 62439-5 (18 4020) zo septembra 2010

126837

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 62439-5

February 2018

ICS 25.040; 35.040

Supersedes EN 62439-5:2010

English Version

**Industrial communication networks - High availability automation
networks - Part 5: Beacon Redundancy Protocol (BRP)
(IEC 62439-5:2016)**

Réseaux de communication industrielle - Réseaux
d'automatisme à haute disponibilité - Partie 5: Protocole de
redondance à balise (BRP)
(IEC 62439-5:2016)

Industrielle Kommunikationsnetze - Hochverfügbare
Automatisierungsnetze - Teil 5: Funkbaken-Redundanz-
Protokoll (BRP)
(IEC 62439-5:2016)

This European Standard was approved by CENELEC on 2016-05-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62439-5:2018 (E)**European foreword**

The text of document 65C/834/FDIS, future edition 2 of IEC 62439-5:2016, prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62439-5:2017.

The following dates are fixed:

- latest date by which the document has to be (dop) 2018-08-02
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2021-02-02
standards conflicting with the
document have to be withdrawn

This document supersedes EN 62439-5:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62439-5:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158 (all parts)	NOTE	Harmonized as EN 61158 (all parts).
IEC 62439-2	NOTE	Harmonized as EN 62439-4 (not modified).
IEC 62439-3	NOTE	Harmonized as EN 62439-6 (not modified).
IEC 62439-4	NOTE	Harmonized as EN 62439-4 (not modified).
IEC 62439-6	NOTE	Harmonized as EN 62439-4 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-191	-	International Electrotechnical Vocabulary - Chapter 191: Dependability and quality of service	-	-
IEC 62439-1	-	Industrial communication networks - High availability automation networks -- Part 1: General concepts and calculation methods	EN 62439-1	-
ISO/IEC 10164-1	-	Information technology; Open Systems Interconnection; systems management: object management function	-	-
ISO/IEC/TR 8802-1	-	Information technology -- Telecommunications and information exchange between systems -- Local and metropolitan area networks -- Specific requirements -- Part 1: Overview of Local Area Network Standards	-	-
ISO/IEC/IEEE 8802-3	2014	Standard for Ethernet	-	-
IEEE 802.1D	-	IEEE Standard for local and metropolitan area networks - Media Access Control (MAC) Bridges	-	-
IEEE 802.1Q	-	IEEE Standard for Local and metropolitan area networks - Media Access Control (MAC) Bridges and Virtual Bridges	-	-



IEC 62439-5

Edition 2.0 2016-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – High availability automation networks –
Part 5: Beacon Redundancy Protocol (BRP)**

**Réseaux de communication industriels – Réseaux d'automatisme à haute
disponibilité –
Partie 5: Protocole de redondance à balise (BRP)**

**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 62439-5

Edition 2.0 2016-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – High availability automation networks –
Part 5: Beacon Redundancy Protocol (BRP)**

**Réseaux de communication industriels – Réseaux d'automatisme à haute
disponibilité –
Partie 5: Protocole de redondance à balise (BRP)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040; 35.040

ISBN 978-2-8322-3148-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms, definitions, abbreviations, acronyms, and conventions	7
3.1 Terms and definitions	7
3.2 Abbreviations and acronyms.....	8
3.3 Conventions.....	8
4 BRP overview	8
5 BRP principle of operation	8
5.1 General.....	8
5.2 Network topology	8
5.3 Network components	11
5.4 Rapid reconfiguration of network traffic.....	12
6 BRP stack and fault detection features	12
7 BRP protocol specification	14
7.1 MAC addresses.....	14
7.2 EtherType	14
7.3 Fault detection mechanisms	14
7.4 BRP end device	14
7.4.1 State diagram	14
7.4.2 Start-up	15
7.4.3 Normal operation	15
7.4.4 Fault detection	16
7.4.5 State-Event-Action table.....	16
7.5 Beacon device	26
7.5.1 State diagram	26
7.5.2 Start-up	27
7.5.3 Normal operation	27
7.5.4 Fault detection	28
7.5.5 Changing BRP parameters.....	28
7.5.6 State-Event-Action table.....	29
8 BRP message structure	36
8.1 General.....	36
8.2 ISO/IEC/IEEE 8802-3 (IEEE 802.3) Tagged common message header	36
8.3 Beacon message.....	37
8.4 Path_Check_Request message	37
8.5 Path_Check_Response message.....	38
8.6 Learning_Update message	38
9 BRP fault recovery time	38
10 BRP service definition.....	39
10.1 Supported services	39
10.2 Common service parameters	39
10.3 Set_Node_Parameters service	40
10.4 Get_Node_Parameters service	41

10.5 Get_Node_Status service	43
11 BRP Management Information Base (MIB).....	44
Bibliography	47
Figure 1 – BRP star network example.....	9
Figure 2 – BRP linear network example	10
Figure 3 – BRP ring network example.....	11
Figure 4 – BRP stack architecture	12
Figure 5 – State diagram for end device	15
Figure 6 – State diagram for beacon device.....	27
Table 1 – Parameter values for end device.....	17
Table 2 – State-Event-Action table for end device.....	18
Table 3 – Parameter values for beacon device	29
Table 4 – State-Event-Action table for beacon device	30
Table 5 – Destination MAC addresses.....	36
Table 6 – Common message header	37
Table 7 – Beacon message format	37
Table 8 – Path_Check_Request message format.....	37
Table 9 – Path_Check_Response message format	38
Table 10 – Learning_Update message format.....	38
Table 11 – BRP Set_Node_Parameters service parameters	40
Table 12 – BRP Get_Node_Parameters service parameters.....	42
Table 13 – BRP Get_Node_Status service parameters	43

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
HIGH AVAILABILITY AUTOMATION NETWORKS –****Part 5: Beacon Redundancy Protocol (BRP)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 62439-5 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The protocol is now independent of application (Path_Check_Request is sent periodically);
- b) Failure_Notify message has been removed;
- c) Frame format had been changed;
- d) New MAC address had been added.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/834/FDIS	65C/841/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be read in conjunction with IEC 62439-1.

A list of all parts of the IEC 62439 series, published under the general title *Industrial communication networks – High availability automation networks*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

The IEC 62439 series specifies relevant principles for high availability networks that meet the requirements for industrial automation networks.

In the fault-free state of the network, the protocols of the IEC 62439 series provide ISO/IEC/IEEE 8802-3 (IEEE 802.3) compatible, reliable data communication, and preserve determinism of real-time data communication. In cases of fault, removal, and insertion of a component, they provide deterministic recovery times.

These protocols retain fully the typical Ethernet communication capabilities as used in the office world, so that the software involved remains applicable.

The market is in need of several network solutions, each with different performance characteristics and functional capabilities, matching diverse application requirements. These solutions support different redundancy topologies and mechanisms which are introduced in IEC 62439-1 and specified in the other parts of the IEC 62439 series. IEC 62439-1 also distinguishes between the different solutions, giving guidance to the user.

The IEC 62439 series follows the general structure and terms of the IEC 61158 series.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning fault-tolerant Ethernet provided through the use of special interfaces providing duplicate ports that may be alternatively enabled with the same network address. Switching between the ports corrects single faults in a two-way redundant system. This is given in Clauses 5 and 6.

These patents are listed in the table below, where the [xx] notation indicates the holder of the patent rights:

US 7,817,538 B2	[RA]	Fault-tolerant Ethernet network
US 8,493,840	[RA]	Fault-tolerant Ethernet network

IEC takes no position concerning the evidence, validity and scope of these patent rights.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

[RA] Rockwell Automation Technologies, Inc.
 1 Allen-Bradley Drive
 Mayfield Heights
 Ohio 44124, USA

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

INDUSTRIAL COMMUNICATION NETWORKS – HIGH AVAILABILITY AUTOMATION NETWORKS –

Part 5: Beacon Redundancy Protocol (BRP)

1 Scope

The IEC 62439 series is applicable to high-availability automation networks based on the ISO/IEC/IEEE 8802-3 (IEEE 802.3) Ethernet technology.

This part of the IEC 62439 series specifies a redundancy protocol that is based on the duplication of the network, the redundancy protocol being executed within the end nodes, as opposed to a redundancy protocol built in the switches. Fast error detection is provided by two beacon nodes, the switchover decision is taken in every node individually. The cross-network connection capability enables singly attached end nodes to be connected on either of the two networks.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-191, *International Electrotechnical Vocabulary – Chapter 191: Dependability and quality of service*

IEC 62439-1, *Industrial communication networks – High availability automation networks – Part 1: General concepts and calculation methods*

ISO/IEC TR 8802-1, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 1: Overview of Local Area Network Standards*

ISO/IEC/IEEE 8802-3:2014, *Standard for Ethernet*

ISO/IEC 10164-1, *Information technology – Open Systems Interconnection – Systems Management: Object Management Function*

IEEE 802.1D, *IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges*

IEEE 802.1Q, *IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges and Virtual Bridged Local Area Networks*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN