Zváranie Svorníky a keramické krúžky na priváranie svorníkov (ISO 13918: 2017) STN EN ISO 13918 05 0325

Welding - Studs and ceramic ferrules for arc stud welding (ISO 13918:2017)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/18

Obsahuje: EN ISO 13918:2018, ISO 13918:2017

Oznámením tejto normy sa ruší STN EN ISO 13918 (05 0325) z októbra 2008

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 13918

January 2018

ICS 21.060.10; 25.160.10

Supersedes EN ISO 13918:2008

English Version

Welding - Studs and ceramic ferrules for arc stud welding (ISO 13918:2017, Corrected version 2018-05)

Soudage - Goujons et bagues céramiques pour le soudage à l'arc des goujons (ISO 13918:2017, Version corrigée 2018-05) Schweißen - Bolzen und Keramikringe für das Lichtbogenbolzenschweißen (ISO 13918:2017, korrigierte Fassung 2018-05)

This European Standard was approved by CEN on 21 November 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 13918:2018 (E)

Contents	Page
Francisco formand	2
European foreword	

European foreword

This document (EN ISO 13918:2018) has been prepared by Technical Committee ISO/TC 44 "Welding and allied processes" in collaboration with Technical Committee CEN/TC 121 "Welding and allied processes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2018, and conflicting national standards shall be withdrawn at the latest by July 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 13918:2008.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 13918:2017, Corrected version 2018-05 has been approved by CEN as EN ISO 13918:2018 without any modification.

INTERNATIONAL STANDARD

ISO 13918

Third edition 2017-11

Corrected version 2018-05

Welding — Studs and ceramic ferrules for arc stud welding

Soudage — Goujons et bagues céramiques pour le soudage à l'arc des goujons





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Coı	Contents						
Fore	word		v				
Intro	oductio	n	vi				
1	Scop	е	1				
2	Norn	native references	1				
3	Terms and definitions						
4		ools and abbreviated terms					
_	-						
5	Kequ 5.1	irements Ordering information					
	5.2	Dangerous substances					
	5.3	Product requirements	3				
		5.3.1 Dimensions and tolerances on dimensions, form and position					
		5.3.2 Coating					
		5.3.4 Weldability	4				
	5.4	Durability	5				
6		nsions of studs					
	6.1	General Evillet three ded atted (FD)					
	6.2 6.3	Fully-threaded stud (FD)Virtually fully-threaded stud (MD)					
	6.4	Partially threaded stud (PD)					
	6.5	Threaded stud with reduced shaft (RD)					
	6.6 6.7	Unthreaded stud (UD)Insulation pin/nail (ND)					
	6.8	Stud with internal thread (ID)					
	6.9	Shear connector (SD)	13				
	6.10	Threaded stud with flange (PS)					
	6.11 6.12	Unthreaded stud (US)Stud with internal thread (IS)					
	6.13	Threaded stud (PT)					
	6.14	Unthreaded stud (UT)	20				
	6.15	Stud with internal thread (IT)	21				
7	Dime	ensions of ceramic ferrules	21				
8	Manufacture						
	8.1	Fully-threaded stud (FD), virtually fully-threaded stud (MD), partially threaded					
		stud (PD), threaded stud with reduced shaft (RD), unthreaded stud (UD), stud with internal thread (ID)	23				
	8.2	Shear connectors (SD)					
9	Insne	ection					
	9.1	General					
	9.2	Chemical analysis					
	9.3	Mechanical tests					
	9.4 Sample size						
10	Mark 10.1	tingTraceability					
	10.1	Studs					
	10.3	Ceramic ferrules					
11	Desig	gnation					
	11.1	Studs	25				
	117	Ceramic ferrules	2.5				

ography2e

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 10, *Quality management in the field of welding*.

This third edition cancels and replaces the second edition (ISO 13918:2008), which has been technically revised.

The main changes compared to the previous edition are as follows:

- a) everything according conformity evaluation has been deleted from this document;
- b) fully-threaded stud (FD), virtually fully-threaded stud (MD) and insulation pin/nail (ND) have been introduced;
- c) threaded stud has been renamed to partially threaded stud (PD);
- d) abbreviation *P* for pitch has been introduced;
- e) that a stud may consist of two different materials combined by friction welding has been introduced in 5.3.3.1;
- f) value for CEV (CEV \leq 0,38) in Table 2 has been changed;
- g) SD3 materials according ISO 15510 have been introduced in Table 2;
- h) PT, UT and IT materials according ISO/TR 15608 have been introduced in Table 2;
- i) where applicable, the dimensions d_3 and h_4 are now for guidance only.
- j) " y_{\min} " has been changed to "y + 2P" in Table 5, column l_2 ;
- k) " $y_{min} + 1$ " has been changed to "y + 2P in Table 6, column d_1 ";
- 1) " $\alpha \pm 2.5^{\circ}$ " has been changed to " $\alpha \pm 7^{\circ}$ " in Table 6, column d_1 ;

- m) " $\alpha \pm 2.5^{\circ}$ " has been changed to " $\alpha \pm 7^{\circ}$ " in Table 9, column D_6 ;
- "b" has been changed to "b + 2P" and values for M 5 and M 8 have been changed to 7,5 mm and 12 mm in Table 9, column D_6 ;
- o) the column header " $d_1 0.4$ " has been changed to " $d_1 \pm 0.4$ " in Table 10;
- p) " $\alpha \pm 2.5$ " has been changed to " $\alpha \pm 7$ " in Table 10;
- q) the column header " b_{\min} " has been changed to " $b_{\min} + 2P$ " in Table 13;
- r) the column header "b" has been changed to " $b_{\min} + 2P$ " in Table 16;
- s) a nominal diameter $(d_1 \pm 0.1)$ of 8 mm has been introduced with an internal thread diameter (D_6) of M5 and M6 in Table 16;
- in all tables for the dimensions of ceramic ferrules, the values for the nominal diameter (D_7) , the grip diameter (d_8) , the base diameter (d_9) and the height (h_2) have been deleted;
- u) Table 17 has been introduced;
- v) a note that stud and ceramic ferrule are generally a coordinated system from the same manufacturer has been introduced in <u>Clause 7</u>;
- w) 10.1 has been introduced;
- x) Annex A has been deleted;
- y) figures, normative references and layout have been editorially revised.

Requests for official interpretations of any aspect of this document should be directed to the Secretariat of ISO/TC 44 via your national standards body. A complete listing of these bodies can be found at www.iso.org.

This corrected version of ISO 13918:2017 incorporates the following correction:

footnote b in Table 11 has been modified.

Introduction

The range of types of studs specified in this document represents customary applications.

This document can be used in all fields of the metal-working industry.

Welding — Studs and ceramic ferrules for arc stud welding

1 Scope

This document specifies the following:

- requirements for studs and ceramic ferrules for arc stud welding;
- dimensions, materials and mechanical properties.

<u>Table 1</u> shows types of studs and the symbols for studs and ceramic ferrules that are covered by this document.

 ${\bf Table~1-Types~of~studs~and~symbols~for~studs~and~ceramic~ferrules}$

Welding technique	Type of stud ^a	Symbol for studs	Symbol for ceramic ferrules
	Fully-threaded stud	FD	UF
	Virtually fully-threaded studb	MD	MF
Drawn arc stud	Partially threaded stud	PD	PF
welding with	Threaded stud with reduced shaft	RD	RF
ceramic ferrule or	Unthreaded stud	UD	UF
shielding gas	Insulation pin/nail	ND	UF
	Stud with internal thread	ID	UF
	Shear connector	SD	UF/DF
	Threaded stud with flange	PS	_
Short-cycle drawn arc stud welding	Unthreaded stud	US	_
are staa weranig	Stud with <u>i</u> nternal thread	IS	_
G. 1 111 111	Threaded stud	PT	_
Stud welding with tip ignition	Unthreaded stud	UT	_
tip ignition	Stud with internal thread	IT	_

^a Further types of stud and ceramic ferrules can be specified as required for special applications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 898-1, Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs with specified property classes — Coarse thread and fine pitch thread

ISO 3506-1, Mechanical properties of corrosion-resistant stainless steel fasteners — Part 1: Bolts, screws and studs

ISO 4042, Fasteners — Electroplated coatings

ISO 4759-1, Tolerances for fasteners — Part 1: Bolts, screws, studs and nuts — Product grades A, B and C

ISO 6947, Welding and allied processes — Welding positions

Also called MPF, stud with a nearly full thread and a minimum length of the unthreaded part.

ISO 15510, Stainless steels — Chemical composition

ISO/TR 15608, Welding — Guidelines for a metallic materials grouping system

ISO 16120-2, Non-alloy steel wire rod for conversion to wire — Part 2: Specific requirements for general purpose wire rod

koniec náhľadu – text ďalej pokračuje v platenej verzii STN