

| | | |
|------------|--|--|
| STN | Prístroje na ochranu pred žiarením Prístroje na meranie priestorového a/alebo smerového dávkového ekvivalentu (resp. príkónu priestorového a smerového dávkového ekvivalentu) a/alebo prístroje na monitorovanie röntgenového, beta a gama žiarenia Časť 2: Prenosné prístroje s rozšíreným meracím rozsahom na meranie dávky a dávkového príkónu žiarenia beta a fotónového žiarenia na účely núdzovej ochrany pred žiarením | STN EN 60846-2 35 6608 |
|------------|--|--|

Radiation protection instrumentation

Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation

Part 2: High range beta and photon dose and dose rate portable instruments for emergency radiation protection purposes

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/18

Obsahuje: EN 60846-2:2018, IEC 60846-2:2015

127053

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2018

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii.

EUROPEAN STANDARD

EN 60846-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2018

ICS 13.280

English Version

**Radiation protection instrumentation - Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation - Part 2: High range beta and photon dose and dose rate portable instruments for emergency radiation protection purposes
(IEC 60846-2:2015 , modified)**

Instrumentation pour la radioprotection - Instruments pour la mesure et/ou la surveillance de l'équivalent de dose (ou du débit d'équivalent de dose) ambiant et/ou directionnel pour les rayonnements bêta, X et gamma - Partie 2: Instruments portables de grande étendue, pour la mesure de la dose et du débit de dose des rayonnements photoniques et bêta dans des situations d'urgence de radioprotection
(IEC 60846-2:2015 , modifiée)

Strahlenschutz-Messgeräte - Umgebungs- und Richtungs-Äquivalentdosis(leistungs)-Messgeräte und/oder Monitore für Beta-, Röntgen- und Gammastrahlung - Teil 2: Tragbare Messgeräte mit erweiterten Messbereichen zur Notfall-Strahlenschutzdosimetrie für Beta- und Photonendosis und -dosisleistung
(IEC 60846-2:2015 , modifiziert)

This European Standard was approved by CENELEC on 2017-11-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 60846-2:2018**European foreword**

This document (EN 60846-2:2018) consists of the text of IEC 60846-2:2015 prepared by SC 45B "Radiation protection instrumentation" of IEC/TC 45 "Nuclear instrumentation", together with the common modifications prepared by CLC/TC 45B "Radiation protection instrumentation".

The following dates are fixed:

- latest date by which this document has to be implemented (dop) 2018-10-13
at national level by publication of an identical national
standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2021-04-13
this document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60846-2:2015 was approved by CENELEC as a European Standard with agreed common modifications.

COMMON MODIFICATIONS

All over the document

Replace all references to “IEC 60846-1:2009” with references to “EN 60846-1:2014”.

Replace all references to “IEC 60846-1” with references to “EN 60846-1”.

Modification to 8.4.3

Replace 8 times “1,5 MeV” with “1,33 MeV”.

Modification to Table 5

Replace 2 times “1,5 MeV” with “1,33 MeV”.

Modification to Table 6

Replace 3 times “1,5 MeV” with “1,33 MeV”.

Annexes

Add the following new Annex ZA:

EN 60846-2:2018**Annex ZA**
(normative)**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Annex ZA of EN 60846-1:2014 applies except as follows:**Add**

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|--------------|-------------|
| IEC 60325 (mod.) | 2002 | Radiation protection instrumentation - Alpha, beta and alpha/beta (beta energy > 60 keV) contamination meters and monitors | EN 60325 | 2004 |
| IEC 60846-1 (mod.) | 2009 | Radiation protection instrumentation - Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation – Part 1: Portable workplace and environmental meters and monitors | EN 60846-1 | 2014 |



IEC 60846-2

Edition 2.0 2015-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Radiation protection instrumentation – Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation – Part 2: High range beta and photon dose and dose rate portable instruments for emergency radiation protection purposes

Instrumentation pour la radioprotection – Instruments pour la mesure et/ou la surveillance de l'équivalent de dose (ou du débit d'équivalent de dose) ambiant et/ou directionnel pour les rayonnements bêta, X et gamma – Partie 2: Instruments portables de grande étendue, pour la mesure de la dose et du débit de dose des rayonnements photoniques et bêta dans des situations d'urgence de radioprotection



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60846-2

Edition 2.0 2015-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Radiation protection instrumentation – Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation – Part 2: High range beta and photon dose and dose rate portable instruments for emergency radiation protection purposes

Instrumentation pour la radioprotection – Instruments pour la mesure et/ou la surveillance de l'équivalent de dose (ou du débit d'équivalent de dose) ambiant et/ou directionnel pour les rayonnements bêta, X et gamma – Partie 2: Instruments portables de grande étendue, pour la mesure de la dose et du débit de dose des rayonnements photoniques et bêta dans des situations d'urgence de radioprotection

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 13.280

ISBN 978-2-8322-3076-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|--|----|
| FOREWORD..... | 4 |
| 1 Scope and object..... | 6 |
| 2 Normative references | 6 |
| 3 Terms and definitions | 7 |
| 4 Units and list of symbols..... | 7 |
| 5 General characteristics of ambient dose equivalent (rate) meters for emergency purposes | 7 |
| 5.2 Read-out..... | 7 |
| 5.3 Dose equivalent and dose equivalent rate range | 7 |
| 5.5 Minimum range of measurement | 7 |
| 5.15 Portability | 7 |
| 5.16 Protection of switches | 8 |
| 5.17 Use of extension probe | 8 |
| 5.18 Contamination probe..... | 8 |
| 6 General test procedures | 8 |
| 7 Additivity of indicated value | 8 |
| 8 Radiation performance requirements and tests | 8 |
| 8.4 Variation of the response due to photon radiation energy and angle of incidence | 8 |
| 8.4.3 Measuring quantity $H'(0,07)$, $\dot{H}'(0,07)$, $H^*(10)$ or $\dot{H}^*(10)$ for telescopic or remote cylindrical probes..... | 8 |
| 8.5 Variation of the response due to beta radiation energy and angle of incidence | 10 |
| 8.5.1 Measuring quantity $H'(0,07)$ or $\dot{H}'(0,07)$ | 10 |
| 8.7 Linearity and statistical fluctuations..... | 10 |
| 8.7.2 Requirements | 10 |
| 8.14 Extracamerai response | 10 |
| 8.14.1 Requirements | 10 |
| 8.14.2 Method of test..... | 10 |
| 8.15 Response of instrument with extended probe | 10 |
| 8.15.1 Requirements | 10 |
| 8.15.2 Method of test..... | 11 |
| 9 Electrical characteristics of directional and ambient dose equivalent (rate) meters | 11 |
| 9.2 Warm-up time | 11 |
| 9.2.1 Requirements | 11 |
| 9.2.2 Test method | 11 |
| 9.2.3 Interpretation of the results..... | 11 |
| 10 Mechanical characteristics of directional and ambient dose equivalent (rate) meters | 11 |
| 10.4 Drop test..... | 11 |
| 10.4.1 Requirements | 11 |
| 10.4.2 Method of test..... | 12 |
| 10.4.3 Interpretation of the results..... | 12 |
| 11 Environmental characteristics, performance requirements and tests | 12 |
| 11.2 Ambient temperature..... | 12 |
| 11.2.1 Requirements | 12 |

| | | |
|---|-------------------------------------|----|
| 11.2.2 | Test method | 12 |
| 11.2.3 | Interpretation of the results | 13 |
| 11.3 | Relative humidity | 13 |
| 11.3.1 | Requirements | 13 |
| 11.8 | Temperature shock | 13 |
| 11.8.1 | Requirements | 13 |
| 11.8.2 | Method of test..... | 13 |
| 11.8.3 | Interpretation of the results | 14 |
| 12 | Software | 14 |
| 13 | Summary of characteristics..... | 14 |
| 14 | Documentation | 14 |
| Table 5 – Radiation characteristics of directional dose equivalent (rate) meters | | 15 |
| Table 6 – Radiation characteristics of ambient dose equivalent (rate) meters | | 16 |
| Table 7 – Electrical, mechanical and environmental characteristics of directional and ambient dose equivalent (rate) meters | | 17 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RADIATION PROTECTION INSTRUMENTATION –
AMBIENT AND/OR DIRECTIONAL DOSE EQUIVALENT (RATE)
METERS AND/OR MONITORS FOR BETA, X AND GAMMA RADIATION –****Part 2: High range beta and photon dose and dose rate portable
instruments for emergency radiation protection purposes**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60846-2 has been prepared by subcommittee 45B: Radiation protection instrumentation, of IEC technical committee 45: Nuclear instrumentation.

This second edition cancels and replaces the first edition of IEC 60846-2, issued in 2007, as well as IEC 61018, issued in 1991; it constitutes a technical revision.

The main technical change with regard to the previous edition consists of an update to the revised edition of IEC 60846-1:2009.

This International Standard IEC 60846-2 is to be used in conjunction with IEC 60846-1:2009. For the purposes of this standard, clauses/subclauses of IEC 60846-1:2009 apply, without modifications, except when stated. The modified clauses/subclauses are identified by the same number as in IEC 60846-1:2009 or, for new clauses/subclauses, by a higher number not used in IEC 60846-1:2009.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 45B/822/FDIS | 45B/834/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60846 series, under the general title *Radiation protection instrumentation – Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

RADIATION PROTECTION INSTRUMENTATION – AMBIENT AND/OR DIRECTIONAL DOSE EQUIVALENT (RATE) METERS AND/OR MONITORS FOR BETA, X AND GAMMA RADIATION –

Part 2: High range beta and photon dose and dose rate portable instruments for emergency radiation protection purposes

1 Scope and object

This part of IEC 60846 applies to portable or transportable dose equivalent (rate) meters and/or monitors for the measurement of ambient and/or directional dose equivalent (rate) from external beta, X and gamma radiation for energies up to 10 MeV during emergency situations.

The object of this International Standard is to specify the design requirements and the performance characteristics of dose equivalent (rate) meters intended for the determination of ambient and/or directional dose equivalent (rate) as defined in ICRU Report 47 under emergency conditions. With the exception of modified or new clauses listed below, all clauses in IEC 60846-1:2009 are applicable for instruments used for emergency purposes.

This International Standard does not specify which instruments are required nor does it consider the numbers or specific locations of such instruments. This International Standard does not identify instrumentation for specific types of accidents. It is essential that the rated ranges of the instruments and the radiological and non-radiological conditions for which the instruments are designed adequately cover the accident and post-accident conditions as determined by accident analysis and/or specified by appropriate regulatory authorities or qualified individuals. It is expected that accidents will involve both dose equivalent (rate) and environmental extremes (e.g. temperature and humidity). Specifications for instruments for measuring dose equivalent rates less than the minimum detectable dose rate level specified in this International Standard are contained in IEC 60846-1:2009. Where such instruments are also used for emergency measurements, the requirements of this International Standard apply.

Although this International Standard specifies the requirements for instruments primarily for emergency use, such instruments may also be used for on-site measurements at other times. If the instrument has a remote detector and if an additional detector is provided in the measuring assembly to measure dose equivalent rate at the location of the operator, the requirements apply to both of the detectors.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

This clause of IEC 60846-1:2009 applies, with the following additional references:

IEC 60325:2002, *Radiation protection instrumentation – Alpha, beta and alpha/beta (beta energy > 60 keV) contamination meters and monitors*

IEC 60846-1:2009, *Radiation protection instrumentation – Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation – Part 1: Portable workplace and environmental meters and monitors*