

| | | |
|------------|--|--|
| STN | Plasty Termoplastové polyesteresterové a polyéteresterové elastoméry na tvárnenie a vytláčanie Časť 2: Príprava skúšobných telies a stanovenie vlastností (ISO 20029-2: 2017) | STN EN ISO 20029-2 64 3641 |
|------------|--|--|

Plastics - Thermoplastic polyester/ester and polyether/ester elastomers for moulding and extrusion - Part 2: Preparation of test specimen and determination of properties (ISO 20029-2:2017)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 08/18

Obsahuje: EN ISO 20029-2:2018, ISO 20029-2:2017

Oznámením tejto normy sa ruší
STN EN ISO 14910-2 (64 3641) zo septembra 2013

127122

EUROPEAN STANDARD

EN ISO 20029-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2018

ICS 83.080.20

Supersedes EN ISO 14910-2:2013

English Version

Plastics - Thermoplastic polyester/ester and
polyether/ester elastomers for moulding and extrusion -
Part 2: Preparation of test specimen and determination of
properties (ISO 20029-2:2017)

Plastiques - Élastomères thermoplastiques à base de polyester/ester et polyéther/ester pour moulage et extrusion - Partie 2: Préparation des éprouvettes et détermination des propriétés (ISO 20029-2:2017)

Kunststoffe - Thermoplastische Polyester/Ester- und Polyether/Ester-Elastomer-Werkstoffe - Teil 2: Herstellung von Probekörpern und Bestimmung von Eigenschaften (ISO 20029-2:2017)

This European Standard was approved by CEN on 28 November 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 20029-2:2018 (E)

| Contents | Page |
|-------------------------------|-------------|
| European foreword..... | 3 |

European foreword

This document (EN ISO 20029-2:2018) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2018, and conflicting national standards shall be withdrawn at the latest by August 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 14910-2:2013.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20029-2:2017 has been approved by CEN as EN ISO 20029-2:2018 without any modification.

**INTERNATIONAL
STANDARD**

**ISO
20029-2**

First edition
2017-11

**Plastics — Thermoplastic polyester/
ester and polyether/ester elastomers
for moulding and extrusion —**

**Part 2:
Preparation of test specimens and
determination of properties**

*Plastiques — Élastomères thermoplastiques à base de polyester/ester
et polyéther/ester pour moulage et extrusion —*

Partie 2: Préparation des éprouvettes et détermination des propriétés



Reference number
ISO 20029-2:2017(E)

© ISO 2017

ISO 20029-2:2017(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

| | Page |
|--|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 3 |
| 4 Preparation of test specimens | 3 |
| 4.1 Treatment of the material before moulding..... | 3 |
| 4.2 Injection moulding..... | 4 |
| 5 Conditioning of test specimens | 4 |
| 6 Determination of properties | 4 |
| 6.1 General..... | 4 |
| 6.2 Shore D hardness ≤ 25 | 6 |
| 6.2.1 Standard properties and test conditions..... | 6 |
| 6.2.2 Special properties and test conditions..... | 7 |
| 6.3 $25 < \text{Shore D hardness} \leq 65$ | 8 |
| 6.3.1 Standard properties and test conditions..... | 8 |
| 6.3.2 Special properties and test conditions..... | 9 |
| 6.4 Shore D hardness > 65 | 11 |
| 6.4.1 Standard properties and test conditions..... | 11 |
| 6.4.2 Special properties and test conditions..... | 12 |
| Annex A (informative) Determination of tensile properties | 14 |
| Bibliography | 17 |

ISO 20029-2:2017(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 9, *Thermoplastic materials*.

This first edition of ISO 20029-2 cancels and replaces ISO 14910-2:2013, which has been technically revised.

A list of all parts in the ISO 20029 series can be found on the ISO website.

Introduction

The structure of thermoplastic elastomer material standards is based on the following considerations.

For each type of thermoplastic elastomer, reference is made to the relevant material standard.

Thermoplastic-elastomer materials are classified into three classes according to the primary elastomeric property, hardness, as shown in [Figure 1](#) below. This classification on the basis of hardness reflects the special position of thermoplastic elastomers between rubber materials on the one hand and plastics on the other.

Each class is subdivided into standard properties and special properties. The classes have many standard properties and many special properties in common. Furthermore, a standard property in one class can be a special property in another class and vice versa.

Special properties are those properties which are in wide use or of particular significance in the practical characterization of a specific material.




Figure 1 — Classification of thermoplastic elastomers on the basis of their hardness

Plastics — Thermoplastic polyester/ester and polyether/ester elastomers for moulding and extrusion —

Part 2: Preparation of test specimens and determination of properties

1 Scope

This document specifies the methods of preparation of test specimens and the standard test methods to be used in determining the properties of thermoplastic polyester/ester and polyether/ester elastomer moulding and extrusion materials. Requirements for handling test material and/or conditioning both the test material before moulding and the specimens before testing are given.

Procedures and conditions for the preparation of test specimens in a specified state and procedures for measuring properties of the materials from which these specimens are made are given. Properties and test methods which are suitable and necessary to characterize thermoplastic polyester/ester and polyether/ester moulding and extrusion materials are listed.

The properties have been selected from the general test methods in ISO 10350-1. Other test methods in wide use for or of particular significance to these moulding and extrusion materials are also included in this document, as are the designatory properties specified in ISO 20029-1 (hardness, melting temperature and tensile/flexural modulus).

In order to obtain reproducible and comparable test results, it is intended to use the methods of preparation and conditioning, the specimen dimensions and the test procedures specified in this document. Values determined will not necessarily be identical to those obtained using specimens of different dimensions or prepared using different procedures.

This document has been developed on the basis of ISO 10350-1, as at the moment, no standard exists for the acquisition and presentation of comparable single-point data for thermoplastic elastomers. After publication of this document and the analogous document for polyurethanes (ISO 16365-2), it is the intention to develop ISO 10350-3 for the acquisition and presentation of comparable single-point data for thermoplastic elastomers, based on this document and ISO 16365-2, as the basis for the development of thermoplastic-elastomer material standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 34-1:2015, *Rubber, vulcanized or thermoplastic — Determination of tear strength — Part 1: Trouser, angle and crescent test pieces*

ISO 37, *Rubber, vulcanized or thermoplastic — Determination of tensile stress-strain properties*

ISO 62, *Plastics — Determination of water absorption*

ISO 75-2, *Plastics — Determination of temperature of deflection under load — Part 2: Plastics and ebonite*

ISO 178, *Plastics — Determination of flexural properties*

ISO 20029-2:2017(E)

ISO 179-1, *Plastics — Determination of Charpy impact properties — Part 1: Non-instrumented impact test*

ISO 179-2, *Plastics — Determination of Charpy impact properties — Part 2: Instrumented impact test*

ISO 294-1, *Plastics — Injection moulding of test specimens of thermoplastic materials — Part 1: General principles and moulding of multipurpose and bar test specimens*

ISO 294-4, *Plastics — Injection moulding of test specimens of thermoplastic materials — Part 4: Determination of moulding shrinkage*

ISO 306, *Plastics — Thermoplastic materials — Determination of Vicat softening temperature (VST)*

ISO 527-2, *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics*

ISO 815-1, *Rubber, vulcanized or thermoplastic — Determination of compression set — Part 1: At ambient or elevated temperatures*

ISO 868, *Plastics and ebonite — Determination of indentation hardness by means of a durometer (Shore hardness)*

ISO 899-1, *Plastics — Determination of creep behaviour — Part 1: Tensile creep*

ISO 974, *Plastics — Determination of the brittleness temperature by impact*

ISO 1133-2, *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 2: Method for materials sensitive to time-temperature history and/or moisture*

ISO 1183-1, *Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method*

ISO 1183-2, *Plastics — Methods for determining the density of non-cellular plastics — Part 2: Density gradient column method*

ISO 1183-3, *Plastics — Methods for determining the density of non-cellular plastics — Part 3: Gas pycnometer method*

ISO 4589-2, *Plastics — Determination of burning behaviour by oxygen index — Part 2: Ambient-temperature test*

ISO 8256, *Plastics — Determination of tensile-impact strength*

ISO 11357-3, *Plastics — Differential scanning calorimetry (DSC) — Part 3: Determination of temperature and enthalpy of melting and crystallization*

ISO 11357-4, *Plastics — Differential scanning calorimetry (DSC) — Part 4: Determination of specific heat capacity*

ISO 11359-2:1999, *Plastics — Thermomechanical analysis (TMA) — Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature*

ISO 15512, *Plastics — Determination of water content*

ISO 20029-1, *Plastics — Thermoplastic polyester/ester and polyether/ester elastomers for moulding and extrusion — Part 1: Designation system and basis for specification*

ISO 20753, *Plastics — Test specimen*

ISO 22007-2, *Plastics — Determination of thermal conductivity and thermal diffusivity — Part: Transient plane heat source (hot disc) method*

ISO 22007-3, *Plastics — Determination of thermal conductivity and thermal diffusivity — Part 3: Temperature wave analysis method*

ISO 22007-4, *Plastics — Determination of thermal conductivity and thermal diffusivity — Part 4: Laser flash method*

IEC 60093, *Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials*

IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60243-1, *Electric strength of insulating materials — Test methods — Part 1: Tests at power frequencies*

IEC 60250, *Recommended methods for the determination of the permittivity and dielectric dissipation factor of electrical insulating materials at power, audio and radio frequencies including metre wavelengths*

IEC 60695-11-10, *Fire hazard testing — Part 11-10: Test flames — 50 W horizontal and vertical flame test methods*

ASTM E96, *Standard Test Methods for Water Vapor Transmission of Materials*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN