

<b>STN</b>	<b>Vysielacie zariadenia pre frekvenčne modulované (FM) rozhlasové vysielanie</b> <b>Harmonizovaná norma vzťahujúca sa na základné požiadavky podľa článku 3.2 smernice 2014/53/EÚ</b>	<b>STN</b> <b>EN 302 018 V2.1.1</b>  87 2018
------------	---	---

Transmitting equipment for the Frequency Modulated (FM) sound broadcasting service; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/18

Obsahuje: EN 302 018 V2.1.1:2017

**127280**

# ETSI EN 302 018 V2.1.1 (2017-04)



**Transmitting equipment for the  
Frequency Modulated (FM) sound broadcasting service;  
Harmonised Standard covering the essential requirements  
of article 3.2 of Directive 2014/53/EU**

---

**Reference**

REN/ERM-TG17-013

---

**Keywords**audio, broadcasting, FM, harmonised standard,  
radio, regulation, terrestrial, transmitter**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	6
Foreword.....	6
Modal verbs terminology.....	6
Introduction .....	6
1 Scope.....	7
2 References .....	7
2.1 Normative references .....	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations .....	8
3.1 Definitions.....	8
3.2 Symbols.....	9
3.3 Abbreviations .....	9
4 Technical requirements specifications .....	10
4.1 Environmental profile.....	10
4.2 Conformance requirements .....	10
4.2.1 Rated output power .....	10
4.2.1.1 Definition .....	10
4.2.1.2 Limit.....	10
4.2.1.3 Conformance.....	10
4.2.2 Frequency drift.....	10
4.2.2.1 Definition .....	10
4.2.2.2 Limit.....	10
4.2.2.3 Conformance.....	10
4.2.3 Deviation sensitivity stability .....	10
4.2.3.1 Definition .....	10
4.2.3.2 Limit.....	10
4.2.3.3 Conformance.....	11
4.2.4 Residual AM (Hum and noise) .....	11
4.2.4.1 Definition .....	11
4.2.4.2 Limits .....	11
4.2.4.3 Conformance.....	11
4.2.5 Synchronous AM (AM due to FM) .....	11
4.2.5.1 Definition .....	11
4.2.5.2 Limit.....	11
4.2.5.3 Conformance.....	11
4.2.6 Modulator performance (pulse response) .....	11
4.2.6.1 Definition .....	11
4.2.6.2 Limit.....	11
4.2.6.3 Conformance.....	12
4.2.7 MPX intermodulation .....	12
4.2.7.1 Definition .....	12
4.2.7.2 Limit.....	12
4.2.7.3 Conformance.....	12
4.2.8 Deviation limiting.....	12
4.2.8.1 Definition .....	12
4.2.8.2 Limit.....	12
4.2.8.3 Conformance.....	12
4.2.9 FM Signal to Noise Ratio (SNR) .....	12
4.2.9.1 Definition .....	12
4.2.9.2 Limit.....	13
4.2.9.3 Conformance.....	13
4.2.10 Spurious emissions .....	13
4.2.10.1 Definition .....	13
4.2.10.2 Limit.....	13

4.2.10.3	Conformance .....	14
4.2.11	Transmitter muting during frequency shift .....	14
4.2.11.1	Definition .....	14
4.2.11.2	Limit .....	14
4.2.11.3	Conformance .....	14
4.2.12	Out-of-band emissions .....	15
4.2.12.1	Definition .....	15
4.2.12.2	Limit .....	15
4.2.12.3	Conformance .....	15
5	Testing for compliance with technical requirements .....	16
5.1	Environmental conditions for testing .....	16
5.2	Interpretation of the measurement results .....	16
5.3	Methods of measurement .....	16
5.3.1	Rated output power .....	16
5.3.1.1	Initial conditions .....	16
5.3.1.2	Procedure .....	17
5.3.1.3	Test requirements .....	17
5.3.2	Frequency drift .....	17
5.3.2.1	Initial conditions .....	17
5.3.2.2	Procedure .....	17
5.3.2.3	Test requirements .....	17
5.3.3	Deviation sensitivity stability .....	18
5.3.3.1	Initial conditions .....	18
5.3.3.2	Procedure .....	18
5.3.3.3	Test requirements .....	18
5.3.4	Residual AM (Hum and noise) .....	18
5.3.4.1	Initial conditions .....	18
5.3.4.2	Procedure .....	19
5.3.4.3	Test requirements .....	19
5.3.5	Synchronous AM (AM due to FM) .....	19
5.3.5.1	Initial conditions .....	19
5.3.5.2	Procedure .....	19
5.3.5.3	Test requirements .....	20
5.3.6	Modulator performance (pulse response) .....	20
5.3.6.1	Initial conditions .....	20
5.3.6.2	Procedure .....	20
5.3.6.3	Test requirements .....	21
5.3.7	MPX intermodulation .....	21
5.3.7.1	Initial conditions .....	21
5.3.7.2	Procedure .....	21
5.3.7.3	Test requirements .....	21
5.3.8	Deviation limiting .....	22
5.3.8.1	Initial conditions .....	22
5.3.8.2	Procedure .....	22
5.3.8.3	Test requirements .....	22
5.3.9	FM Signal to Noise Ratio (SNR) .....	23
5.3.9.1	Initial conditions .....	23
5.3.9.2	Procedure .....	23
5.3.9.3	Test requirements .....	23
5.3.10	Spurious emissions .....	23
5.3.10.1	Initial conditions .....	23
5.3.10.2	Procedure .....	24
5.3.10.3	Test requirements .....	24
5.3.11	Transmitter muting during frequency shift .....	24
5.3.11.1	Initial conditions .....	24
5.3.11.2	Procedure .....	24
5.3.11.3	Test requirements .....	25
5.3.12	Out-of-band emissions .....	25
5.3.12.1	Initial conditions .....	25
5.3.12.2	Procedure .....	25
5.3.12.3	Test requirements .....	26

<b>Annex A (informative):</b>	<b>Relationship between the present document and the essential requirements of Directive 2014/53/EU .....</b>	<b>27</b>
<b>Annex B (normative):</b>	<b>General measuring arrangements .....</b>	<b>28</b>
B.1	Testing arrangements for antenna port measurements .....	28
B.1.1	Testing arrangement for monophonic transmitters .....	28
B.1.2	Testing arrangement stereophonic transmitters .....	29
B.1.3	Test frequency range .....	30
B.1.4	Test modulating signal .....	30
B.2	Test load characteristics .....	32
<b>Annex C (informative):</b>	<b>Change History .....</b>	<b>33</b>
History .....		34

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.4] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

National transposition dates	
Date of adoption of this EN:	27 March 2017
Date of latest announcement of this EN (doa):	30 June 2017
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2017
Date of withdrawal of any conflicting National Standard (dow):	31 December 2018

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

The present document describes the requirements for the design and operation of an FM sound broadcasting service transmitter to meet the essential requirements of article 3.2 of Directive 2014/53/EU [i.1].

---

# 1 Scope

The present document specifies technical characteristics and methods of measurements for transmitter equipment for broadcast sound services using the frequency modulated sound broadcasting service operating in the frequency range 68 MHz to 108 MHz.

The present document covers the essential requirements of article 3.2 of Directive 2014/53/EU [i.1] under the conditions identified in annex A.

---

## 2 References

### 2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Recommendation ITU-R BS.468-4 (1986): "Measurement of audio-frequency noise voltage level in sound broadcasting".
- [2] Recommendation ITU-R BS.450-3 (2001): "Transmission standards for FM sound broadcasting at VHF".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.2] ETSI TR 100 028 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.3] ETSI TR 100 028-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [i.4] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.5] Recommendation ITU-R BS.412 (1998): "Planning standards for terrestrial FM sound broadcasting at VHF".

- [i.6] Recommendation ITU-R BS.641 (1986): "Determination of radio-frequency protection ratios for frequency-modulated sound broadcasting".
- 

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**