

STN	Širokopásmová priama komunikácia vzduch-zem Zariadenia pracujúce vo frekvenčných rozsahoch od 1 900 MHz do 1 920 MHz a od 5 855 MHz do 5 875 MHz Antény pre tvarovanie zväzku Harmonizovaná norma vzťahujúca sa na základné požiadavky podľa článku 3.2 Smernice 2014/53/EU	STN EN 303 316 V1.1.1 87 3316
------------	--	--

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/18

Obsahuje: EN 303 316 V1.1.1:2017

127323

ETSI EN 303 316 V1.1.1 (2017-10)



**Broadband Direct Air-to-Ground Communications;
Equipment operating in the 1 900 MHz to 1 920 MHz and
5 855 MHz to 5 875 MHz frequency bands;
Beamforming antennas;
Harmonised Standard covering the essential requirements
of article 3.2 of Directive 2014/53/EU**

Reference

DEN/BRAN-60013

Keywords

aeronautical, broadband, mobile, network, radio

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	6
Executive summary	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Technical requirements specifications	9
4.1 General	9
4.1.1 Environmental profile	9
4.1.2 General System Characteristics	9
4.1.3 Additional requirement for the Aircraft Station.....	10
4.2 Conformance requirements	10
4.2.1 General.....	10
4.2.2 Transmitter EIRP Spectral Density.....	10
4.2.2.1 Definition	10
4.2.2.2 Limits	10
For operation in the 1 900 MHz to 1 920 MHz frequency band.....	10
For operation in the 5 850 MHz to 5 875 MHz frequency band.....	10
4.2.2.3 Conformance	12
4.2.3 Designation of Centre Frequency	12
4.2.4 Out-of-band EIRP Spectral Density.....	12
4.2.4.1 Definition	12
4.2.4.2 Limits	12
For operation in the 1 900 MHz to 1 920 MHz frequency band.....	12
For operation in the 5 855 MHz to 5 875 MHz frequency band.....	13
4.2.4.3 Conformance	13
4.2.5 Spurious emissions	13
4.2.5.1 Definition	13
4.2.5.2 Limits	13
4.2.5.3 Conformance	13
4.2.6 Cessation of emissions.....	13
4.2.6.1 Definition	13
4.2.6.2 Limits	13
4.2.6.3 Conformance	14
4.2.7 Receiver parameters.....	14
4.2.7.1 Receiver sensitivity	14
4.2.7.1.1 Definition.....	14
4.2.7.1.2 Limits	14
4.2.7.1.3 Conformance	14
4.2.7.2 Receiver adjacent channel selectivity.....	14
4.2.7.2.1 Definition.....	14
4.2.7.2.2 Limit	14
4.2.7.2.3 Conformance	14
4.2.7.3 Detect and Avoid capability.....	14
4.2.7.3.1 Definition.....	14
4.2.7.3.2 Limits	14

4.2.7.3.3	Conformance	15
5	Testing for compliance with technical requirements.....	15
5.1	Environmental conditions for testing	15
5.2	Interpretation of the measurement results	15
5.3	Test Methods	16
5.3.1	General considerations.....	16
5.3.2	EIRP Measurements	16
5.3.2.1	Common test conditions for radiated power measurements.....	16
5.3.2.2	Transmitter EIRP spectral density.....	17
5.3.2.2.1	Ground Station measurement	17
5.3.2.2.2	Aircraft Station measurement.....	18
5.3.2.3	Out-of-band EIRP spectral density	20
5.3.2.3.1	Tests required for 1 900 MHz to 1 920 MHz band only.....	20
5.3.3	Transmitter spurious emissions.....	23
5.3.3.1	Initial conditions	23
5.3.3.2	Procedure	23
5.3.3.3	Test requirement	23
5.3.4	Cessation of emissions.....	23
5.3.4.1	Minimum operational altitude.....	23
5.3.4.1.1	Test conditions	23
5.3.4.1.2	Test method	23
5.3.4.2	Minimum operational elevation angle.....	23
5.3.4.2.1	Test conditions	23
5.3.4.2.2	Test method	24
5.3.5	Receiver sensitivity.....	24
5.3.5.1	Test conditions	24
5.3.5.2	Test Method	24
5.3.6	Receiver Adjacent channel selectivity	24
5.3.6.1	Test conditions	24
5.3.6.2	Test method.....	24
5.3.6.3	Test requirement	24
5.3.7	Aircraft Station Detect and Avoid capability.....	24
5.3.7.0	Applicability.....	24
5.3.7.1	Test conditions	24
5.3.7.2	Test method.....	25
5.3.7.2.1	Detection level.....	25
5.3.7.2.2	Reduced transmit EIRP density	25
5.3.7.2.3	DAA reaction time	26
5.3.7.2.4	Test requirement	26
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU.....	27
Annex B (normative):	Test specification.....	28
B.1	Normal test environment.....	28
B.2	RF Bandwidth	28
B.3	Test Configurations	28
B.3.1	Transmitter spurious Emissions	28
B.3.2	Receiver ACS	28
Annex C (normative):	Geographical Data	30
C.1	Height above Ground	30
Annex D (informative):	Bibliography.....	31
Annex E (informative):	Change history	32
History	33	

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Broadband Radio Access Networks (BRAN).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.9] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.5].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The technical requirements in the present document reflect, in part, the results of studies undertaken within the CEPT on compatibility between broadband direct air-to-ground systems and other applications operating within, or adjacent to, the frequency bands which are designated for BDA2GC operations. These studies are described in ECC Report 209 [i.1] (for the 1 900 MHz to 1 920 MHz band) and ECC Report 210 [i.2] (for the 5 855 MHz to 5 875 MHz band).

The resulting technical and operational requirements to be applied to BDA2GC systems in the 1 900 MHz to 1 920 MHz band and the 5 855 MHz to 5 875 MHz band are contained within ECC Decision(15)02 [i.3] and ECC Decision(15)03 [i.4] respectively.

National transposition dates	
Date of adoption of this EN:	3 July 2017
Date of latest announcement of this EN (doa):	31 October 2017
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2018
Date of withdrawal of any conflicting National Standard (dow):	30 April 2019

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Executive summary

The present document addresses the Broadband Direct Air to Ground Communications system based on the System Reference Document ETSI TR 101 599 [i.10]. ETSI TR 101 599 [i.10] was used by the ECC, in conjunction with other contributions, to develop technology neutral ECC Decisions on the allocation of European spectrum in the frequency bands 1 900 MHz to 1 920 MHz and 5 855 MHz to 5 875 MHz.

The technical requirements in the present document reflect, in part, the results of studies undertaken within the CEPT on compatibility between broadband direct air-to-ground systems and other applications operating within, or adjacent to, the frequency bands that are designated for BDA2GC operations.

Introduction

The present document has been developed in accordance with the guidelines contained in ETSI EG 203 336 [i.6].

1 Scope

The present document specifies technical characteristics and methods of measurements for radio equipment at the Ground Station and Aircraft Station for Broadband Direct Air-to-Ground communications systems employing beamforming antennas.

These radio equipment types are capable of operating in all or any part of the frequency bands given in table 1.

Table 1: Radiocommunications service frequency bands

Radiocommunications service frequency bands	
Transmit 1	1 900 MHz to 1 920 MHz
Receive 1	1 900 MHz to 1 920 MHz
Transmit 2	5 855 MHz to 5 875 MHz
Receive 2	5 855 MHz to 5 875 MHz

The present document covers the essential requirements of article 3.2 of Directive 2014/53/EU [i.5] under the conditions identified in annex A.

2 References

2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] NIMA Technical Report TR8350.2 (1984, including amendment 1 of 03 January 2000 and amendment 2 of 23 June 2004): "Department of Defense World Geodetic System 1984. Its Definition and Relationships with Local Geodetic Systems".
- [2] ETSI EN 302 502 (V2.1.1) (03-2017): "Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ECC Report 209: "Compatibility/sharing studies related to Broadband Direct-Air-to-Ground Communications (DA2GC) in the frequency bands 1900-1920 MHz / 2010-2025 MHz and services/applications in the adjacent bands".

- [i.2] ECC Report 210: "Compatibility/sharing studies related to Broadband Direct-Air-to-Ground Communications (DA2GC) in the frequency bands 5855-5875 MHz, 2400-2483.5 MHz and 3400 3600 MHz".
- [i.3] ECC Decision (15)02: "The harmonised use of broadband Direct Air-to-Ground Communications (DA2GC) systems in the frequency band 1900-1920 MHz".
- [i.4] ECC Decision (15)03: "The harmonised use of broadband Direct Air-to-Ground Communications (DA2GC) systems in the frequency band 5855-5875 MHz".
- [i.5] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.6] ETSI EG 203 336: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.7] ETSI TR 100 028 (V1.4.1) (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.8] ETSI TR 100 028-2 (V1.4.1): " Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [i.9] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.10] ETSI TR 101 599 (V1.1.3) (09-2012): "Electromagnetic compatibility and Radio spectrum matters (ERM) System Reference Document (SRDoc); Broadband Direct-Air-to-Ground Communications System employing beamforming antennas, operating in the 2,4 GHz and 5,8 GHz bands".

koniec náhľadu – text ďalej pokračuje v platenej verzii STN