

<b>STN</b>	<b>Výbušné atmosféry Časť 0: Zariadenia Všeobecné požiadavky</b>	<b>STN EN IEC 60079-0</b>  33 2320
------------	--------------------------------------------------------------------------	----------------------------------------------

Explosive atmospheres - Part 0: Equipment - General requirements

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/19

Obsahuje: EN IEC 60079-0:2018, IEC 60079-0:2017

Oznámením tejto normy sa od 06.07.2021 ruší  
STN EN 60079-0 (33 2320) z augusta 2013

**127775**

EUROPEAN STANDARD

**EN IEC 60079-0**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2018

ICS 29.260.20

Supersedes EN 60079-0:2012

English Version

**Explosive atmospheres - Part 0: Equipment - General requirements  
(IEC 60079-0:2017)**

Atmosphères explosives - Partie 0: Matériel - Exigences  
générales  
(IEC 60079-0:2017)

Explosionsgefährdete Bereiche - Teil 0: Betriebsmittel -  
Allgemeine Anforderungen  
(IEC 60079-0:2017)

This European Standard was approved by CENELEC on 2017-12-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 60079-0:2018 (E)****European foreword**

The text of document (31/1345/FDIS), future edition 7 of IEC 60079-0, prepared by IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60079-0:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-01-06
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-07-06

This document supersedes EN 60079-0:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

**Endorsement notice**

The text of the International Standard IEC 60079-0:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC/TS 60034-25	NOTE	Harmonized as CLC/TS 60034-25.
IEC 60034-29	NOTE	Harmonized as EN 60034-29.
IEC 60079-2	NOTE	Harmonized as EN 60079-2.
IEC 60079-5	NOTE	Harmonized as EN 60079-5.
IEC 60079-6	NOTE	Harmonized as EN 60079-6.
IEC 60079-7	NOTE	Harmonized as EN 60079-7.
IEC 60079-10-1	NOTE	Harmonized as EN 60079-10-1.
IEC 60079-10-2	NOTE	Harmonized as EN 60079-10-2.
IEC 60079-11	NOTE	Harmonized as EN 60079-11.
IEC 60079-13	NOTE	Harmonized as EN 60079-13.
IEC 60079-14	NOTE	Harmonized as EN 60079-14.
IEC 60079-15	NOTE	Harmonized as EN 60079-15.
IEC 60079-17	NOTE	Harmonized as EN 60079-17.
IEC 60079-18	NOTE	Harmonized as EN 60079-18.
IEC 60079-19	NOTE	Harmonized as EN 60079-19.
IEC 60079-25	NOTE	Harmonized as EN 60079-25.
IEC 60079-28	NOTE	Harmonized as EN 60079-28.
IEC 60079-29-1	NOTE	Harmonized as EN 60079-29-1.

IEC 60079-29-4	NOTE	Harmonized as EN 60079-29-4.
IEC/IEEE 60079-30-1	NOTE	Harmonized as EN 60079-30-1.
IEC 60079-31	NOTE	Harmonized as EN 60079-31.
IEC/TS 60079-32-1	NOTE	Harmonized as CLC/TR 60079-32-1.
IEC/TS 60079-39	NOTE	Harmonized as CLC/TS 60079-39 <sup>1)</sup> ).
IEC 60254 (series)	NOTE	Harmonized in EN 60254 series.
IEC 60623	NOTE	Harmonized as EN 60623.
IEC 60896-11	NOTE	Harmonized as EN 60896-11.
IEC 60896-21	NOTE	Harmonized as EN 60896-21.
IEC 60952 (series)	NOTE	Harmonized in EN 60952 series.
IEC 61056-1	NOTE	Harmonized in EN 61056-1.
IEC 61427 (series)	NOTE	Harmonized in EN 61427 series.
IEC 61951-1	NOTE	Harmonized as EN 61951-1.
IEC 61951-2	NOTE	Harmonized as EN 61951-2.
IEC 61960 (series)	NOTE	Harmonized in EN 61960 series.
ISO/IEC 80079-20-2	NOTE	Harmonized as EN ISO/IEC 80079-20-2.
ISO/IEC 80079-34	NOTE	Harmonized as EN ISO/IEC 80079-34.
ISO/IEC 80079-36	NOTE	Harmonized as EN ISO/IEC 80079-36.
ISO/IEC 17000	NOTE	Harmonized as EN ISO/IEC 17000.

---

<sup>1)</sup> Under preparation. Stage at the time of publication: CLC/FprTS 60079-39:2017.

**EN IEC 60079-0:2018 (E)****Annex ZA**  
(normative)**Normative references to international publications  
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034-1	-	Rotating electrical machines - Part 1: Rating and performance	EN 60034-1 <sup>2)</sup>	-
IEC 60034-5	-	Rotating electrical machines - Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) - Classification	EN 60034-5	2001
IEC 60079-1	-	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"	EN 60079-1	2014
IEC 60079-20-1	-	Explosive atmospheres - Part 20-1: Material characteristics for gas and vapour classification - Test methods and data	EN 60079-20-1	2010
IEC 60079-26	-	Explosive atmospheres - Part 26: Equipment with equipment protection level (EPL) Ga	EN 60079-26	2015
IEC 60079-35-1	-	Explosive atmospheres - Part 35-1: Caplights for use in mines susceptible to firedamp - General requirements - Construction and testing in relation to the risk of explosion	EN 60079-35-1	2011
IEC 60086-1	-	Primary batteries - Part 1: General	+AC EN 60086-1	2011 2015
IEC 60192	-	Low pressure sodium vapour lamps - Performance specifications	EN 60192	2001
IEC 60216-1	-	Electrical insulating materials - Thermal endurance properties - Part 1: Ageing procedures and evaluation of test results	EN 60216-1	2013
IEC 60216-2	-	Electrical insulating materials - Thermal endurance properties - Part 2: Determination of thermal endurance properties of electrical insulating materials - Choice of test criteria	EN 60216-2	2005
IEC 60243-1	-	Electric strength of insulating materials - Test methods - Part 1: Tests at power frequencies	EN 60243-1	2013
IEC 60423	-	Conduit systems for cable management - Outside diameters of conduits for electrical installations and threads for conduits and fittings	EN 60423	2007
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
			+EN 60529:1991/corrigendum May 1993	1993

<sup>2)</sup> Under preparation. Stage at the time of publication: FprEN 60034-1:2017.

**EN IEC 60079-0:2018 (E)**

IEC 60662 (mod)	-	High pressure sodium vapour lamps - Performance specifications	EN 60662	2012
			+prAA	2017
IEC 60664-1	-	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60947-1	-	Low-voltage switchgear and controlgear - Part 1: General rules	EN 60947-1	2007
IEC 62626-1	-	Low-voltage switchgear and controlgear enclosed equipment - Part 1: Enclosed switch outside the scope of IEC 60947-3 for various applications, to provide isolation of electrical equipment during repair and maintenance work	EN 62626-1	2014
ISO 48	-	Rubber, vulcanized or thermoplastic - Determination of hardness (hardness between 10 IRHD and 100 IRHD)	-	-
ISO 178	-	Plastics - Determination of flexural properties	EN ISO 178	2010
ISO 179	series	Plastics - Determination of Charpy impact properties	EN ISO 179	series
ISO 262	-	ISO general purpose metric screw threads- Selected sizes for screws, bolts and nuts	-	-
ISO 273	-	Fasteners - Clearance holes for bolts and screws	EN 20273	1991
ISO 527-2	-	Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics	EN ISO 527-2	2012
ISO 965-1	-	ISO general purpose metric screw threads - Tolerances – Part 1: Principles and basic data	-	-
ISO 965-3	-	ISO general purpose metric screw threads- Tolerances – Part 3: Deviations for constructional screw threads	-	-
ISO 3601-1	-	Fluid power systems - O-rings – Part 1: Inside diameters, cross-sections, tolerances and designation codes	-	-
ISO 3601-2	-	Fluid power systems - O-rings - Part 2: Housing dimensions for general applications	-	-
ISO 4014	-	Hexagon head bolts - Product grades A and B	EN ISO 4014	2011
ISO 4017	-	Fasteners - Hexagon head screws - Product grades A and B	EN ISO 4017	2014
ISO 4026	-	Hexagon socket set screws with flat point	EN ISO 4026	2003
ISO 4027	-	Hexagon socket set screws with cone point	EN ISO 4027	2003
ISO 4028	-	Hexagon socket set screws with dog point	EN ISO 4028	2003
ISO 4029	-	Hexagon socket set screws with cup point	EN ISO 4029	2003
ISO 4032	-	Hexagon regular nuts (style 1) - Product grades A and B	EN ISO 4032	2012
ISO 4762	-	Hexagon socket head cap screws	EN ISO 4762	2004
ISO 4892-2	-	Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps	EN ISO 4892-2	2013
ISO 7380	-	Hexagon socket button head screws	EN ISO 7380	2011
ISO 14583	-	Hexalobular socket pan head screws	EN ISO 14583	2011
ANSI/UL 746B	-	Polymeric Materials - Long-Term Property Evaluations	-	-
ANSI/UL 746C	-	Standard for Polymeric Materials - Use in Electrical Equipment Evaluations	-	-
ASTM D 5964	-	Standard Practice for Rubber IRM 901, IRM 902, and IRM 903 Replacement Oils for ASTM No. 1, ASTM No. 2, ASTM No. 3 Oils, and IRM 905 formerly ASTM No. 5 Oil	-	-

**EN IEC 60079-0:2018 (E)****Annex ZY**  
(informative)**Additional Information relating to the European ATEX Directive 2014/34/EU****ZY.1 Equipment Groups and Categories**

In all cases Equipment Protection Levels (EPL) as defined by EN IEC 60079-0 are related to the corresponding Equipment Groups and Equipment Categories according to table ZY.1. The same applies if a standard makes reference to the intended use of equipment in Zones according to the definitions in EN 60079-10-1 and EN 60079-10-2.

**Table ZY.1**

<i>EN IEC 60079-0</i>		<i>Directive 2014/34/EU</i>		<i>EN 60079-10-X</i>
<i>EPL</i>	<i>Group</i>	<i>Equipment Group</i>	<i>Equipment Category</i>	<i>Zones</i>
<i>Ma</i>	<i>I</i>	<i>I</i>	<i>M1</i>	<i>Not Applicable</i>
<i>Mb</i>			<i>M2</i>	
<i>Ga</i>	<i>II</i>	<i>II</i>	<i>1G</i>	<i>0</i>
<i>Gb</i>			<i>2G</i>	<i>1</i>
<i>Gc</i>			<i>3G</i>	<i>2</i>
<i>Da</i>	<i>III</i>	<i>II</i>	<i>1D</i>	<i>20</i>
<i>Db</i>			<i>2D</i>	<i>21</i>
<i>Dc</i>			<i>3D</i>	<i>22</i>

**ZY.2 Instructions**

The manufacturer or his authorized representative in the Community is to draw up the instructions for use in the required Community languages.

In clause 30.1 under: “instructions for safety addressing the following areas – installation and erection;”

“Information other than the general requirements given in IEC 60079-14”

Is replaced by


“Information other than the general requirements given in EN 60079-14 and EN 50628”

NOTE EN 50628 - Erection of electrical installations in underground mines

**ZY.3 Marking****ZY.3.1**

The marking according to this standard is to be supplemented by the marking according to Directive 2014/34/EU. Examples are given below.

European marking examples

<b>Directive part</b>	<b>Standard part</b>	<b>Equipment example</b>
 I M2	Ex db I Mb	Mining equipment,

Type of Protection flameproof enclosure “d”

 **II 2G**                      **Ex eb IIB T4 Gb**                      Gas explosion protected equipment  
Type of Protection increased safety “e”

 **II 1D**                      **Ex ma IIIC 120°C Da**                      Dust explosion protected equipment,  
Type of Protection encapsulation “m”


NOTE 1 Attention is drawn to the requirement in 29.3 f):

“The Ex marking for explosive gas atmospheres and explosive dust atmospheres shall be separate and not combined;”

 **II 1 G**                      **Ex ia IIB T4 Ga**

 **II 1 D**                      **Ex ia IIIC T120°C Da**

Alternatively, the directive part of the marking may be combined and the standard part of the marking kept separate, as follows:

 **II 1 GD**                      **Ex ia IIB T4 Ga**  
**Ex ia IIIC T120°C Da**

NOTE 2 For Ex Equipment intended to be put on the market in the EEA, CE marking is applicable. For Ex Components intended to be put on the market in the EEA, CE marking is not applicable.

### ZY.3.2

Contrary to 29.3 a) the marking is to always include the manufacturer’s name (not trademark) and address. The address is to be sufficient to identify the physical location of the manufacturer. An address used for postal purposes, without identifying the physical location, is not sufficient.

### ZY.4 Fans

Clause 17.2.5 “Room ventilating fans” is to be supplemented by the requirements given in EN 14986 “Design of fans working in potentially explosive atmospheres”

### ZY.5 Significant changes between this European Standard and EN 60079-0:2012+A11:2013

This European Standard supersedes EN 60079-0:2012+A11:2013.

**Table ZY.2 – Significant changes with respect to EN 60079-0:2012+A11:**

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Throughout document, “electrical equipment” replaced by “equipment” where appropriate.	Multiple	X		
Scope List of “Type of “Protection” and “Product” standards combined into one list.	1	X		
Definitions used in multiple sub-parts added. Definitions harmonized across sub-parts and added to 60079-0 where appropriate. Battery definitions updated	3	X		



**EN IEC 60079-0:2018 (E)**

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Clarification of the way that information on process temperature influences can be expressed.	5.1.2	X		
Clarification regarding the determination of service temperatures when dust layers are present	5.2	X		
Clarification on the need to provide service temperature information for Ex Components in the Schedule of Limitations	5.2	X		
Relocation of EPL Da dust layer requirements from IEC 60079-18 & IEC 60079-31	5.3.2.3.1	A1		
Clarified that for EPL Db, a maximum specified dust layer of greater than 200 mm is not permitted as thicker layers have no additional effect on maximum surface temperature.	b)	X		
Added for EPL Db, a dust layer in a specified orientation, marked as $T_L$	c)		X	
Clarified that for EPL Dc, no dust layer tests are required.	5.3.2.3.3	X		
Clarified that the “temperature” is the temperature of the air surrounding the component	5.3.3	X		
Subdivided section dealing with higher permitted surface temperatures for “smooth” surfaces. Corrected area from 1 000 mm <sup>2</sup> to 10 000 mm <sup>2</sup> .	5.3.4	X		
Clarified that the “Ex” requirements of IEC 60079 supplement those of the relevant industrial standards.	6.1	X		
Added requirement that where an adhesive is used to secure a gasket, it shall be used within its COT and shall comply with the requirements for cements.	6.5			C1
Requirements relocated to IEC 60079-28	former 6.6.2	A2		
Ultrasonic requirements updated based on latest research work	6.6.3		X	
Added reference to IEC 60079-28	6.6.4	A2		
Material identification parameters have been revised to reflect reasonably obtainable information	7.1.2.2	X		
“RTI-mechanical” has been clarified to include “RTI-mechanical strength” and “RTI-mechanical impact”	7.1.2.2	X		
Material identification parameters have been revised to reflect reasonably obtainable information	7.1.2.3	X		
Relocated information on “cements” from Clause 12.	7.1.2.4	X		
“RTI-mechanical” has been clarified to include “RTI-mechanical strength” and “RTI-mechanical	7.2.2	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
impact". Requirements for cements aligned with the requirements for elastomers.				
Relocation of 10 K margin for EPL Gc or Dc from IEC 60079-15, IEC 60079-18 & IEC 60079-31	7.2.2	A3		
Added clarification with respect to gaskets and seals where only the outer edge is potentially exposed to light.	7.3	X		
Clarification added that one or more of the described techniques may be used	7.4.2	X		
Added additional relaxation for the case where a surface is in contact with an earthed surface on only two of four sides.	7.4.2 b)		X	
Added reference to IEC 60243-1 and IEC 60243-2 for test method to require a 4 kV DC test.	7.4.2.c)			C2
Additional guidance added with respect to the possible Specific Conditions of Use	7.4.2 e)	X		
New option added for portable, mains-powered equipment with earth-connected guard	7.4.2 f)		X	
Added option for determination of maximum transferred charge.	7.4.2 g) Table 10		X	
Added missing limits (same as 7.4.2)	7.4.3 a)	X		
Clarified that it is a dc test that is conducted	7.4.3 b)	X		
Clarified that this requirement is not applied to personal or portable equipment	7.5	X		
Clarified Group I limits	8.2	X		
Clarified Group II, EPL Ga limits	8.3	X		
Added limitation for external surfaces of >65% copper	8.5			C3
Added clarification as to what is considered a tool	9.1	X		
Clarified that the tolerance class of the set screw is not critical, only that it not protrude from the threaded hole after tightening.	9.4	X		
Information on cements transferred to Clause 7	12	X		
Required that Ex Component Certificates require a Schedule of Limitations in all cases	13.5		X	
Revised to clarified that all connection facilities may not be a "Compartment".	14	X		
Sub-clause split to separate the requirements for protective earthing and equipotential bonding into separate sections	15.3 15.4	X		
Section split to separate secureness of electrical connections from the internal earth continuity plate.	15.6 15.7	X		
Non-threaded Group I cable glands are no longer required to be Ex Components.	16.3		X	
Non-threaded Group I blanking elements are no	16.4		X	

**EN IEC 60079-0:2018 (E)**

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
longer required to be Ex Components.				
Scope of Clause 17 clarified to define applicability	17	X		
Additional guidance notes added to address bearings	17.3	X		
Clarified applicability to disconnectors, interlocks, and maintenance switches.	18.2	X		
Fuse requirements deleted as they are addressed in the individual sub-parts	19	X		
Added requirements for EPL Gc and Dc	20.1			C4
The test circuit requirements for a flameproof connection have been removed as they are more completely specified in IEC 60079-1.	20.2	X		
The impact test requirements for luminaires are relocated to Table 15	21.1 Table 15	X		
Clarified interlock switch operation for flameproof luminaires	21.2	X		
Clarified that some Types of Protection permit connection of cells in parallel	23.2	X		
New cell types and data added based on latest available data	Table 13		X	
New cell types and data added based on latest available data	Table 14			C5
Clarification of what documentation is to be prepared regarding the explosion safety aspects of the equipment	24	X		
Clarification that the type tests are to take into consideration the installation instructions	26.2	X		
Clarification that the “glass” requirements also apply to “ceramic” parts	26.4.1.1	X		
Added a permission to interchange the order of tests at the “lower test temperature” and the “upper test temperature”.	26.4.1.2.2 26.4.1.2.3	X		
Clarified the construction of the impact test fixture	26.4.2	X		
Clarified the impact tests for glass parts	26.4.2	X		
Added clarification to deal with the new IPX9 ratings	26.4.5.1		X	
Clarified the test voltage for maximum surface temperature	26.5.1.3	X		
Relocation of EPL Da dust layer requirements from IEC 60079-18 & IEC 60079-31	26.5.1.3	A1		
Relocation of EPL Db specified dust layer requirements from IEC 60079-31	26.5.1.3	A4		
Added for EPL Db, a dust layer in a specified orientation, marked as $T_L$	26.5.1.3		B1	

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Clarified that for EPL Dc, the testing is conducted without a dust layer.	26.5.1.3	X		
Relocation of thermal endurance to heat 10K relaxation for Gc equipment from IEC 60079-15, IEC 60079-18, & IEC 60079-31	Table 17	X		
Clarification of a consistent way to address elastomeric materials exposed to ultraviolet light	26.10	X		
Replacement of "oil No. 2" with the revised designation of "oil IRM 902".	26.11	X		
Option added for testing at lower voltages when low resistance materials are encountered	26.13		X	
Transferred charge test added based on IEC TS 60079-32-2	26.17		X	
The reference to a specific instruction document instead of an "X" condition relocated to e) instead of a note giving a permission	29.3 e)	X		
Updated to reflect the additional levels of protection already shown in the sub-parts: "da", "dc", "eb", "ec", "oc", "op is", "op pr", "op sh", "pxb", "pyb", "pzc", "qb", "sa", "sb", and "sc".	29.4 b)	X		
Text added to address marking of "Ex associated equipment"	29.4		X	
Updated to reflect the additional levels of protection already shown in the sub-parts: "ic", "op is", "op pr", "op sh", "pxb", "pyb", "pzc", "sa", "sb", and "sc".	29.5 b)	X		
Clarified marking of EPL Da, EPL Db with no dust layer, EPL Db with a specified dust layer, and EPL Dc.	29.5 d)	X		
Introduced marking for EPL Db with a dust layer in a specified orientation	29.5 d)		X	
Text added to address marking of "Ex associated equipment"	29.5		X	
Text added to address marking of equipment intended to be installed in a boundary wall.	29.9		X	
The marking of Ex Component enclosure was aligned with the marking requirements of IEC 60079-1 and IEC 60079-7	29.10	X		
The alternate marking of EPL has been deleted.	former 29.13			C6
Marking for electric machines operated with a converter clarified	29.15	X		
Instruction material guidance clarified	30.1	X		
Additional instruction material for electric machines added	30.3			C7
Additional instruction material for cable glands added	30.5 A.5			C8

**EN IEC 60079-0:2018 (E)**

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Allow ISO 10807 hose assemblies to be used with cable glands.	A.1		X	
Clarify testing with stainless steel mandrels	A.3	X		
Reduction of the time / slippage permitted	A.3.1.1		X	
Clarify impact testing of cable glands	A.3.3 Figure A.3	X		
Clarified the order of tests	A.3.4	X		
Clarified remarks	Annex B	X		
Aligned Figure with text	Figure C.1	X		
Clarified operation of electric machines from converters	Annex D (informative)	X		
Clarified temperature testing of electric machines	Annex E (informative)	X		
Flowchart for Cable Gland testing	Annex G (informative)	X		
Guidance of electric machine shaft voltages	Annex H (informative)	X		

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance may be found by referring to the Redline Version of the standard.

**Explanations:****A) Definitions****Minor and editorial changes**

clarification  
decrease of technical requirements  
minor technical change  
editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

**Extension**

addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

**Major technical changes**

addition of technical requirements  
increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for

products in conformity with the preceding edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

### **B) Information about the background of changes**

- A1 The dust layer requirements for EPL Da are unchanged from what previously existed in IEC 60079-18, Ed 4 and IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- A2 IEC 60079-28 now includes all requirements for optical radiation for all EPLs.
- A3 The COT requirements for EPL Gc or Dc are unchanged from what previously existed in IEC 60079-15, Ed 4, IEC 60079-18, Ed 4, and IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- A4 The dust layer requirements for EPL Db with a specified dust layer depth are unchanged from what previously existed in IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- B1 Dust layer requirements for EPL Db with a dust layer in a specified orientation have been added.
- C1 It is recognized that the new requirements were, in many cases, already applied. The change is to ensure that they are uniformly and consistently applied.
- C2 Require that the test be conducted at 4 kV DC.
- C3 The limitation applies to external surfaces of other than cable glands, blanking elements, thread adapters and bushings.
- C4 The added requirements for tool securing and marking are consistent with the approach in IEC 60079-15
- C5 Voltage values were changed following additional research due to the complicated assessment and sometimes unspecified construction of Li/Ion-cells. It was found that some voltage values previously stated were too low.
- C6 The now required EPL marking may be other than that permitted by the Level of Protection to account for limiting restrictions of material or plastic material surface area.
- C7 Additional instruction material for electric machines required to facilitate selection, installation, and maintenance.
- C8 Additional instruction material for cable glands required to facilitate selection and installation.

**EN IEC 60079-0:2018 (E)****Annex ZZ**  
(informative)**Relationship between this European Standard and the Essential Requirements of 2014/34/EU [2014 OJ L96] aimed to be covered**

This European Standard has been prepared under a Commission's standardisation request M/BC/CEN/92/46 to provide one voluntary means of conforming to Essential Requirements of 2014/34/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to equipment and protective systems intended for use in potentially explosive atmospheres (recast).

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZ.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive, and associated EFTA regulations.

**Table ZZ.1 – Correspondence between this European Standard and Annex II of Directive 2014/34/EU [2014 OJ L96]**

<b>Essential Requirements of 2014/34/EU</b>	<b>Clause(s) / sub-clause(s) of this EN</b>	<b>Remarks / Notes</b>
1.0.1.	Entire standard	Second indent only
1.0.2.	Entire standard including Annex ZY	By reference to appropriate EPLs
1.0.3.	3.84 and related references throughout document	In particular, use of "X" marking and related Specific Conditions of Use for Ex Equipment or Schedule of Limitations for Ex Components
1.0.4.	5 / 6.1	
1.0.5.	28.3 / 29 / Annex ZY	
1.0.6.	30	
1.1.1.	7 / 8	
1.1.2.	8.5	
1.1.3.	6.3 / 7 / 8	
1.2.1.	Entire standard	
1.2.2.	Entire standard	
1.2.3.	Not covered	
1.2.4.	5.3.2.3	
1.2.5.	Not covered	
1.2.6.	6.3	
1.2.7.	6.1	
1.2.8.	Not covered	
1.2.9.	Not covered	See EN 60079-1

Essential Requirements of 2014/34/EU	Clause(s) / sub-clause(s) of this EN	Remarks / Notes
1.3.1.	(in part) 5 / 6.6	
1.3.2.	7.4	
1.3.3.	6.4	
1.3.4.	Not covered	See EN ISO 80079-36
1.3.5.	Not covered	
1.4.1.	6.1	
1.4.2.	6.1	
1.5.	Not covered	
1.6.1.	Not covered	
1.6.2.	Not covered	
1.6.3.	Not covered	
1.6.4.	15 / Annex A	
1.6.5.	Not covered	
2.0.1.	Throughout document	Multiple requirements for Group I, EPL Ma
2.0.2.	Throughout document	Multiple requirements for Group I, EPL Mb
2.1.1.	Throughout document	Multiple requirements for Group II, EPL Ga
2.1.2.	Throughout document	Multiple requirements for Group III, EPL Da
2.2.1.	Throughout document	Multiple requirements for Group II, EPL Gb
2.2.2.	Throughout document	Multiple requirements for Group III, EPL Db
2.3.1.	Throughout document	Multiple requirements for Group II, EPL Gc
2.3.2.	Throughout document	Multiple requirements for Group III, EPL Dc
3.	Not covered	

NOTE To confer a presumption of conformity with the relevant essential requirements of Directive 2014/34/EU, this standard has to be applied together with at least one of the supplemental standards giving the requirements for a specific Type of Protection. See Clause 1.

**WARNING 1:** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2:** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.





IEC 60079-0

Edition 7.0 2017-12

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Explosive atmospheres –  
Part 0: Equipment – General requirements**

**Atmosphères explosives –  
Partie 0: Matériel – Exigences générales**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2017 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
 3, rue de Varembe  
 CH-1211 Geneva 20  
 Switzerland

Tel.: +41 22 919 02 11  
 Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **A bout the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### **IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### **Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



IEC 60079-0

Edition 7.0 2017-12

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Explosive atmospheres –  
Part 0: Equipment – General requirements**

**Atmosphères explosives –  
Partie 0: Matériel – Exigences générales**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.260.20

ISBN 978-2-8322-5065-5

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	8
1 Scope .....	15
2 Normative references .....	16
3 Terms and definitions .....	18
4 Equipment grouping .....	36
4.1 General .....	36
4.2 Group I .....	36
4.3 Group II .....	36
4.4 Group III .....	36
4.5 Equipment for a particular explosive gas atmosphere .....	37
5 Temperatures .....	37
5.1 Environmental influences .....	37
5.1.1 Ambient temperature .....	37
5.1.2 External source of heating or cooling .....	37
5.2 Service temperature .....	37
5.3 Maximum surface temperature .....	38
5.3.1 Determination of maximum surface temperature .....	38
5.3.2 Limitation of maximum surface temperature .....	38
5.3.3 Small component temperature for Group I or Group II electrical equipment .....	39
5.3.4 Component temperature of smooth surfaces for Group I or Group II electrical equipment .....	40
6 Requirements for all equipment .....	41
6.1 General .....	41
6.2 Mechanical strength of equipment .....	41
6.3 Opening times .....	41
6.4 Circulating currents in enclosures (e.g. of large electric machines) .....	42
6.5 Gasket retention .....	42
6.6 Electromagnetic and ultrasonic energy radiating equipment .....	42
6.6.1 General .....	42
6.6.2 Radio frequency sources .....	42
6.6.3 Ultrasonic sources .....	43
6.6.4 Lasers, luminaires, and other non-divergent continuous wave optical sources .....	44
7 Non-metallic enclosures and non-metallic parts of enclosures .....	44
7.1 General .....	44
7.1.1 Applicability .....	44
7.1.2 Specification of materials .....	44
7.2 Thermal endurance .....	45
7.2.1 Tests for thermal endurance .....	45
7.2.2 Material selection .....	46
7.2.3 Alternative qualification of elastomeric sealing O-rings .....	46
7.3 Resistance to ultraviolet light .....	46
7.4 Electrostatic charges on external non-metallic materials .....	47
7.4.1 Applicability .....	47
7.4.2 Avoidance of a build-up of electrostatic charge for Group I or Group II .....	47

7.4.3	Avoidance of a build-up of electrostatic charge for Group III .....	49
7.5	Attached external conductive parts .....	50
8	Metallic enclosures and metallic parts of enclosures .....	51
8.1	Material composition .....	51
8.2	Group I .....	51
8.3	Group II .....	51
8.4	Group III .....	52
8.5	Copper Alloys .....	52
9	Fasteners .....	52
9.1	General.....	52
9.2	Special fasteners .....	53
9.3	Holes for special fasteners.....	53
9.3.1	Thread engagement.....	53
9.3.2	Tolerance and clearance .....	53
9.4	Hexagon socket set screws.....	54
10	Interlocking devices .....	54
11	Bushings .....	54
12	(Reserved for future use).....	54
13	Ex Components .....	54
13.1	General.....	54
13.2	Mounting.....	55
13.3	Internal mounting .....	55
13.4	External mounting .....	55
13.5	Ex Component certificate .....	55
14	Connection facilities .....	55
14.1	General.....	55
14.2	Type of protection .....	56
14.3	Creepage and clearance .....	56
15	Connection facilities for earthing or bonding conductors .....	56
15.1	Equipment requiring earthing or bonding.....	56
15.1.1	Internal earthing .....	56
15.1.2	External bonding.....	56
15.2	Equipment not requiring earthing .....	56
15.3	Size of protective earthing conductor connection .....	56
15.4	Size of equipotential bonding conductor connection .....	57
15.5	Protection against corrosion.....	57
15.6	Secureness of electrical connections .....	57
15.7	Internal earth continuity plate.....	57
16	Entries into enclosures .....	57
16.1	General.....	57
16.2	Identification of entries.....	57
16.3	Cable glands.....	58
16.4	Blanking elements.....	58
16.5	Thread adapters .....	58
16.6	Temperature at branching point and entry point .....	59
16.7	Electrostatic charges of cable sheaths .....	59
17	Supplementary requirements for electric machines .....	60
17.1	General.....	60

17.2	Ventilation.....	60
17.2.1	Ventilation openings .....	60
17.2.2	Materials for external fans .....	60
17.2.3	Cooling fans of rotating electric machines.....	60
17.2.4	Auxiliary motor cooling fans.....	61
17.2.5	Room ventilating fans .....	61
17.3	Bearings .....	62
18	Supplementary requirements for switchgear .....	62
18.1	Flammable dielectric .....	62
18.2	Disconnectors .....	62
18.3	Group I – Provisions for locking .....	63
18.4	Doors and covers.....	63
19	Reserved for future use .....	63
20	Supplementary requirements for external plugs, socket outlets and connectors for field wiring connection .....	63
20.1	General.....	63
20.2	Explosive gas atmospheres .....	64
20.3	Explosive dust atmospheres .....	64
20.4	Energized plugs .....	64
21	Supplementary requirements for luminaires .....	64
21.1	General.....	64
21.2	Covers for luminaires of EPL Mb, EPL Gb, or EPL Db.....	64
21.3	Covers for luminaires of EPL Gc or EPL Dc .....	65
21.4	Sodium lamps .....	65
22	Supplementary requirements for caplights and handlights .....	65
22.1	Group I caplights .....	65
22.2	Group II and Group III caplights and handlights .....	65
23	Equipment incorporating cells and batteries.....	66
23.1	General.....	66
23.2	Interconnection of cells to form batteries.....	66
23.3	Cell types.....	66
23.4	Cells in a battery.....	69
23.5	Ratings of batteries.....	69
23.6	Interchangeability .....	69
23.7	Charging of primary batteries .....	69
23.8	Leakage.....	69
23.9	Connections.....	69
23.10	Orientation.....	69
23.11	Replacement of cells or batteries .....	69
23.12	Replaceable battery pack.....	70
24	Documentation .....	70
25	Compliance of prototype or sample with documents.....	70
26	Type tests .....	70
26.1	General.....	70
26.2	Test configuration .....	70
26.3	Tests in explosive test mixtures .....	70
26.4	Tests of enclosures.....	71
26.4.1	Order of tests .....	71

26.4.2	Resistance to impact .....	73
26.4.3	Drop test .....	74
26.4.4	Acceptance criteria .....	75
26.4.5	Degree of protection (IP) by enclosures .....	75
26.5	Thermal tests .....	76
26.5.1	Temperature measurement .....	76
26.5.2	Thermal shock test .....	78
26.5.3	Small component ignition test (Group I and Group II) .....	78
26.6	Torque test for bushings .....	79
26.6.1	Test procedure .....	79
26.6.2	Acceptance criteria .....	80
26.7	Non-metallic enclosures or non-metallic parts of enclosures .....	80
26.7.1	General .....	80
26.7.2	Test temperatures .....	80
26.8	Thermal endurance to heat .....	80
26.9	Thermal endurance to cold .....	81
26.10	Resistance to UV light .....	81
26.10.1	General .....	81
26.10.2	Light exposure .....	82
26.10.3	Acceptance criteria .....	82
26.11	Resistance to chemical agents for Group I equipment .....	82
26.12	Earth continuity .....	83
26.13	Surface resistance test of parts of enclosures of non-metallic materials .....	84
26.14	Measurement of capacitance .....	85
26.14.1	General .....	85
26.14.2	Test procedure .....	85
26.15	Verification of ratings of ventilating fans .....	86
26.16	Alternative qualification of elastomeric sealing O-rings .....	86
26.17	Transferred charge test .....	86
26.17.1	Test equipment .....	86
26.17.2	Test sample .....	87
26.17.3	Test procedure .....	87
27	Routine tests .....	88
28	Manufacturer's responsibility .....	88
28.1	Conformity with the documentation .....	88
28.2	Certificate .....	89
28.3	Responsibility for marking .....	89
29	Marking .....	89
29.1	Applicability .....	89
29.2	Location .....	89
29.3	General .....	89
29.4	Ex marking for explosive gas atmospheres .....	90
29.5	Ex marking for explosive dust atmospheres .....	92
29.6	Combined types (or levels) of protection .....	95
29.7	Multiple types of protection .....	95
29.8	Ga equipment using two independent Gb types (or levels) of protection .....	95
29.9	Boundary wall .....	95
29.10	Ex Components .....	95
29.11	Small Ex Equipment and small Ex Components .....	96

29.12	Extremely small Ex Equipment and extremely small Ex Components .....	96
29.13	Warning markings .....	96
29.14	Cells and batteries .....	97
29.15	Electric machines operated with a converter .....	97
29.16	Examples of marking.....	98
30	Instructions.....	101
30.1	General.....	101
30.2	Cells and batteries .....	102
30.3	Electric machines.....	103
30.4	Ventilating fans .....	103
30.5	Cable glands.....	104
Annex A	(normative) Supplementary requirements for cable glands .....	105
A.1	General.....	105
A.2	Constructional requirements .....	105
A.2.1	Cable sealing.....	105
A.2.2	Filling compounds.....	106
A.2.3	Clamping .....	106
A.2.4	Lead-in of cable .....	106
A.2.5	Release by a tool.....	107
A.2.6	Fixing .....	107
A.2.7	Degree of protection .....	107
A.3	Type tests .....	107
A.3.1	Tests of clamping of non-armoured and braided cables .....	107
A.3.2	Tests of clamping of armoured cables.....	110
A.3.3	Type test for resistance to impact .....	111
A.3.4	Test for degree of protection (IP) of cable glands .....	112
A.4	Marking.....	113
A.4.1	Marking of cable glands.....	113
A.4.2	Identification of cable-sealing rings.....	113
A.5	Instructions .....	113
Annex B	(normative) Requirements for Ex Components.....	115
Annex C	(informative) Example of rig for resistance to impact test .....	118
Annex D	(informative) Electric machines connected to converters.....	119
Annex E	(informative) Temperature evaluation of electric machines.....	120
Annex F	(informative) Guidance flowchart for tests of non-metallic enclosures or non-metallic parts of enclosures (26.4) .....	123
Annex G	(informative) Guidance flowchart for tests of cable glands .....	124
Annex H	(informative) Shaft voltages resulting in motor bearing or shaft brush sparking Discharge energy calculation .....	125
H.1	General.....	125
H.2	Assessment of the risk of ignition using ignition energy calculation .....	125
H.3	Shaft voltage determination for a rotating machine.....	126
H.4	Capacitance “C” calculation for a rotating machine .....	126
H.5	Energy “E” calculation for a rotating machine .....	129
H.6	Assessment using reference curves .....	129
Bibliography	.....	131
Figure 1	– Typical battery examples.....	20



Figure 2 – Typical battery compartment .....	21
Figure 3 – Typical replaceable battery pack .....	22
Figure 4 – Tolerances and clearance for threaded fasteners .....	53
Figure 5 – Contact surface under head of fastener with a reduced shank .....	54
Figure 6 – Cable gland .....	59
Figure 7 – Conduit entry .....	59
Figure 8 – Assembly of test sample for earth-continuity test .....	84
Figure 9 – Test piece with painted electrodes .....	85
Figure 10 – Compression set of an O-ring .....	86
Figure A.1 – Illustration of the terms used for cable glands .....	106
Figure A.2 – Rounded edge of the point of entry of the flexible cable .....	107
Figure A.3 – Example of rig for resistance to impact test .....	112
Figure C.1 – Example of rig for resistance to impact test .....	118
Figure F.1 – Non-metallic enclosures or non-metallic parts of enclosures .....	123
Figure H.1 – Capacitance stored in bearing clearance of sleeve bearing Between journal and outer bearing housing .....	128
Figure H.2 – Air-gap between stator and rotor .....	128
Figure H.3 – Typical surfaces that form capacitors from the motor shaft to ground .....	129
Figure H.4 – Capacitive ignition curves .....	130
Table 1 – Ambient temperatures in service and additional marking .....	37
Table 2 – Classification of maximum surface temperatures for Group II electrical equipment .....	38
Table 3 – Assessment of temperature classification according to component size .....	40
Table 4 – Assessment of temperature classification Component surface area $\geq 20 \text{ mm}^2$ .....	40
Table 5 – Threshold power .....	43
Table 6 – Threshold energy .....	43
Table 7 – Limitation of surface areas .....	48
Table 8 – Maximum diameter or width .....	49
Table 9 – Limitation of thickness of non-metallic layer .....	49
Table 10 – Maximum acceptable transferred charge .....	49
Table 11 – Maximum capacitance of unearthed conductive parts .....	51
Table 12 – Minimum cross-sectional area of PE conductors .....	57
Table 13 – Primary cells .....	66
Table 14 – Secondary cells .....	68
Table 15 – Tests for resistance to impact .....	74
Table 16 – Torque to be applied to the stem of bushing used for connection facilities .....	79
Table 17 – Thermal endurance test .....	80
Table 18 – Text of warning markings .....	97
Table 19 – Example of type-test converter parameters .....	103
Table B.1 – Applicability of clauses to Ex Components .....	115
Table H.1 – Maximum permitted energy .....	126

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## EXPLOSIVE ATMOSPHERES –

### Part 0: Equipment – General requirements

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-0 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This seventh edition cancels and replaces the sixth edition, published in 2011. This edition constitutes a technical revision.

The significance of the changes between IEC Standard, IEC 60079-0, Edition 6 (2011) and IEC 60079-0, Edition 7 (2017) are as listed below:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Throughout document, "electrical equipment" replaced by "equipment" where appropriate.	Multiple	X		
Scope List of "Type of "Protection" and "Product" standards combined into one list.	1	X		
Definitions used in multiple sub-parts added. Definitions harmonized across sub-parts and added to 60079-0 where appropriate. Battery definitions updated	3	X		
Clarification of the way that information on process temperature influences can be expressed.	5.1.2	X		
Clarification regarding the determination of service temperatures when dust layers are present	5.2	X		
Clarification on the need to provide service temperature information for Ex Components in the Schedule of Limitations	5.2	X		
Relocation of EPL Da dust layer requirements from IEC 60079-18 & IEC 60079-31	5.3.2.3.1	A1		
Clarified that for EPL Db, a maximum specified dust layer of greater than 200 mm is not permitted as thicker layers have no additional effect on maximum surface temperature.	b)	X		
Added for EPL Db, a dust layer in a specified orientation, marked as $T_L$	c)		X	
Clarified that for EPL Dc, no dust layer tests are required.	5.3.2.3.3	X		
Clarified that the "temperature" is the temperature of the air surrounding the component	5.3.3	X		
Subdivided section dealing with higher permitted surface temperatures for "smooth" surfaces. Corrected area from 1 000 mm <sup>2</sup> to 10 000 mm <sup>2</sup> .	5.3.4	X		
Clarified that the "Ex" requirements of IEC 60079 supplement those of the relevant industrial standards.	6.1	X		
Added requirement that where an adhesive is used to secure a gasket, it shall be used within its COT and shall comply with the requirements for cements.	6.5			C1
Requirements relocated to IEC 60079-28	former 6.6.2	A2		
Ultrasonic requirements updated based on latest research work	6.6.3		X	
Added reference to IEC 60079-28	6.6.4	A2		
Material identification parameters have been revised to reflect reasonably obtainable information	7.1.2.2	X		
"RTI-mechanical" has been clarified to include "RTI-mechanical strength" and "RTI-mechanical impact"	7.1.2.2	X		
Material identification parameters have been revised to reflect reasonably obtainable information	7.1.2.3	X		
Relocated information on "cements" from Clause 12.	7.1.2.4	X		
"RTI-mechanical" has been clarified to include "RTI-mechanical strength" and "RTI-mechanical impact". Requirements for cements aligned with the requirements for elastomers.	7.2.2	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Relocation of 10 K margin for EPL Gc or Dc from IEC 60079-15, IEC 60079-18 & IEC 60079-31	7.2.2	A3		
Added clarification with respect to gaskets and seals where only the outer edge is potentially exposed to light.	7.3	X		
Clarification added that one or more of the described techniques may be used	7.4.2	X		
Added additional relaxation for the case where a surface is in contact with an earthed surface on only two of four sides.	7.4.2 b)		X	
Added reference to IEC 60243-1 and IEC 60243-2 for test method to require a 4 kV DC test..	7.4.2.c)			C2
Additional guidance added with respect to the possible Specific Conditions of Use	7.4.2 e)	X		
New option added for portable, mains-powered equipment with earth-connected guard	7.4.2 f)		X	
Added option for determination of maximum transferred charge.	7.4.2 g) Table 10		X	
Added missing limits (same as 7.4.2)	7.4.3 a)	X		
Clarified that it is a dc test that is conducted	7.4.3 b)	X		
Clarified that this requirement is not applied to personal or portable equipment	7.5	X		
Clarified Group I limits	8.2	X		
Clarified Group II, EPL Ga limits	8.3	X		
Added limitation for external surfaces of >65% copper	8.5			C3
Added clarification as to what is considered a tool	9.1	X		
Clarified that the tolerance class of the set screw is not critical, only that it not protrude from the threaded hole after tightening.	9.4	X		
Information on cements transferred to Clause 7	12	X		
Required that Ex Component Certificates require a Schedule of Limitations in all cases	13.5		X	
Revised to clarified that all connection facilities may not be a "Compartment".	14	X		
Sub-clause split to separate the requirements for protective earthing and equipotential bonding into separate sections	15.3 15.4	X		
Section split to separate secureness of electrical connections from the internal earth continuity plate.	15.6 15.7	X		
Non-threaded Group I cable glands are no longer required to be Ex Components.	16.3		X	
Non-threaded Group I blanking elements are no longer required to be Ex Components.	16.4		X	
Scope of Clause 17 clarified to define applicability	17	X		
Additional guidance notes added to address bearings	17.3	X		
Clarified applicability to disconnectors, interlocks, and maintenance switches.	18.2	X		
Fuse requirements deleted as they are addressed in the individual sub-parts	19	X		
Added requirements for EPL Gc and Dc	20.1			C4

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
The test circuit requirements for a flameproof connection have been removed as they are more completely specified in IEC 60079-1.	20.2	X		
The impact test requirements for luminaires are relocated to Table 15	21.1 Table 15	X		
Clarified interlock switch operation for flameproof luminaires	21.2	X		
Clarified that some Types of Protection permit connection of cells in parallel	23.2	X		
New cell types and data added based on latest available data	Table 13		X	
New cell types and data added based on latest available data	Table 14			C5
Clarification of what documentation is to be prepared regarding the explosion safety aspects of the equipment	24	X		
Clarification that the type tests are to take into consideration the installation instructions	26.2	X		
Clarification that the "glass" requirements also apply to "ceramic" parts	26.4.1.1	X		
Added a permission to interchange the order of tests at the "lower test temperature" and the "upper test temperature".	26.4.1.2.2 26.4.1.2.3	X		
Clarified the construction of the impact test fixture	26.4.2	X		
Clarified the impact tests for glass parts	26.4.2	X		
Added clarification to deal with the new IPX9 ratings	26.4.5.1		X	
Clarified the test voltage for maximum surface temperature	26.5.1.3	X		
Relocation of EPL Da dust layer requirements from IEC 60079-18 & IEC 60079-31	26.5.1.3	A1		
Relocation of EPL Db specified dust layer requirements from IEC 60079-31	26.5.1.3	A4		
Added for EPL Db, a dust layer in a specified orientation, marked as $T_L$	26.5.1.3		B1	
Clarified that for EPL Dc, the testing is conducted without a dust layer.	26.5.1.3	X		
Relocation of thermal endurance to heat 10K relaxation for Gc equipment from IEC 60079-15, IEC 60079-18, & IEC 60079-31	Table 17	X		
Clarification of a consistent way to address elastomeric materials exposed to ultraviolet light	26.10	X		
Replacement of "oil No. 2" with the revised designation of "oil IRM 902".	26.11	X		
Option added for testing at lower voltages when low resistance materials are encountered	26.13		X	
Transferred charge test added based on IEC TS 60079-32-2	26.17		X	
The reference to a specific instruction document instead of an "X" condition relocated to e) instead of a note giving a permission	29.3 e)	X		
Updated to reflect the additional levels of protection already shown in the sub-parts: "da", "dc", "eb", "ec", "oc", "op is", "op pr", "op sh", "pxb", "pyb", "pzc", "qb", "sa", "sb", and "sc".	29.4 b)	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Text added to address marking of "Ex associated equipment"	29.4		X	
Updated to reflect the additional levels of protection already shown in the sub-parts: "ic", "op is", "op pr", "op sh", "pxb", "pyb", "pzc", "sa", "sb", and "sc".	29.5 b)	X		
Clarified marking of EPL Da, EPL Db with no dust layer, EPL Db with a specified dust layer, and EPL Dc.	29.5 d)	X		
Introduced marking for EPL Db with a dust layer in a specified orientation	29.5 d)		X	
Text added to address marking of "Ex associated equipment"	29.5		X	
Text added to address marking of equipment intended to be installed in a boundary wall.	29.9		X	
The marking of Ex Component enclosure was aligned with the marking requirements of IEC 60079-1 and IEC 60079-7	29.10	X		
The alternate marking of EPL has been deleted.	former 29.13			C6
Marking for electric machines operated with a converter clarified	29.15	X		
Instruction material guidance clarified	30.1	X		
Additional instruction material for electric machines added	30.3			C7
Additional instruction material for cable glands added	30.5 A.5			C8
Allow ISO 10807 hose assemblies to be used with cable glands.	A.1		X	
Clarify testing with stainless steel mandrels	A.3	X		
Reduction of the time / slippage permitted	A.3.1.1		X	
Clarify impact testing of cable glands	A.3.3 Figure A.3	X		
Clarified the order of tests	A.3.4	X		
Clarified remarks	Annex B	X		
Aligned Figure with text	Figure C.1	X		
Clarified operation of electric machines from converters	Annex D (informative)	X		
Clarified temperature testing of electric machines	Annex E (informative)	X		
Flowchart for Cable Gland testing	Annex G (informative)	X		
Guidance of electric machine shaft voltages	Annex H (informative)	X		

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance may be found by referring to the Redline Version of the standard.

**Explanations:****A) Definitions****Minor and editorial changes**

clarification  
 decrease of technical requirements  
 minor technical change  
 editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

**Extension**

addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

**Major technical changes**

addition of technical requirements  
 increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

**B) Information about the background of changes**

- A1 The dust layer requirements for EPL Da are unchanged from what previously existed in IEC 60079-18, Ed 4 and IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- A2 IEC 60079-28 now includes all requirements for optical radiation for all EPLs.
- A3 The COT requirements for EPL Gc or Dc are unchanged from what previously existed in IEC 60079-15, Ed 4, IEC 60079-18, Ed 4, and IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- A4 The dust layer requirements for EPL Db with a specified dust layer depth are unchanged from what previously existed in IEC 60079-31, Ed 2, but have been relocated to IEC 60079-0 to allow consistent application in all Types of Protection.
- B1 Dust layer requirements for EPL Db with a dust layer in a specified orientation have been added.
- C1 It is recognized that the new requirements were, in many cases, already applied. The change is to ensure that they are uniformly and consistently applied.
- C2 Require that the test be conducted at 4 kV DC.
- C3 The limitation applies to external surfaces of other than cable glands, blanking elements, thread adapters and bushings.
- C4 The added requirements for tool securing and marking are consistent with the approach in IEC 60079-15
- C5 Voltage values were changed following additional research due to the complicated assessment and sometimes unspecified construction of Li/Ion-cells. It was found that some voltage values previously stated were too low.

- C6 The now required EPL marking may be other than that permitted by the Level of Protection to account for limiting restrictions of material or plastic material surface area.
- C7 Additional instruction material for electric machines required to facilitate selection, installation, and maintenance.
- C8 Additional instruction material for cable glands required to facilitate selection and installation.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
31/1345/FDIS	31/1356/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.



## EXPLOSIVE ATMOSPHERES –

### Part 0: Equipment – General requirements

#### 1 Scope

This part of IEC 60079 specifies the general requirements for construction, testing and marking of Ex Equipment and Ex Components intended for use in explosive atmospheres.

The standard atmospheric conditions (relating to the explosion characteristics of the atmosphere) under which it may be assumed that Ex Equipment can be operated are:

- temperature  $-20\text{ °C}$  to  $+60\text{ °C}$ ;
- pressure 80 kPa (0,8 bar) to 110 kPa (1,1 bar); and
- air with normal oxygen content, typically 21 % v/v.

This part of IEC 60079 and other standards supplementing this standard specify additional test requirements for Ex Equipment operating outside the standard temperature range, but further additional consideration and additional testing may be required for Ex Equipment operating outside the standard atmospheric pressure range and standard oxygen content. Such additional testing may be particularly relevant with respect to Types of Protection that depend on quenching of a flame such as 'flameproof enclosures "d"' (IEC 60079-1) or limitation of energy, 'intrinsic safety "i"' (IEC 60079-11).

NOTE 1 Although the standard atmospheric conditions above give a temperature range for the atmosphere of  $-20\text{ °C}$  to  $+60\text{ °C}$ , the normal ambient temperature range for the Ex Equipment is  $-20\text{ °C}$  to  $+40\text{ °C}$ , unless otherwise specified and marked. See 5.1.1. It is considered that  $-20\text{ °C}$  to  $+40\text{ °C}$  is appropriate for many items of Ex Equipment and that to manufacture all Ex Equipment to be suitable for a standard atmosphere upper ambient temperature of  $+60\text{ °C}$  would place unnecessary design constraints.

NOTE 2 Requirements given in this standard result from an ignition hazard assessment made on equipment. The ignition sources taken into account are those found associated with this type of equipment, such as hot surfaces, electromagnetic radiation, mechanically generated sparks, mechanical impacts resulting in thermite reactions, electrical arcing and static electric discharge in normal industrial environments.

NOTE 3 Where an explosive gas atmosphere and a combustible dust atmosphere are, or can be, present at the same time, the simultaneous presence of both often warrants additional protective measures. Additional guidance on the use of Ex Equipment in hybrid mixtures (mixture of a flammable gas or vapour with a combustible dust or combustible flyings) is given in IEC 60079-14.

IEC 60079 does not specify requirements for safety, other than those directly related to the explosion risk.

Ignition sources like adiabatic compression, shock waves, exothermic chemical reaction, self-ignition of dust, naked flames and hot gases/liquids, are not addressed by this standard.

NOTE 4 Although outside the scope of this standard, such equipment would typically be subjected to a hazard analysis that identifies and lists all of the potential sources of ignition by the equipment and the measures to be applied to prevent them becoming effective. See ISO/IEC 80079-36.

This document is supplemented or modified by the following parts and technical specifications:

- IEC 60079-1: Gas – Flameproof enclosures "d";
- IEC 60079-2: Gas and dust – Pressurized enclosure "p";
- IEC 60079-5: Gas – Powder filling "q";
- IEC 60079-6: Gas – Liquid immersion "o";
- IEC 60079-7: Gas – Increased safety "e";

- IEC 60079-11: Gas and dust – Intrinsic safety "i";
- IEC 60079-13: Gas and dust – Equipment protection by pressurized room "p" & artificially ventilated room "v";
- IEC 60079-15: Gas – Type of protection "n";
- IEC 60079-18: Gas and dust – Encapsulation "m";
- IEC 60079-25: Gas and dust – Intrinsically safe electrical systems
- IEC 60079-26: Gas – Equipment with equipment protection level (EPL) Ga
- IEC 60079-28: Gas and dust – Protection of equipment and transmission systems using optical radiation
- IEC 60079-29-1: Gas detectors – Performance requirements of detectors for flammable gases
- IEC 60079-29-4: Gas detectors – Performance requirements of open path detectors for flammable gases
- IEC/IEEE 60079-30-1: Gas and dust – Electrical resistance trace heating – General and testing requirements.
- IEC 60079-31: Dust – Protection by enclosure "t"
- IEC 60079-33: Gas and dust – Special protection "s"
- IEC 60079-35-1: Caplights for use in mines susceptible to firedamp – General requirements – Construction and testing in relation to the risk of explosion
- IEC TS 60079-39: Gas – Intrinsically safe systems with electronically controlled spark duration limitation
- IEC TS 60079-40: Gas – Requirements for process sealing between flammable process fluids and electrical systems
- ISO 80079-36: Gas and dust – Non-electrical equipment for explosive atmospheres – Basic method and requirements

This document, along with the additional parts of IEC 60079 mentioned above, is not applicable to the construction of

- electromedical apparatus,
- shot-firing exploders,
- test devices for exploders, and
- shot-firing circuits.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-5, *Rotating electrical machines – Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) – Classification*

IEC 60079-1, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-20-1, *Explosive atmospheres – Part 20-1: Material characteristics for gas and vapour classification – Test methods and data*

IEC 60079-26, *Explosive atmospheres – Part 26: Equipment with Equipment Protection Level (EPL) Ga*

IEC 60079-35-1, *Explosive atmospheres – Part 35-1: Caplights for use in mines susceptible to firedamp – General requirements – Construction and testing in relation to the risk of explosion*

IEC 60086-1, *Primary batteries – Part 1: General*

IEC 60192, *Low-pressure sodium vapour lamps – Performance specifications*

IEC 60216-1, *Electrical insulating materials – Thermal endurance properties – Part 1: Ageing procedures and evaluation of test results*

IEC 60216-2, *Electrical insulating materials – Thermal endurance properties – Part 2: Determination of thermal endurance properties of electrical insulating materials – Choice of test criteria*

IEC 60243-1, *Electric strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60423, *Conduit systems for cable management – Outside diameters of conduits for electrical installations and threads for conduits and fittings*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60662, *High-pressure sodium vapour lamps – Performance specifications*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60947-1, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 62626-1, *Low-voltage switchgear and controlgear enclosed equipment – Part 1: Enclosed switch-disconnectors outside the scope of IEC 60947-3 to provide isolation during repair and maintenance work*

ISO 48, *Rubber, vulcanized or thermoplastic – Determination of hardness (hardness between 10 IRHD and 100 IRHD)*

ISO 178, *Plastics – Determination of flexural properties*

ISO 179 (all parts), *Plastics – Determination of Charpy impact properties*

ISO 262, *ISO general-purpose metric screw threads – Selected sizes for screws, bolts and nuts*

ISO 273, *Fasteners – Clearance holes for bolts and screws*

ISO 527-2, *Plastics – Determination of tensile properties – Part 2: Test conditions for moulding and extrusion plastics*

ISO 965-1, *ISO general-purpose metric screw threads – Tolerances – Part 1: Principles and basic data*

ISO 965-3, *ISO general-purpose metric screw threads – Tolerances – Part 3: Deviations for constructional screw threads*

ISO 3601-1, *Fluid power systems – O-rings – Part 1: Inside diameters, cross-sections, tolerances and designation codes*

ISO 3601-2, *Fluid power systems – O-rings – Part 2: Housing dimensions for general applications*

ISO 4014, *Hexagon head bolts – Product grades A and B*

ISO 4017, *Hexagon head screws – Product grades A and B*

ISO 4026, *Hexagon socket set screws with flat point*

ISO 4027, *Hexagon socket set screws with cone point*

ISO 4028, *Hexagon socket set screws with dog point*

ISO 4029, *Hexagon socket set screws with cup point*

ISO 4032, *Hexagon nuts, style 1 – Product grades A and B*

ISO 4762, *Hexagon socket head cap screws*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO 7380, *Hexagon socket button head screws*

ISO 14583, *Hexalobular socket pan head screws*

ANSI/UL 746B, *Polymeric Materials – Long-Term Property Evaluations*

ANSI/UL 746C, *Polymeric Materials – Used in Electrical Equipment Evaluations*

ASTM D5964, *Standard practice for rubber IRM 901, IRM 902, and IRM 903 replacement oils for ASTM No. 1, ASTM No. 2, and ASTM No. 3*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**