

STN	Zemný plyn Výpočet termodynamických vlastností Časť 2: Vlastnosti jednej fázy (plynu, kvapaliny a hustej tekutiny) na rozšírený rozsah použitia (ISO 20765-2: 2015)	STN EN ISO 20765-2 38 6110
------------	--	--

Natural gas - Calculation of thermodynamic properties - Part 2: Single-phase properties (gas, liquid, and dense fluid) for extended ranges of application (ISO 20765-2:2015)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/19

Obsahuje: EN ISO 20765-2:2018, ISO 20765-2:2015

127945

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 20765-2

September 2018

ICS 75.060

English Version

**Natural gas - Calculation of thermodynamic properties -
Part 2: Single-phase properties (gas, liquid, and dense
fluid) for extended ranges of application (ISO 20765-
2:2015)**

Gaz naturel - Calcul des propriétés thermodynamiques
-- Partie 2: Propriétés des phases uniques (gaz, liquide,
fluide dense) pour une gamme étendue d'applications
(ISO 20765-2:2015)

Erdgas - Berechnung thermodynamischer
Eigenschaften - Teil 2: Einphaseneigenschaften
(gasförmig, flüssig und dicht-flüssig) für den
erweiterten Anwendungsbereich (ISO 20765-2:2015)

This European Standard was approved by CEN on 31 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 20765-2:2018 (E)

Contents	Page
European foreword.....	3

European foreword

The text of ISO 20765-2:2015 has been prepared by Technical Committee ISO/TC 193 "Natural gas" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 20765-2:2018 by Technical Committee CEN/TC 238 "Test gases, test pressures, appliance categories and gas appliance types" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2019, and conflicting national standards shall be withdrawn at the latest by March 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20765-2:2015 has been approved by CEN as EN ISO 20765-2:2018 without any modification.

INTERNATIONAL STANDARD

ISO
20765-2

First edition
2015-01-15

Natural gas — Calculation of thermodynamic properties —

Part 2: Single-phase properties (gas, liquid, and dense fluid) for extended ranges of application

Gaz naturel — Calcul des propriétés thermodynamiques —

*Partie 2: Propriétés des phases uniques (gaz, liquide, fluide dense)
pour une gamme étendue d'applications*



Reference number
ISO 20765-2:2015(E)

© ISO 2015

ISO 20765-2:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Thermodynamic basis of the method	4
4.1 Principle	4
4.2 The fundamental equation based on the Helmholtz free energy	4
4.2.1 Background	4
4.2.2 The Helmholtz free energy	5
4.2.3 The reduced Helmholtz free energy	5
4.2.4 The reduced Helmholtz free energy of the ideal gas	6
4.2.5 The pure substance contribution to the residual part of the reduced Helmholtz free energy	6
4.2.6 The departure function contribution to the residual part of the reduced Helmholtz free energy	7
4.2.7 Reducing functions	8
4.3 Thermodynamic properties derived from the Helmholtz free energy	8
4.3.1 Background	8
4.3.2 Relations for the calculation of thermodynamic properties in the homogeneous region	9
5 Method of calculation	11
5.1 Input variables	11
5.2 Conversion from pressure to reduced density	11
5.3 Implementation	12
6 Ranges of application	13
6.1 Pure gases	13
6.2 Binary mixtures	14
6.3 Natural gases	17
7 Uncertainty of the equation of state	18
7.1 Background	18
7.2 Uncertainty for pure gases	18
7.2.1 Natural gas main components	18
7.2.2 Secondary alkanes	19
7.2.3 Other secondary components	21
7.3 Uncertainty for binary mixtures	21
7.4 Uncertainty for natural gases	23
7.4.1 Uncertainty in the normal and intermediate ranges of applicability of natural gas	24
7.4.2 Uncertainty in the full range of applicability, and calculation of properties beyond this range	25
7.5 Uncertainties in other properties	25
7.6 Impact of uncertainties of input variables	25
8 Reporting of results	25
Annex A (normative) Symbols and units	27
Annex B (normative) The reduced Helmholtz free energy of the ideal gas	29
Annex C (normative) Values of critical parameters and molar masses of the pure components	35
Annex D (normative) The residual part of the reduced Helmholtz free energy	36
Annex E (normative) The reducing functions for density and temperature	48
Annex F (informative) Assignment of trace components	55

ISO 20765-2:2015(E)

Annex G (informative) Examples	57
Bibliography	60

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 193, *Natural Gas*, Subcommittee SC 1, *Analysis of Natural Gas*.

ISO 20765 consists of the following parts, under the general title *Natural gas — Calculation of thermodynamic properties*:

- *Part 1: Gas phase properties for transmission and distribution applications*
- *Part 2: Single-phase properties (gas, liquid, and dense fluid) for extended ranges of application*
- *Part 3: Two-phase properties (vapour-liquid equilibria)*

Natural gas — Calculation of thermodynamic properties —

Part 2:

Single-phase properties (gas, liquid, and dense fluid) for extended ranges of application

1 Scope

This part of ISO 20765 specifies a method to calculate volumetric and caloric properties of natural gases, manufactured fuel gases, and similar mixtures, at conditions where the mixture may be in either the homogeneous (single-phase) gas state, the homogeneous liquid state, or the homogeneous supercritical (dense-fluid) state.

NOTE 1 Although the primary application of this document is to natural gases, manufactured fuel gases, and similar mixtures, the method presented is also applicable with high accuracy (i.e., to within experimental uncertainty) to each of the (pure) natural gas components and to numerous binary and multi-component mixtures related to or not related to natural gas.

For mixtures in the gas phase and for both volumetric properties (compression factor and density) and caloric properties (for example, enthalpy, heat capacity, Joule-Thomson coefficient, and speed of sound), the method is at least equal in accuracy to the method described in Part 1 of this International Standard, over the full ranges of pressure p , temperature T , and composition to which Part 1 applies. In some regions, the performance is significantly better; for example, in the temperature range 250 K to 275 K (−10 °F to 35 °F). The method described here maintains an uncertainty of $\leq 0,1$ % for volumetric properties, and generally within 0,1 % for speed of sound. It accurately describes volumetric and caloric properties of homogeneous gas, liquid, and supercritical fluids as well as those in vapour-liquid equilibrium. Therefore its structure is more complex than that in Part 1.

NOTE 2 All uncertainties in this document are expanded uncertainties given for a 95 % confidence level (coverage factor $k = 2$).

The method described here is also applicable with no increase in uncertainty to wider ranges of temperature, pressure, and composition for which the method of Part 1 is not applicable. For example, it is applicable to natural gases with lower content of methane (down to 0,30 mole fraction), higher content of nitrogen (up to 0,55 mole fraction), carbon dioxide (up to 0,30 mole fraction), ethane (up to 0,25 mole fraction), and propane (up to 0,14 mole fraction), and to hydrogen-rich natural gases. A practical usage is the calculation of properties of highly concentrated CO₂ mixtures found in carbon dioxide sequestration applications.

The mixture model presented here is valid by design over the entire fluid region. In the liquid and dense-fluid regions the paucity of high quality test data does not in general allow definitive statements of uncertainty for all sorts of multi-component natural gas mixtures. For saturated liquid densities of LNG-type fluids in the temperature range from 100 K to 140 K (−280 °F to −208 °F), the uncertainty is $\leq (0,1 - 0,3)$ %, which is in agreement with the estimated experimental uncertainty of available test data. The model represents experimental data for compressed liquid densities of various binary mixtures to within $\pm (0,1 - 0,2)$ % at pressures up to 40 MPa (5800 psia), which is also in agreement with the estimated experimental uncertainty. Due to the high accuracy of the equations developed for the binary subsystems, the mixture model can predict the thermodynamic properties for the liquid and dense-fluid regions with the best accuracy presently possible for multi-component natural gas fluids.

ISO 20765-2:2015(E)**2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7504, *Gas Analysis — Vocabulary*

ISO 14532, *Natural gas — Vocabulary*

ISO 20765-1, *Natural gas — Calculation of thermodynamic properties — Part 1: Gas phase properties for transmission and distribution applications*

ISO 80000-5:2007, *Quantities and units — Part 5: Thermodynamics*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN